

Package ‘INLAtools’

March 29, 2026

Type Package

Title Functionalities for the 'INLA' Package

Version 0.1.0

Maintainer Elias Teixeira Krainski <eliaskrainski@gmail.com>

Description Contain code to work with a C struct, in short cgeneric, to define a Gaussian Markov random (GMRF) model. The cgeneric contain code to specify GMRF elements such as the graph and the precision matrix, and also the initial and prior for its parameters, useful for model inference. It can be accessed from a C program and is the recommended way to implement new GMRF models in the 'INLA' package (<<https://www.r-inla.org>>). The 'INLAtools' implement functions to evaluate each one of the model specifications from R. The implemented functionalities leverage the use of 'cgeneric' models and provide a way to debug the code as well to work with the prior for the model parameters and to sample from it. A very useful functionality is the Kronecker product method that creates a new model from multiple cgeneric models. It also works with the rgeneric, the R version of the cgeneric intended to easy try implementation of new GMRF models. The Kronecker between two cgeneric models was used in Sterrantino et. al. (2024) <[doi:10.1007/s10260-025-00788-y](https://doi.org/10.1007/s10260-025-00788-y)>, and can be used to build the spatio-temporal intrinsic interaction models for what the needed constraints are automatically set.

URL <https://github.com/eliaskrainski/INLAtools>

BugReports <https://github.com/eliaskrainski/INLAtools/issues>

License GPL (>= 2)

Encoding UTF-8

RoxygenNote 7.3.3

NeedsCompilation yes

Depends R (>= 4.3), Matrix

Imports methods, utils

Suggests ggplot2

Author Elias Teixeira Krainski [cre, aut, cph] (ORCID: <https://orcid.org/0000-0002-7063-2615>),
 Finn Lindgren [aut] (ORCID: <https://orcid.org/0000-0002-5833-2011>),
 Haavard Rue' [aut] (ORCID: <https://orcid.org/0000-0002-0222-1881>)

Repository CRAN

Date/Publication 2026-03-29 07:20:02 UTC

Contents

cgeneric-class	2
cgeneric_generic0	5
cgeneric_get	6
extraconstr	9
findGetFunction	9
INLAtools-methods	10
is.zero	11
kronecker	12
multi_generic_model	13
packageCheck	14
prec.inla	14
rgeneric-class	15
rgeneric_get	16
Sparse	18
upperPadding	19
Index	21

cgeneric-class	<i>Organize data for the latent GMRF C interface for INLA.</i>
----------------	--

Description

A GMRF is defined from model parameters θ that would parametrize a (sparse) precision matrix.

The elements of a GMR are:

- graph to define the non-zero precision matrix pattern. only the upper triangle including the diagonal is needed.
- Q vector where the
 - first element (N) is the size of the matrix,
 - second element (M) is the number of non-zero elements in the upper part (including) diagonal

- the remaining (M) elements are the actual precision (upper triangle plus diagonal) elements whose order shall follow the graph definition.
- μ the mean vector,
- initial vector with
 - first element as the number of the parameters in the model
 - remaining elements should be the initials for the model parameters.
- `log.norm.const` log of the normalizing constant.
- `log.prior` log of the prior for the model parameters.

Usage

```

cgeneric(model, ...)

## S3 method for class 'character'
cgeneric(model, ...)

## S3 method for class '`function`'
cgeneric(model, ...)

## S3 method for class 'cgeneric'
cgeneric(model, ...)

## S3 method for class 'inla.cgeneric'
cgeneric(model, ...)

cgenericBuilder(...)

mapper1(model)

cgeneric_shlib(debug, package, useINLApcomp)

## S3 method for class 'cgeneric'
print(x, ...)

## S3 method for class 'cgeneric'
summary(object, ...)

## S3 method for class 'cgeneric'
plot(x, y, ...)

```

Arguments

<code>model</code>	object class for what a <code>cgeneric</code> method exists. E.g., if it is a character, a specific function will be called. E.g. <code>cgeneric("iid", ...)</code> calls <code>cgeneric_iid(...)</code> .
<code>...</code>	not used
<code>debug</code>	integer, used as verbose in debug.

package	character giving the name of the package that contains the cgeneric model.
useINLAprecomp	logical, indicating if it is to use the shared object previously copied and compiled by INLA.
x	a cgeneric object
object	a cgeneric object
y	not used

Value

a method to build a cgeneric should return a named list of cgeneric class that contains a named list `f` that contains (at least):

- `model` a character always equal to `cgeneric`,
- `n` an integer greater than 0, and
- `cgeneric` as a named list that contains the data needed to define the model. Each element on `...f$cgeneric` is also a named list containing ints, doubles, characters, matrices and smatrices.
- (possible) `extraconstr` as a named list with: `A` as a `n` times `k` matrix and `e` as a length `k` vector.

The `cgeneric_shlib` function returns a character with the path to the shared lib.

Functions

- `cgeneric(cgeneric)`: Returns the model object unchanged.
- `cgeneric(inla.cgeneric)`: Converts a regular `inla.cgeneric` object to `cgeneric`.
- `mapper1()`: A default mapper for a cgeneric/rgeneric model
- `print(cgeneric)`: Print the cgeneric object
- `summary(cgeneric)`: A summary for a cgeneric object
- `plot(cgeneric)`: A plot for a cgeneric object

Note

The graph and `Q` non-zero pattern should match, its elements should be ordered by row, and only its upper part stored.

See Also

[INLAtools-methods\(\)](#)

Examples

```

library(INLAtools)

R <- Sparse(crossprod(diff(diag(10))))
R

m <- cgeneric("generic0", R = R,
              scale = FALSE,
              param = c(1, 0.01))
m

all.equal(R, Sparse(prec(m, theta = 0)))

graph(m)
prior(m, theta = 0)
prior(m, theta = matrix(-1:1, 1)) ## see ?prior.cgeneric

```

cgeneric_generic0 *Build an cgeneric object for a generic0 model. See details.*

Description

Build data needed to implement a model whose precision has a conditional precision parameter. This uses the C interface in the 'INLA' package, that can be used as a linear predictor model component with an 'f' term.

Usage

```

cgeneric_generic0(R, param, constr = TRUE, scale = TRUE, ...)

cgeneric_iid(n, param, constr = FALSE, ...)

```

Arguments

R	the structure matrix for the model definition.
param	length two vector with the parameters a and p for the PC-prior distribution defined from $P(\sigma > a) = p$ where σ can be interpreted as marginal standard deviation of the process if scale = TRUE. See details.
constr	logical indicating if it is to add a sum-to-zero constraint. Default is TRUE.
scale	logical indicating if it is to scale the model. See details.
...	arguments (debug,useINLAprecomp,shlib) passed on to <code>cgeneric()</code> .
n	integer required to specify the model size

Details

The precision matrix is defined as

$$Q = \tau R$$

where the structure matrix R is supplied by the user and τ is the precision parameter. Following Sørbye and Rue (2014), if `scale = TRUE` the model is scaled so that

$$Q = \tau s R$$

where s is the geometric mean of the diagonal elements of the generalized inverse of R .

$$s = \exp \sum_i \log((R^-)_{ii})/n$$

If the model is scaled, the geometric mean of the marginal variances, the diagonal of Q^{-1} , is one. Therefore, when the model is scaled, τ is the marginal precision, otherwise τ is the conditional precision.

Value

a `cgeneric` object, see `cgeneric()`.

Functions

- `cgeneric_iid()`: The `cgeneric_iid` uses the `cgeneric_generic0` with the structure matrix as the identity.

References

Sigrunn Holbek Sørbye and Håvard Rue (2014). Scaling intrinsic Gaussian Markov random field priors in spatial modelling. *Spatial Statistics*, vol. 8, p. 39-51.

See Also

`prior.cgeneric()`

<code>cgeneric_get</code>	<code>cgeneric_get</code> is an internal function used by <code>graph</code> , <code>pred</code> , <code>initial</code> , <code>mu</code> or <code>prior methods</code> for <code>cgeneric</code> .
---------------------------	---

Description

The `generic_get` retrieve a model property specified by `cmd` on an `cgeneric` object. The functions listed below are for each `cmd` case.

Usage

```
cgeneric_get(  
  model,  
  cmd = c("graph", "Q", "initial", "mu", "log_prior"),  
  theta,  
  optimize = TRUE  
)  
  
## S3 method for class 'cgeneric'  
initial(model)  
  
## S3 method for class 'cgeneric'  
mu(model, theta)  
  
## S3 method for class 'cgeneric'  
graph(model, optimize)  
  
## S3 method for class 'cgeneric'  
prec(model, theta, optimize)  
  
## S3 method for class 'cgeneric'  
prior(model, theta)
```

Arguments

model	a cgeneric object.
cmd	an string to specify which model element to get
theta	numeric vector with the model parameters. If missing, the <code>initial()</code> will be used.
optimize	logical indicating if it is to be returned only the elements and not as a sparse matrix.

Value

depends on cmd
numeric scalar (if numeric vector is provided for theta) or vector (if numeric matrix is provided for theta).

Functions

- `initial(cgeneric)`: Retrieve the initial parameter(s) of an cgeneric model.
- `mu(cgeneric)`: Evaluate the mean for an cgeneric model.
- `graph(cgeneric)`: Retrieve the graph of an cgeneric object
- `prec(cgeneric)`: Retrieve the precision of an cgeneric object
- `prior(cgeneric)`: Evaluate the prior for an cgeneric model

See Also

check the examples in [cgeneric_generic0\(\)](#)

Examples

```

library(INLAtools)
old.par <- par(no.readonly = TRUE)

## Setting the prior parameters
prior.par <- c(1, 0.5) # P(sigma > 1) = 0.5
cmodel <- cgeneric(
  model = "iid", n = 10,
  param = prior.par)

## prior summaries: sigma and log-precision
(lamb <- -log(prior.par[2])/prior.par[1])
(smedian <- qexp(0.5, lamb))
(smean <- 1/lamb)

## mode: at the minimum of - log-prior
(lpmode <- optimize(function(x)
  -prior(cmodel, theta = x),
  c(-10, 30))$minimum)
## mean: integral of x*f(x)dx
(lpmean <- integrate(function(x)
  exp(prior(cmodel, theta = matrix(x, 1)))*x,
  -10, 30)$value)

## prior visualization: log(precision) and sigma
par(mfrow = c(1, 2))
plot(function(x)
  exp(prior(cmodel, theta = matrix(x, nrow=1))),
  -3, 3, n = 601, xlab = "log-precision",
  ylab = "density")
abline(v = lpmode, lwd = 3, col = 2)
rug(-2*log(smedian), lwd = 3, col = 3)
rug(lpmean, lwd = 3, col = 4)
plot(function(x)
  exp(prior(cmodel,
  theta = matrix(
    -2*log(x),
    nrow = 1))+log(2)-log(x)),
  1/100, 10, n = 1000,
  xlab = expression(sigma),
  ylab = "density")
plot(function(x) dexp(x, lamb),
  1/100, 10, n = 1000,
  add = TRUE, lty = 2, col = 2)
rug(smedian, lwd = 3, col = 3)
rug(smean, lwd = 3, col = 4)

par(old.par)

```

extraconstr	<i>Kronecker (product) between extraconstr, implemented for kronecker() methods.</i>
-------------	--

Description

Kronecker (product) between extraconstr, implemented for [kronecker\(\)](#) methods.

Usage

```
kronecker_extraconstr(c1, c2, n1, n2)
```

Arguments

c1, c2	named list with two elements: A and e, where nrow(A) should be equal to length(e). These are constraint definitions.
n1, n2	integer with each model's length.

Value

The constraint definition for the whole latent model built from the Kronecker product. A length two named list. 'A' a matrix and 'e' a vector where nrow(A)=length(e) and ncol(A)=(n1*n2).

findGetFunction	<i>Search a function and retrieve it.</i>
-----------------	---

Description

Search a function and retrieve it.

Usage

```
findGetFunction(fName, package, debug = FALSE)
```

Arguments

fName	character with the name of the function
package	character with the package name
debug	logical indicating if it is to print intermediate progress finding

Details

if 'missing(package)' it will search on the loaded packages, first in the exported functions, and then among the non-exported ones. NOTE: 'package' can include any installed package, see [installed.packages\(\)](#)

Value

function. The (first) package name where it was found is returned as an attribute named "package"

INLAtools-methods *Methods to work with a model.*

Description

For a given model object query the initial, mu, log prior, graph or precision prec can be evaluated/retrieved.

Usage

```
initial(model)
mu(model, theta)
prior(model, theta)
graph(model, optimize)
prec(model, theta, optimize)

## Default S3 method:
prec(model, ...)

## S3 method for class 'Matrix'
vcov(object, ...)
```

Arguments

model	object to represent a model
theta	numeric vector. For prior it can be a numeric matrix, with number of lines equal the size of theta and each column as a different case.
optimize	logical indicating if it is to be returned only the elements and not as a sparse matrix.
...	additional arguments passed on
object	Matrix supposed to be a sparse precision matrix

Value

the result of the desired query of the 'cgeneric' model. 'graph' and 'prec' can be either a vector (if optimize = TRUE) or a sparse matrix.

Functions

- `initial()`: Retrieve the initial model parameter(s)
- `mu()`: Evaluate the model's mean
- `prior()`: Evaluate the log-prior for a given theta
- `graph()`: Retrieve the models' graph
- `prec()`: Retrieve the precision for a given theta
- `prec(default)`: The default precision method computes the inverse of the variance
- `vcov(Matrix)`: The vcov method for sparse matrices

See Also

[prior.cgeneric\(\)](#)

is.zero

Define the is.zero method

Description

Define the is.zero method

Usage

```
is.zero(x, tol)

## Default S3 method:
is.zero(x, tol)

## S3 method for class 'matrix'
is.zero(x, tol)

## S3 method for class 'Matrix'
is.zero(x, tol)
```

Arguments

<code>x</code>	an R object
<code>tol</code>	numeric to be used as (absolute) tolerance. if missing (default) it will consider $x==0$.

Value

logical

Methods (by class)

- `is.zero(default)`: The `is.zero.default` definition
- `is.zero(matrix)`: The `is.zero.matrix` definition
- `is.zero(Matrix)`: The `is.zero.Matrix` definition

kronecker	<i>Kronecker (product) between cgeneric/rgeneric models, implemented as <code>kronecker()</code> methods.</i>
-----------	---

Description

Kronecker (product) between cgeneric/rgeneric models, implemented as `kronecker()` methods.

Usage

```
## S4 method for signature 'cgeneric,cgeneric'
kronecker(X, Y, FUN = "*", make.dimnames = FALSE, ...)

## S4 method for signature 'cgeneric,rgeneric'
kronecker(X, Y, FUN = "*", make.dimnames = FALSE, ...)

## S4 method for signature 'rgeneric,cgeneric'
kronecker(X, Y, FUN = "*", make.dimnames = FALSE, ...)

## S4 method for signature 'rgeneric,rgeneric'
kronecker(X, Y, FUN = "*", make.dimnames = FALSE, ...)
```

Arguments

X	cgeneric or rgeneric
Y	cgeneric or rgeneric
FUN	see <code>kronecker()</code>
make.dimnames	see <code>kronecker()</code>
...	see <code>kronecker()</code>

Value

if 'X' and 'Y' are cgeneric return a cgeneric, else a rgeneric.

Examples

```
R <- Matrix(crossprod(diff(diag(4))))
m1 <- cgeneric("generic0", R = R, param = c(1, NA),
  scale = FALSE, useINLAprecomp = FALSE)
m2 <- cgeneric("iid", n = 3, param = c(1, 0.5),
  useINLAprecomp = FALSE)
k21 <- kronecker(m2, m1, useINLAprecomp = FALSE)
prec(k21, theta = 0.0)
```

multi_generic_model *Combine two or more cgeneric or rgeneric models*

Description

Constructs a multiple kronecker product model from a list of model objects. The resulting model contains a corresponding `inlabru::bm_multi()` mapper. This can be used as an alternative to a binary tree of kronecker product models.

Usage

```
multi_generic_model(models, ...)
```

```
multi_generic_model_mapper(models)
```

Arguments

<code>models</code>	A list of cgeneric or rgeneric models, optionally with names
<code>...</code>	Arguments passed on to every kronecker() call.

Details

The last model in the list has the slowest index variation, and the first model has the fastest index variation. This matches the latent variable ordering of standard `INLA:f()` model components with (`main`, `group`, `replicate`).

Value

A 'cgeneric' or 'rgeneric' model object, containing a multi-kronecker product model, with a corresponding `inlabru::bm_multi()` mapper.

Functions

- `multi_generic_model_mapper()`: Build the `bm_multi` mapper for a list of models

Examples

```
library(INLAtools)
R1 <- Matrix(crossprod(diff(diag(4))))
R1
m1 <- cgeneric("generic0", R = R1, param = c(1, NA),
  scale = FALSE, useINLAprecomp = FALSE)
R2 <- Matrix(crossprod(diff(diag(3))))
R2
m2 <- cgeneric("generic0", R = R2, param = c(1, NA),
  scale = FALSE, useINLAprecomp = FALSE)
m3 <- cgeneric("iid", n = 2, param = c(1, 0.5),
  useINLAprecomp = FALSE)
```

```

prec(m3, theta = 0.0)
multi123 <- multi_generic_model(
  list(m1 = m1, m2 = m2, m3 = m3),
  useINLApcomp = FALSE
)
R321 <- Sparse(kronecker(kronecker(Diagonal(2),R2),R1))
R321
all.equal(R321, Sparse(prec(multi123, theta = 0.0)))
if(!is.na(packageCheck("inlabru", "2.13.0.9005"))) {
  print(multi123$mapper)
}

```

packageCheck	<i>To check package version and load</i>
--------------	--

Description

To check package version and load

Usage

```
packageCheck(name, minimum_version, quietly = FALSE)
```

Arguments

name	character with the name of the package
minimum_version	character with the minimum required version
quietly	logical indicating if messages shall be printed

Note

Original in inlabru package function check_package_version_and_load

prec.inla	<i>Define the prec method for an inla output object</i>
-----------	---

Description

Define the prec method for an inla output object

Usage

```
## S3 method for class 'inla'
prec(model, ...)
```

Arguments

model an inla output

... used to pass the 'prior' argument, as logical (default is TRUE) to indicate if it is to retrieve the prior or the posterior precision.

Details

extract the joint prior precision for the latent field at the mode of the hyperparameters

rgeneric-class *Organize data for the latent GMRF R interface for INLA.*

Description

Organize data for the latent GMRF R interface for INLA.
The rgeneric default method.

Usage

```
rgeneric(model, n, debug = FALSE, ...)

## Default S3 method:
rgeneric(model, n, debug = FALSE, ...)

## S3 method for class 'rgeneric'
rgeneric(model, ...)

## S3 method for class 'inla.rgeneric'
rgeneric(model, ...)

## S3 method for class 'rgeneric'
print(x, ...)

## S3 method for class 'rgeneric'
summary(object, ...)

## S3 method for class 'rgeneric'
plot(x, y, ...)
```

Arguments

model an object used to define the model. See the 'rgeneric' vignette from the INLA package.

n integer with the dimension of the model

debug logical indicating debug state.

...	not used
x	a rgeneric object
object	a rgeneric object
y	not used

Value

rgeneric/ inla.rgeneric object.

Functions

- `rgeneric(rgeneric)`: Returns the model object unchanged.
- `rgeneric(inla.rgeneric)`: Converts a regular inla.rgeneric object to rgeneric.
- `print(rgeneric)`: Print the rgeneric object
- `summary(rgeneric)`: A summary for a rgeneric object
- `plot(rgeneric)`: A plot for a rgeneric object

<code>rgeneric_get</code>	<i>rgeneric_get is an internal function used by graph, pred, initial, mu or prior methods for rgeneric.</i>
---------------------------	---

Description

The generic_get retrieve a model property specified by cmd on an rgeneric object. The functions listed below are for each cmd case.

Usage

```
rgeneric_get(
  model,
  cmd = c("graph", "Q", "initial", "mu", "log_prior"),
  theta,
  optimize = TRUE
)
```

```
## S3 method for class 'rgeneric'
initial(model)
```

```
## S3 method for class 'rgeneric'
mu(model, theta)
```

```
## S3 method for class 'rgeneric'
graph(model, optimize)
```

```
## S3 method for class 'rgeneric'
```

```
prec(model, theta, optimize)

## S3 method for class 'rgeneric'
prior(model, theta)
```

Arguments

model	a rgeneric object.
cmd	an string to specify which model element to get
theta	numeric vector with the model parameters. If missing, the <code>initial()</code> will be used.
optimize	logical indicating if it is to be returned only the elements and not as a sparse matrix.

Value

depends on cmd

numeric scalar (if numeric vector is provided for theta) or vector (if numeric matrix is provided for theta).

Functions

- `initial(rgeneric)`: Retrieve the initial parameter(s) of an rgeneric model.
- `mu(rgeneric)`: Evaluate the mean for an rgeneric model.
- `graph(rgeneric)`: Retrieve the graph of an rgeneric object
- `prec(rgeneric)`: Retrieve the precision of an rgeneric object
- `prior(rgeneric)`: Evaluate the prior for an rgeneric model

Examples

```
library(INLAtools)
old.par <- par(no.readonly = TRUE)

## Setting the prior parameters
prior.par <- c(1, 0.5) # P(sigma > 1) = 0.5
cmodel <- cgeneric(
  model = "iid", n = 10,
  param = prior.par)

## prior summaries: sigma and log-precision
(lamb <- -log(prior.par[2])/prior.par[1])
(smedian <- qexp(0.5, lamb))
(smean <- 1/lamb)

## mode: at the minimum of - log-prior
(lpmode <- optimize(function(x)
  -prior(cmodel, theta = x),
  c(-10, 30))$minimum)
```

```

## mean: integral of x*f(x)dx
(lpmean <- integrate(function(x)
  exp(prior(cmodel, theta = matrix(x, 1)))*x,
  -10, 30)$value)

## prior visualization: log(precision) and sigma
par(mfrow = c(1, 2))
plot(function(x)
  exp(prior(cmodel, theta = matrix(x, nrow=1))),
  -3, 3, n = 601, xlab = "log-precision",
  ylab = "density")
abline(v = lpmode, lwd = 3, col = 2)
rug(-2*log(smedian), lwd = 3, col = 3)
rug(lpmean, lwd = 3, col = 4)
plot(function(x)
  exp(prior(cmodel,
    theta = matrix(
      -2*log(x),
      nrow = 1))+log(2)-log(x)),
  1/100, 10, n = 1000,
  xlab = expression(sigma),
  ylab = "density")
plot(function(x) dexp(x, lamb),
  1/100, 10, n = 1000,
  add = TRUE, lty = 2, col = 2)
rug(smedian, lwd = 3, col = 3)
rug(smean, lwd = 3, col = 4)

par(old.par)

```

Sparse

To store in i,j,x sparse matrix format

Description

To store in i,j,x sparse matrix format

Usage

```
Sparse(A, unique = TRUE, na.rm = FALSE, zeros.rm = FALSE)
```

Arguments

A	matrix or Matrix
unique	logical (default is TRUE) to ensure that the internal representation is unique and there are no duplicated entries. (Do not change this unless you know what you are doing.)
na.rm	logical (default is FALSE) indicating if it is to replace 'NA's in the matrix with zeros.

`zeros.rm` logical (default is FALSE) indicating if it is to remove zeros in the matrix. Applied after `na.rm`.

Note

This is based in `INLA::inla.as.sparse()`, but allow all combinations of `'na.rm'` and `'zeros.rm'`.

upperPadding *Padding (a list of) sparse matrices.*

Description

Padding (a list of) sparse matrices.

Usage

```
upperPadding(M, relative = FALSE, ...)
```

Arguments

`M` 'Matrix' (or a list of them).

`relative` logical. If 'M' is a list, it indicates if it is to be returned a relative index and the value for each matrix. See details.

`...` additional arguments passed to [Sparse](#).

Details

This is useful to prepare a matrix, or a list of, sparse matrices for use in some 'cgeneric' code.

Define a graph of the union of the supplied matrices and return the row ordered diagonal plus upper triangle after padding with zeroes each one so that all the returned matrices have the same pattern.

If `relative=FALSE`, each columns of 'xx' is the elements of the corresponding matrix after being padded to fill the pattern of the union graph. If `relative=TRUE`, each element of 'xx' would be a list with a relative index, 'r', for each non-zero elements of each matrix is returned relative to the union graph, the non-lower elements, 'x', of the corresponding matrix, and a vector, 'o', with the number of non-zero elements for each line of each resulting matrix.

Value

If a unique matrix is given, return the upper triangle considering the 'T' representation in the `dgTMatrix`, from the `Matrix` package. If a list of matrices is given, return a list of two elements: 'graph' and 'xx'. The 'graph' is the union of the graph from each matrix. If `relative=FALSE`, 'xx' is a matrix with number of column equals the the number of matrices imputed. If `relative=TRUE`, it is a list of length equal the number of matrices imputed. See details.

Examples

```
A <- sparseMatrix(  
  i = c(1, 1, 2, 3, 3, 5),  
  j = c(2, 5, 3, 4, 5, 5),  
  x = -c(0:3,NA,1), symmetric = TRUE)  
A  
upperPadding(A)  
upperPadding(A, na.rm = TRUE)  
upperPadding(A, zeros.rm = TRUE)  
upperPadding(A, na.rm = TRUE, zeros.rm = TRUE)  
B <- Diagonal(nrow(A), -colSums(A, na.rm = TRUE))  
B  
upperPadding(list(a = A, b = B), na.rm = TRUE, zeros.rm = TRUE)  
upperPadding(list(a = A, b = B), relative = TRUE)
```

Index

`cgeneric` (`cgeneric`-class), 2
`cgeneric()`, 5, 6
`cgeneric`-class, 2
`cgeneric.cgeneric` (`cgeneric`-class), 2
`cgeneric.character` (`cgeneric`-class), 2
`cgeneric.function` (`cgeneric`-class), 2
`cgeneric.inla.cgeneric`
 (`cgeneric`-class), 2
`cgeneric_generic0`, 5, 6
`cgeneric_generic0()`, 8
`cgeneric_get`, 6
`cgeneric_iid`, 6
`cgeneric_iid` (`cgeneric_generic0`), 5
`cgeneric_shlib` (`cgeneric`-class), 2
`cgenericBuilder` (`cgeneric`-class), 2

`extraconstr`, 9

`findGetFunction`, 9

`graph` (`INLAtools`-methods), 10
`graph.cgeneric` (`cgeneric_get`), 6
`graph.rgeneric` (`rgeneric_get`), 16

`initial` (`INLAtools`-methods), 10
`initial()`, 7, 17
`initial.cgeneric` (`cgeneric_get`), 6
`initial.rgeneric` (`rgeneric_get`), 16
`inlabru:bm_multi()`, 13
`INLAtools`-methods, 10
`installed.packages()`, 9
`is.zero`, 11

`kronecker`, 12
`kronecker()`, 9, 12
`kronecker, cgeneric, cgeneric-method`
 (`kronecker`), 12
`kronecker, cgeneric, rgeneric-method`
 (`kronecker`), 12
`kronecker, rgeneric, cgeneric-method`
 (`kronecker`), 12

`kronecker, rgeneric, rgeneric-method`
 (`kronecker`), 12

`kronecker_extraconstr` (`extraconstr`), 9

`mapper1` (`cgeneric`-class), 2
`mu` (`INLAtools`-methods), 10
`mu.cgeneric` (`cgeneric_get`), 6
`mu.rgeneric` (`rgeneric_get`), 16
`multi_generic_model`, 13
`multi_generic_model_mapper`
 (`multi_generic_model`), 13

`packageCheck`, 14
`plot.cgeneric` (`cgeneric`-class), 2
`plot.rgeneric` (`rgeneric`-class), 15
`prec` (`INLAtools`-methods), 10
`prec.cgeneric` (`cgeneric_get`), 6
`prec.inla`, 14
`prec.rgeneric` (`rgeneric_get`), 16
`print.cgeneric` (`cgeneric`-class), 2
`print.rgeneric` (`rgeneric`-class), 15
`prior` (`INLAtools`-methods), 10
`prior.cgeneric` (`cgeneric_get`), 6
`prior.cgeneric()`, 6, 11
`prior.rgeneric` (`rgeneric_get`), 16

`rgeneric` (`rgeneric`-class), 15
`rgeneric`-class, 15
`rgeneric.default` (`rgeneric`-class), 15
`rgeneric.inla.rgeneric`
 (`rgeneric`-class), 15
`rgeneric.rgeneric` (`rgeneric`-class), 15
`rgeneric_get`, 16

`Sparse`, 18, 19
`summary.cgeneric` (`cgeneric`-class), 2
`summary.rgeneric` (`rgeneric`-class), 15

`upperPadding`, 19

`vcov.Matrix` (`INLAtools`-methods), 10