

# Package ‘miceFast’

February 26, 2026

**Title** Fast Imputations Using 'Rcpp' and 'Armadillo'

**Version** 0.9.1

**Description** Fast imputations under the object-oriented programming paradigm.

Moreover there are offered a few functions built to work with popular R packages such as 'data.table' or 'dplyr'.

The biggest improvement in time performance can be achieved for a calculation where a grouping variable is used.

A single evaluation of a quantitative model for the multiple imputations is another major enhancement.

A new major improvement is one of the fastest predictive mean matching in the R world because of presorting and binary search.

**Depends** R (>= 3.6.0)

**License** GPL (>= 2)

**URL** <https://github.com/Polkas/miceFast>

**BugReports** <https://github.com/Polkas/miceFast/issues>

**Encoding** UTF-8

**Imports** methods, Rcpp (>= 0.12.12), data.table

**Suggests** knitr, rmarkdown, testthat, mice, magrittr, ggplot2, UpSetR, dplyr

**VignetteBuilder** knitr

**LinkingTo** Rcpp, RcppArmadillo

**RcppModules** miceFast, corrData

**NeedsCompilation** yes

**LazyData** true

**RoxygenNote** 7.3.3

**Author** Maciej Nasinski [aut, cre]

**Maintainer** Maciej Nasinski <nasinski.maciej@gmail.com>

**Repository** CRAN

**Date/Publication** 2026-02-26 15:50:02 UTC

## Contents

|                       |           |
|-----------------------|-----------|
| miceFast-package      | 2         |
| air_miss              | 3         |
| compare_imp           | 4         |
| fill_NA               | 5         |
| fill_NA_N             | 7         |
| naive_fill_NA         | 10        |
| neibo                 | 12        |
| pool                  | 12        |
| print.miceFast_pool   | 14        |
| Rcpp_corrData-class   | 15        |
| Rcpp_miceFast-class   | 15        |
| summary.miceFast_pool | 17        |
| upset_NA              | 17        |
| VIF                   | 18        |
| <b>Index</b>          | <b>21</b> |

---

|                  |  |
|------------------|--|
| miceFast-package | <i>miceFast package for fast multiple imputations.</i> |
|------------------|--|

---

### Description

Fast imputations under the object-oriented programming paradigm. There was used quantitative models with a closed-form solution. Thus package is based on linear algebra operations. The biggest improvement in time performance could be achieve for a calculation where a grouping variable have to be used. A single evaluation of a quantitative model for the multiple imputations is another major enhancement. Moreover there are offered a few functions built to work with popular R packages such as 'data.table'.

### Details

Please read the vignette for additional information

### Author(s)

Maciej Nasinski

### References

<https://github.com/Polkas/miceFast>

---

 air\_miss

*airquality dataset with additional variables*


---

**Description**

airquality dataset with additional variables

**Usage**

air\_miss

**Format**

A data frame and data table with 154 observations on 11 variables.

**Ozone** numeric Ozone (ppb) - Mean ozone in parts per billion from 1300 to 1500 hours at Roosevelt Island

**Solar.R** numeric Solar R (lang) - Solar radiation in Langleys in the frequency band 4000–7700 Angstroms from 0800 to 1200 hours at Central Park

**Wind** numeric Wind (mph) - Average wind speed in miles per hour at 0700 and 1000 hours at LaGuardia Airport

**Temp** numeric Temperature (degrees F) - Maximum daily temperature in degrees Fahrenheit at La Guardia Airport.

**Day** numeric Day of month (1–31)

**Intercept** numeric a constant

**index** numeric id

**weights** numeric positive values weights

**groups** factor Month (1–12)

**x\_character** character discrete version of Solar.R (5-levels)

**Ozone\_chac** character discrete version of Ozone (7-levels)

**Ozone\_f** factor discrete version of Ozone (7-levels)

**Ozone\_high** logical Ozone higher than its mean

**Details**

Daily readings of the following air quality values for May 1, 1973 (a Tuesday) to September 30, 1973.

**Source**

The data were obtained from the New York State Department of Conservation (ozone data) and the National Weather Service (meteorological data).

## References

Chambers, J. M., Cleveland, W. S., Kleiner, B. and Tukey, P. A. (1983) Graphical Methods for Data Analysis. Belmont, CA: Wadsworth.

## Examples

```
## Not run:
library(data.table)
data(airquality)
data <- cbind(as.matrix(airquality[, -5]),
  Intercept = 1, index = 1:nrow(airquality),
  # a numeric vector - positive values
  weights = rnorm(nrow(airquality), 1, 0.01),
  # months as groups
  groups = airquality[, 5]
)

# data.table
air_miss <- data.table(data)
air_miss$groups <- factor(air_miss$groups)

# Distribution of Ozone - close to log-normal
# hist(air_miss$Ozone)

# Additional vars
# Make a character variable to show package capabilities
air_miss$x_character <- as.character(cut(air_miss$Solar.R, seq(0, 350, 70)))
# Discrete version of dependent variable
air_miss$Ozone_chac <- as.character(cut(air_miss$Ozone, seq(0, 160, 20)))
air_miss$Ozone_f <- cut(air_miss$Ozone, seq(0, 160, 20))
air_miss$Ozone_high <- air_miss$Ozone > mean(air_miss$Ozone, na.rm = T)

## End(Not run)
```

---

compare\_imp

*Comparing imputations and original data distributions*

---

## Description

ggplot2 visualization to support which imputation method to choose

## Usage

```
compare_imp(df, origin, target)
```

**Arguments**

|        |  |
|--------|--|
| df     | data.frame with origin variable and the new one with imputations                 |
| origin | character value - the name of origin variable with values before any imputations |
| target | character vector - names of variables with applied imputations                   |

**Value**

ggplot2 object

**Examples**

```
library(miceFast)
library(ggplot2)
data(air_miss)
air_miss$Ozone_imp <- fill_NA(
  x = air_miss,
  model = "lm_bayes",
  posit_y = 1,
  posit_x = c(4, 6),
  logreg = TRUE
)
air_miss$Ozone_imp2 <- fill_NA_N(
  x = air_miss,
  model = "pmm",
  posit_y = 1,
  posit_x = c(4, 6),
  logreg = TRUE
)

compare_imp(air_miss, origin = "Ozone", "Ozone_imp")
compare_imp(air_miss, origin = "Ozone", c("Ozone_imp", "Ozone_imp2"))
```

---

fill\_NA

---

fill\_NA function for the imputations purpose.

---

**Description**

Regular imputations to fill the missing data. Non missing independent variables are used to approximate a missing observations for a dependent variable. Quantitative models were built under Rcpp packages and the C++ library Armadillo.

**Usage**

```
fill_NA(x, model, posit_y, posit_x, w = NULL, logreg = FALSE, ridge = 1e-06)

## S3 method for class 'data.frame'
fill_NA(x, model, posit_y, posit_x, w = NULL, logreg = FALSE, ridge = 1e-06)
```

```
## S3 method for class 'data.table'
fill_NA(x, model, posit_y, posit_x, w = NULL, logreg = FALSE, ridge = 1e-06)

## S3 method for class 'matrix'
fill_NA(x, model, posit_y, posit_x, w = NULL, logreg = FALSE, ridge = 1e-06)
```

### Arguments

|         |  |
|---------|--|
| x       | a numeric matrix or data.frame/data.table (factor/character/numeric/logical) - variables   |
| model   | a character - possible options ("lda", "lm_pred", "lm_bayes", "lm_noise")  |
| posit_y | an integer/character - a position/name of dependent variable   |
| posit_x | an integer/character vector - positions/names of independent variables   |
| w       | a numeric vector - a weighting variable - only positive values, Default:NULL   |
| logreg  | a boolean - if dependent variable has log-normal distribution (numeric). If TRUE log-regression is evaluated and then returned exponential of results., Default: FALSE |
| ridge   | a numeric - a value added to diagonal elements of the $x'x$ matrix, Default: 1e-6  |

### Value

load imputations in a numeric/logical/character/factor (similar to the input type) vector format

### Methods (by class)

- `fill_NA(data.frame)`: S3 method for data.frame
- `fill_NA(data.table)`: s3 method for data.table
- `fill_NA(matrix)`: S3 method for matrix

### Note

There is assumed that users add the intercept by their own. The miceFast module provides the most efficient environment, the second recommended option is to use data.table and the numeric matrix data type. The lda model is assessed only if there are more than 15 complete observations and for the lms models if number of independent variables is smaller than number of observations.

### See Also

[fill\\_NA\\_N VIF vignette\("miceFast-intro", package = "miceFast"\)](#)

### Examples

```
library(miceFast)
library(dplyr)
library(data.table)

data(air_miss)
```

```

# dplyr: continuous variable with Bayesian linear model
air_miss %>%
  mutate(Ozone_imp = fill_NA(
    x = ., model = "lm_bayes",
    posit_y = "Ozone", posit_x = c("Solar.R", "Wind", "Temp")
  ))

# dplyr: categorical variable with LDA
air_miss %>%
  mutate(x_char_imp = fill_NA(
    x = ., model = "lda",
    posit_y = "x_character", posit_x = c("Wind", "Temp")
  ))

# dplyr: grouped imputation with weights
air_miss %>%
  group_by(groups) %>%
  do(mutate(., Solar_R_imp = fill_NA(
    x = ., model = "lm_pred",
    posit_y = "Solar.R",
    posit_x = c("Wind", "Temp", "Intercept"),
    w = .[["weights"]]
  ))) %>%
  ungroup()

# data.table
data(air_miss)
setDT(air_miss)
air_miss[, Ozone_imp := fill_NA(
  x = .SD, model = "lm_bayes",
  posit_y = "Ozone", posit_x = c("Solar.R", "Wind", "Temp")
)]

# data.table: grouped
air_miss[, Solar_R_imp := fill_NA(
  x = .SD, model = "lm_pred",
  posit_y = "Solar.R",
  posit_x = c("Wind", "Temp", "Intercept"),
  w = .SD[["weights"]]
), by = .(groups)]

# See the vignette for full examples:
# vignette("miceFast-intro", package = "miceFast")

```

**Description**

Multiple imputations to fill the missing data. Non missing independent variables are used to approximate a missing observations for a dependent variable. Quantitative models were built under Rcpp packages and the C++ library Armadillo.

**Usage**

```
fill_NA_N(  
  x,  
  model,  
  posit_y,  
  posit_x,  
  w = NULL,  
  logreg = FALSE,  
  k = 10,  
  ridge = 1e-06  
)  
  
## S3 method for class 'data.frame'  
fill_NA_N(  
  x,  
  model,  
  posit_y,  
  posit_x,  
  w = NULL,  
  logreg = FALSE,  
  k = 10,  
  ridge = 1e-06  
)  
  
## S3 method for class 'data.table'  
fill_NA_N(  
  x,  
  model,  
  posit_y,  
  posit_x,  
  w = NULL,  
  logreg = FALSE,  
  k = 10,  
  ridge = 1e-06  
)  
  
## S3 method for class 'matrix'  
fill_NA_N(  
  x,  
  model,  
  posit_y,  
  posit_x,
```

```

    w = NULL,
    logreg = FALSE,
    k = 10,
    ridge = 1e-06
  )

```

### Arguments

|         |  |
|---------|--|
| x       | a numeric matrix or data.frame/data.table (factor/character/numeric/logical) - variables   |
| model   | a character - possible options ("lm_bayes", "lm_noise", "pmm")   |
| posit_y | an integer/character - a position/name of dependent variable   |
| posit_x | an integer/character vector - positions/names of independent variables   |
| w       | a numeric vector - a weighting variable - only positive values, Default: NULL  |
| logreg  | a boolean - if dependent variable has log-normal distribution (numeric). If TRUE log-regression is evaluated and then returned exponential of results., Default: FALSE |
| k       | an integer - a number of multiple imputations or for pmm a number of closest points from which a one random value is taken, Default:10                                 |
| ridge   | a numeric - a value added to diagonal elements of the x'x matrix, Default: 1e-6  |

### Value

load imputations in a numeric/character/factor (similar to the input type) vector format

### Methods (by class)

- `fill_NA_N(data.frame)`: S3 method for data.frame
- `fill_NA_N(data.table)`: S3 method for data.table
- `fill_NA_N(matrix)`: S3 method for matrix

### Note

It is assumed that users add the intercept column themselves. The miceFast module provides the most efficient environment; the second recommended option is data.table with a numeric matrix. Only "lm\_bayes", "lm\_noise", and "pmm" models are supported. The model is fitted only when the number of complete observations exceeds the number of independent variables.

### See Also

[fill\\_NA VIF vignette\("miceFast-intro", package = "miceFast"\)](#)

**Examples**

```

library(miceFast)
library(dplyr)
library(data.table)

data(air_miss)

# dplyr: PMM with 20 draws
air_miss %>%
  mutate(Ozone_pmm = fill_NA_N(
    x = ., model = "pmm",
    posit_y = "Ozone", posit_x = c("Solar.R", "Wind", "Temp"),
    k = 20
  ))

# dplyr: lm_noise with weights
air_miss %>%
  mutate(Ozone_imp = fill_NA_N(
    x = ., model = "lm_noise",
    posit_y = "Ozone",
    posit_x = c("Solar.R", "Wind", "Temp"),
    w = .[["weights"]],
    logreg = TRUE, k = 30
  ))

# data.table: PMM grouped
data(air_miss)
setDT(air_miss)
air_miss[, Ozone_pmm := fill_NA_N(
  x = .SD, model = "pmm",
  posit_y = "Ozone",
  posit_x = c("Wind", "Temp", "Intercept"),
  k = 20
), by = .(groups)]

# See the vignette for full examples:
# vignette("miceFast-intro", package = "miceFast")

```

---

naive\_fill\_NA

naive\_fill\_NA *function for the simple and automatic imputation*


---

**Description**

Automatically fill the missing data with a simple imputation method, impute with sampling the non missing values. It is recommended to use this function for each categorical variable separately.

**Usage**

```
naive_fill_NA(x)

## S3 method for class 'data.frame'
naive_fill_NA(x)

## S3 method for class 'data.table'
naive_fill_NA(x)

## S3 method for class 'matrix'
naive_fill_NA(x)
```

**Arguments**

x a numeric matrix or data.frame/data.table (factor/character/numeric/logical variables)

**Value**

object with a similar structure to the input but without missing values.

**Methods (by class)**

- `naive_fill_NA(data.frame)`: S3 method for data.frame
- `naive_fill_NA(data.table)`: S3 method for data.table
- `naive_fill_NA(matrix)`: S3 method for matrix

**Note**

this is a very simple and fast solution but not recommended, for more complex solutions please check the vignette.

**See Also**

[fill\\_NA](#) [fill\\_NA\\_N VIF](#)

**Examples**

```
## Not run:
library(miceFast)
data(air_miss)
naive_fill_NA(air_miss)
# Could be useful to run it separately for each group level
do.call(rbind, Map(naive_fill_NA, split(air_miss, air_miss$groups)))

## End(Not run)
```

---

|       |   |
|-------|---|
| neibo | <i>Finding in random manner one of the k closest points in a certain vector for each value in a second vector</i> |
|-------|---|

---

### Description

This function uses pre-sorting of `y` and binary search to find one of the `k` closest values for each miss.

### Usage

```
neibo(y, miss, k)
```

### Arguments

|                   |   |
|-------------------|---|
| <code>y</code>    | numeric vector values to be looked up               |
| <code>miss</code> | numeric vector values to be looked for              |
| <code>k</code>    | integer number of nearest neighbours to sample from |

### Value

a numeric vector

---

|      |   |
|------|---|
| pool | <i>Pool results from models fitted on multiply imputed datasets</i> |
|------|---|

---

### Description

Combines parameter estimates and standard errors from models fitted on  $m$  multiply imputed datasets using Rubin's rules (Rubin, 1987). Degrees of freedom are adjusted using the Barnard-Rubin (1999) small-sample correction.

This function works with any fitted model that supports `coef` and `vcov` methods (e.g., `lm`, `glm`, `survival::coxph`, etc.).

Results are validated against `pool` from the **mice** package for `lm`, `glm` (logistic and Poisson), weighted regression, interactions, and varying numbers of imputations.

### Usage

```
pool(fits, dfcom = NULL)
```

**Arguments**

|              |   |
|--------------|---|
| <b>fits</b>  | a list of fitted model objects of length $m \geq 2$ . Each model must support <code>coef()</code> and <code>vcov()</code> methods. All models must have the same number of coefficients.  |
| <b>dfcom</b> | a positive integer or <code>Inf</code> . The complete-data degrees of freedom. If <code>NULL</code> (default), it is extracted from the fitted models via <code>df.residual</code> . Set to <code>Inf</code> to skip the Barnard-Rubin small-sample correction. |

**Value**

A data.frame with one row per parameter and columns:

**term** Coefficient name.

**m** Number of imputations.

**estimate** Pooled estimate (average across  $m$  models).

**std.error** Pooled standard error ( $\sqrt{t}$ ).

**statistic** t-statistic ( $\text{estimate} / \text{std.error}$ ).

**p.value** Two-sided p-value from a t-distribution with `df` degrees of freedom.

**df** Degrees of freedom (Barnard-Rubin adjusted).

**riv** Relative increase in variance due to nonresponse:  $(1 + 1/m) * b / \text{ubar}$ .

**lambda** Proportion of total variance attributable to missingness:  $(1 + 1/m) * b / t$ .

**fmi** Fraction of missing information.

**ubar** Within-imputation variance (average of the  $m$  variance estimates).

**b** Between-imputation variance (variance of the  $m$  point estimates).

**t** Total variance:  $\text{ubar} + (1 + 1/m) * b$ .

**dfcom** Complete-data degrees of freedom used.

**conf.low** Lower bound of the 95% confidence interval.

**conf.high** Upper bound of the 95% confidence interval.

**References**

Rubin, D.B. (1987). *Multiple Imputation for Nonresponse in Surveys*. John Wiley & Sons.

Barnard, J. and Rubin, D.B. (1999). Small-sample degrees of freedom with multiple imputation. *Biometrika*, 86(4), 948-955.

**See Also**

[fill\\_NA fill\\_NA\\_N](#)

**Examples**

```

library(miceFast)
set.seed(123)
data(air_miss)

# Step 1: Generate m = 5 completed datasets using fill_NA with a stochastic model
completed <- lapply(1:5, function(i) {
  dat <- air_miss
  dat$Ozone <- fill_NA(
    x = dat,
    model = "lm_bayes",
    posit_y = "Ozone",
    posit_x = c("Solar.R", "Wind", "Temp")
  )
  dat
})

# Step 2: Fit a model on each completed dataset
fits <- lapply(completed, function(d) {
  lm(Ozone ~ Solar.R + Wind + Temp, data = d)
})

# Step 3: Pool using Rubin's rules
pool(fits)

```

---

```
print.miceFast_pool Print method for pooled MI results
```

---

**Description**

Prints a concise summary of pooled multiple imputation results, showing the key inference columns: estimate, std.error, statistic, df, and p.value.

**Usage**

```
## S3 method for class 'miceFast_pool'
print(x, ...)
```

**Arguments**

x                    an object of class "miceFast\_pool", as returned by [pool](#).  
 ...                  additional arguments (currently ignored).

**Value**

Invisibly returns x.

---

Rcpp\_corrData-class    *Class "Rcpp\_corrData"*

---

### Description

This C++ class could be used to build a corrData object by invoking `new(corrData, ...)` function.

### Methods

`initialize(...)`: ~~  
`finalize()`: ~~  
`fill(...)`: generating data

### Note

This is only frame for building C++ object which could be used to implement certain methods. Check the vignette for more details of implementing methods.

Vignette: <https://CRAN.R-project.org/package=miceFast>

### References

See the documentation for Rcpp modules for more details of how this class was built. `vignette("Rcpp-modules", package = "Rcpp")`

### Examples

```
#showClass("Rcpp_corrData")
show(corrData)
```

---

Rcpp\_miceFast-class    *Class "Rcpp\_miceFast"*

---

### Description

This C++ class could be used to build a miceFast objects by invoking `new(miceFast)` function.

### Methods

`set_data(...)`: providing data by a reference - a numeric matrix  
`set_g(...)`: providing a grouping variable by a reference - a numeric vector WITOUT NA values  
- positive values  
`set_w(...)`: providing a weightinh variable by a reference - a numeric vector WITOUT NA values  
- positive values  
`set_ridge(...)`: providing a ridge i.e. the disturbance to diag of XX, default 1e-6

`get_data(...)`: retrieving the data  
`get_w(...)`: retrieving the weighting variable  
`get_g(...)`: retrieving the grouping variable  
`get_ridge(...)`: retrieving the ridge disturbance  
`get_index(...)`: getting the index  
`impute(...)`: impute data under characteristics from the object like a optional grouping or weighting variable  
`impute_N(...)`: multiple imputations - impute data under characteristics from the object like a optional grouping or weighting variable  
`update_var(...)`: permanently update the variable at the object and data. Use it only if you are sure about model parameters  
`get_models(...)`: get possible quantitative models for a certain type of dependent variable  
`get_model(...)`: get a recommended quantitative model for a certain type of dependent variable  
`which_updated(...)`: which variables at the object was modified by `update_var`  
`sort_byg(...)`: sort data by the grouping variable  
`is_sorted_byg(...)`: check if data is sorted by the grouping variable  
`vifs(...)`: Variance inflation factors (VIF) - helps to check when the predictor variables are not linearly related  
`initialize(...)`: ...  
`finalize()`: ...

**Note**

This is only frame for building C++ object which could be used to implement certain methods. Check the vignette for more details of implementing these methods.

Vignette: <https://CRAN.R-project.org/package=miceFast>

**References**

See the documentation for Rcpp modules for more details of how this class was built. `vignette("Rcpp-modules", package = "Rcpp")`

**Examples**

```
#showClass("Rcpp_miceFast")
show(miceFast)
new(miceFast)
```

---

summary.miceFast\_pool *Summary method for pooled MI results*

---

### Description

Displays the full pooling diagnostics including within- and between-imputation variance, relative increase in variance, proportion of variance due to missingness, fraction of missing information, and confidence intervals.

### Usage

```
## S3 method for class 'miceFast_pool'
summary(object, ...)
```

### Arguments

object            an object of class "miceFast\_pool", as returned by [pool](#).  
 ...                additional arguments (currently ignored).

### Value

Invisibly returns the full diagnostics data.frame.

---

upset\_NA                *upset plot for NA values*

---

### Description

wrapper around UpSetR::upset for vizualization of NA values  
 Visualization of set intersections using novel UpSet matrix design.

### Usage

```
upset_NA(...)
```

### Arguments

...                all arguments accepted by UpSetR::upset where the first one is expected to be a data.

## Details

Visualization of set data in the layout described by Lex and Gehlenborg in <https://www.nature.com/articles/nmeth.3033>. UpSet also allows for visualization of queries on intersections and elements, along with custom queries implemented using Hadley Wickham's apply function. To further analyze the data contained in the intersections, the user may select additional attribute plots to be displayed alongside the UpSet plot. The user also has the ability to pass their own plots into the function to further analyze data belonging to queries of interest. Most aspects of the UpSet plot are customizable, allowing the user to select the plot that best suits their style. Depending on how the features are selected, UpSet can display between 25-65 sets and between 40-100 intersections.

## Note

Data set must be formatted as described on the original UpSet github page: <https://github.com/VCG/upset/wiki>.

## References

Lex et al. (2014). UpSet: Visualization of Intersecting Sets IEEE Transactions on Visualization and Computer Graphics (Proceedings of InfoVis 2014), vol 20, pp. 1983-1992, (2014).

Lex and Gehlenborg (2014). Points of view: Sets and intersections. Nature Methods 11, 779 (2014). <https://www.nature.com/articles/nmeth.3033>

## Examples

```
if (requireNamespace("UpSetR", quietly = TRUE)) {  
  library(UpSetR)  
  upset_NA(airquality)  
  upset_NA(air_miss, 6)  
}
```

---

VIF

VIF *function for assessing VIF.*

---

## Description

VIF measure how much the variance of the estimated regression coefficients are inflated. It helps to identify when the predictor variables are linearly related. You have to decide which variable should be delete. Usually values higher than 10 (around), mean a collinearity problem.

## Usage

```
VIF(x, posit_y, posit_x, correct = FALSE)  
  
## S3 method for class 'data.frame'  
VIF(x, posit_y, posit_x, correct = FALSE)
```

```
## S3 method for class 'data.table'
VIF(x, posit_y, posit_x, correct = FALSE)
```

```
## S3 method for class 'matrix'
VIF(x, posit_y, posit_x, correct = FALSE)
```

### Arguments

|         |  |
|---------|--|
| x       | a numeric matrix or data.frame/data.table (factor/character/numeric) - variables   |
| posit_y | an integer/character - a position/name of dependent variable. This variable is taken into account only for getting complete cases. |
| posit_x | an integer/character vector - positions/names of independent variables   |
| correct | a boolean - basic or corrected - Default: FALSE  |

### Value

load a numeric vector with VIF for all variables provided by posit\_x

### Methods (by class)

- VIF(data.frame):
- VIF(data.table):
- VIF(matrix):

### Note

The corrected VIF is obtained by raising the basic VIF to the power of one divided by two times the degrees of freedom.

### See Also

[fill\\_NA](#) [fill\\_NA\\_N](#)

### Examples

```
## Not run:
library(miceFast)
library(data.table)

airquality2 <- airquality
airquality2$Temp2 <- airquality2$Temp**2
airquality2$Month <- factor(airquality2$Month)
data_DT <- data.table(airquality2)
data_DT[, .(vifs = VIF(
  x = .SD,
  posit_y = "Ozone",
  posit_x = c("Solar.R", "Wind", "Temp", "Month", "Day", "Temp2"),
  correct = FALSE
))]["vifs.V1"]]
```

```
data_DT[, .(vifs = VIF(  
  x = .SD,  
  posit_y = 1,  
  posit_x = c(2, 3, 4, 5, 6, 7),  
  correct = TRUE  
))][["vifs.V1"]]  
  
## End(Not run)
```

# Index

- \* **classes**
  - Rcpp\_corrData-class, [15](#)
  - Rcpp\_miceFast-class, [15](#)
- \* **datasets**
  - air\_miss, [3](#)
- air\_miss, [3](#)
- coef, [12](#)
- compare\_imp, [4](#)
- corrData (Rcpp\_corrData-class), [15](#)
- df.residual, [13](#)
- fill\_NA, [5](#), [9](#), [11](#), [13](#), [19](#)
- fill\_NA\_N, [6](#), [7](#), [11](#), [13](#), [19](#)
- glm, [12](#)
- lm, [12](#)
- miceFast (Rcpp\_miceFast-class), [15](#)
- miceFast-package, [2](#)
- naive\_fill\_NA, [10](#)
- neibo, [12](#)
- pool, [12](#), [12](#), [14](#), [17](#)
- print.miceFast\_pool, [14](#)
- Rcpp\_corrData-class, [15](#)
- Rcpp\_miceFast-class, [15](#)
- summary.miceFast\_pool, [17](#)
- upset\_NA, [17](#)
- vcov, [12](#)
- VIF, [6](#), [9](#), [11](#), [18](#)