

Package ‘smoof’

February 24, 2026

Type Package

Title Single and Multi-Objective Optimization Test Functions

Description Provides generators for a high number of both single- and multi-objective test functions which are frequently used for the benchmarking of (numerical) optimization algorithms. Moreover, it offers a set of convenient functions to generate, plot and work with objective functions.

Version 1.7.0

Date 2026-02-23

Maintainer Jakob Bossek <j.bossek@gmail.com>

URL <https://jakobbossek.github.io/smoof/>,
<https://github.com/jakobbossek/smoof>

BugReports <https://github.com/jakobbossek/smoof/issues>

License BSD_2_clause + file LICENSE

Depends ParamHelpers (>= 1.8), checkmate (>= 1.1)

Imports BBmisc (>= 1.6), ggplot2 (>= 3.0.0), Rcpp (>= 0.11.0),

Suggests testthat, MASS, plot3D, plotly, mco, RColorBrewer,
reticulate, covr

ByteCompile yes

LinkingTo Rcpp, RcppArmadillo

RoxygenNote 7.3.3

Encoding UTF-8

NeedsCompilation yes

Author Jakob Bossek [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-4121-4668>>),
Pascal Kerschke [ctb] (ORCID: <<https://orcid.org/0000-0003-2862-1418>>),
Lennart Schäpermeier [ctb] (ORCID:
<<https://orcid.org/0000-0003-3929-7465>>)

Repository CRAN

Date/Publication 2026-02-24 06:20:09 UTC

Contents

addCountingWrapper	6
addLoggingWrapper	7
autoplot.smooof_function	8
computeExpectedRunningTime	10
conversion	11
doesCountEvaluations	12
exportNKFunction	13
filterFunctionsByTags	14
getAvailableTags	15
getDescription	15
getGlobalOptimum	16
getID	16
getLocalOptimum	17
getLoggedValues	17
getLowerBoxConstraints	18
getMeanFunction	18
getName	19
getNumberOfEvaluations	19
getNumberOfObjectives	20
getNumberOfParameters	20
getOptimaDf	21
getParamSet	21
getRefPoint	22
getTags	22
getUpperBoxConstraints	23
getWrappedFunction	23
hasBoxConstraints	24
hasConstraints	24
hasGlobalOptimum	25
hasLocalOptimum	25
hasOtherConstraints	26
hasTags	26
isMultiobjective	27
isNoisy	27
isSingleobjective	28
isSmooofFunction	28
isVectorized	29
isWrappedSmooofFunction	29
makeAckleyFunction	30
makeAdjimanFunction	30
makeAlpine01Function	31
makeAlpine02Function	32
makeAluffiPentiniFunction	32
makeBartelsConnFunction	33
makeBBOBFunction	33
makeBealeFunction	34

makeBentCigarFunction	35
makeBiObjBBOBFunction	35
makeBirdFunction	36
makeBiSphereFunction	37
makeBK1Function	38
makeBohachevskyN1Function	38
makeBoothFunction	39
makeBraninFunction	39
makeBrentFunction	40
makeBrownFunction	41
makeBukinN2Function	41
makeBukinN4Function	42
makeBukinN6Function	43
makeCarronTableFunction	43
makeChichinadzeFunction	44
makeChungReynoldsFunction	44
makeComplexFunction	45
makeCosineMixtureFunction	46
makeCrossInTrayFunction	46
makeCubeFunction	47
makeDeckkersAartsFunction	48
makeDeflectedCorrugatedSpringFunction	48
makeDentFunction	49
makeDixonPriceFunction	50
makeDoubleSumFunction	50
makeDTLZ1Function	51
makeDTLZ2Function	52
makeDTLZ3Function	53
makeDTLZ4Function	54
makeDTLZ5Function	55
makeDTLZ6Function	56
makeDTLZ7Function	57
makeEasomFunction	58
makeED1Function	59
makeED2Function	60
makeEggCrateFunction	61
makeEggholderFunction	61
makeElAttarVidyasagarDuttaFunction	62
makeEngvallFunction	62
makeExponentialFunction	63
makeFreudensteinRothFunction	64
makeFunctionsByName	64
makeGeneralizedDropWaveFunction	65
makeGiuntaFunction	66
makeGoldsteinPriceFunction	66
makeGOMOPFunction	67
makeGriewankFunction	68
makeHansenFunction	68

makeHartmannFunction	69
makeHimmelblauFunction	70
makeHolderTableN1Function	70
makeHolderTableN2Function	71
makeHosakiFunction	72
makeHyperEllipsoidFunction	72
makeInvertedVincentFunction	73
makeJennrichSampsonFunction	74
makeJudgeFunction	74
makeKeaneFunction	75
makeKearfottFunction	75
makeKursaweFunction	76
makeLeonFunction	76
makeMatyasFunction	77
makeMcCormickFunction	77
makeMichalewiczFunction	78
makeMMF10Function	79
makeMMF11Function	79
makeMMF12Function	80
makeMMF13Function	81
makeMMF14aFunction	81
makeMMF14Function	82
makeMMF15aFunction	83
makeMMF15Function	84
makeMMF1eFunction	84
makeMMF1Function	85
makeMMF1zFunction	86
makeMMF2Function	86
makeMMF3Function	87
makeMMF4Function	87
makeMMF5Function	88
makeMMF6Function	88
makeMMF7Function	89
makeMMF8Function	89
makeMMF9Function	90
makeMNKFunction	90
makeModifiedRastriginFunction	92
makeMOP1Function	93
makeMOP2Function	94
makeMOP3Function	94
makeMOP4Function	95
makeMOP5Function	95
makeMOP6Function	96
makeMOP7Function	96
makeMPM2Function	97
makeMultiObjectiveFunction	98
makeNKFunction	100
makeObjectiveFunction	101

makeOmniTestFunction	102
makePeriodicFunction	103
makePowellSumFunction	104
makePriceN1Function	104
makePriceN2Function	105
makePriceN4Function	106
makeRastriginFunction	106
makeRosenbrockFunction	107
makeSchafferN2Function	108
makeSchafferN4Function	108
makeSchwefelFunction	109
makeShekelFunction	110
makeShubertFunction	110
makeSingleObjectiveFunction	111
makeSixHumpCamelFunction	114
makeSphereFunction	114
makeStyblinskiTangFunction	115
makeSumOfDifferentSquaresFunction	116
makeSwiler2014Function	116
makeSYMPARTrotatedFunction	117
makeSYMPARTsimpleFunction	117
makeThreeHumpCamelFunction	118
makeTrecanniFunction	119
makeUFFunction	119
makeViennetFunction	120
makeWFG1Function	121
makeWFG2Function	122
makeWFG3Function	123
makeWFG4Function	124
makeWFG5Function	125
makeWFG6Function	126
makeWFG7Function	127
makeWFG8Function	128
makeWFG9Function	129
makeZDT1Function	130
makeZDT2Function	131
makeZDT3Function	132
makeZDT4Function	133
makeZDT6Function	134
makeZettlFunction	135
mnof	135
plot.smooof_function	137
plot1DNumeric	138
plot2DNumeric	139
plot3D	140
resetEvaluationCounter	141
shouldBeMinimized	141
smooof_function	142

snof	143
violatesConstraints	145
visualizeParetoOptimalFront	146

Index	147
--------------	------------

addCountingWrapper	<i>Return a function which counts its function evaluations</i>
--------------------	--

Description

This is a counting wrapper for a `smoof_function`, i.e., the returned function first checks whether the given argument is a vector or matrix, saves the number of function evaluations of the wrapped function to compute the function values and finally passes down the argument to the wrapped `smoof_function`.

Usage

```
addCountingWrapper(fn)
```

Arguments

fn	[smoof_function] Smoof function which should be wrapped.
----	---

Value

[smoof_counting_function] The function that includes the counting feature.

See Also

[getNumberOfEvaluations](#), [resetEvaluationCounter](#)

Examples

```
fn = makeBBOBFunction(dimensions = 2L, fid = 1L, iid = 1L)
fn = addCountingWrapper(fn)

# We get a value of 0 since the function has not been called yet
print(getNumberOfEvaluations(fn))

# Now call the function 10 times consecutively
for (i in seq(10L)) {
  fn(runif(2))
}
print(getNumberOfEvaluations(fn))

# Here we pass a (2x5) matrix to the function with each column representing
# one input vector
x = matrix(runif(10), ncol = 5L)
```

```
fn(x)
print(getNumberOfEvaluations(fn))
```

addLoggingWrapper *Return a function which internally stores x or y values*

Description

Often it is desired and useful to store the optimization path, i.e., the evaluated function values and/or the parameters. Not all optimization algorithms offer such a trace. This wrapper makes a smooof function handle x/y-values itself.

Usage

```
addLoggingWrapper(fn, logg.x = FALSE, logg.y = TRUE, size = 100L)
```

Arguments

fn	[smooof_function] Smooof function.
logg.x	[logical(1)] Should x-values be logged? Default is FALSE.
logg.y	[logical(1)] Should objective values be logged? Default is TRUE.
size	[integer(1)] Initial size of the internal data structures used for logging. Default is 100. I.e., there is space reserved for 100 function evaluations. In case of an overflow (i.e., more function evaluations than space reserved) the data structures are re-initialized by adding space for another size evaluations. This comes handy if you know the number of function evaluations (or at least an upper bound thereof) a-priori and may serve to reduce the time complexity of logging values.

Value

[smooof_logging_function] The function with an added logging capability.

Note

Logging values, in particular logging x-values, will substantially slow down the evaluation of the function.

Examples

```

# We first build the smooof function and apply the logging wrapper to it
fn = makeSphereFunction(dimensions = 2L)
fn = addLoggingWrapper(fn, logg.x = TRUE)

# We now apply an optimization algorithm to it and the logging wrapper keeps
# track of the evaluated points.
res = optim(fn, par = c(1, 1), method = "Nelder-Mead")

# Extract the logged values
log.res = getLoggedValues(fn)
print(log.res$params)
print(log.res$obj.vals)
log.res = getLoggedValues(fn, compact = TRUE)
print(log.res)

```

```
autoplot.smooof_function
```

Generate ggplot2 object

Description

This function expects a smooof function and returns a ggplot object depicting the function landscape. The output depends highly on the decision space of the smooof function or more technically on the [ParamSet](#) of the function. The following distinctions regarding the parameter types are made. In case of a single numeric parameter a simple line plot is drawn. For two numeric parameters or a single numeric vector parameter of length 2 either a contour plot or a heatmap (or a combination of both depending on the choice of additional parameters) is depicted. If there are both up to two numeric and at least one discrete vector parameter, ggplot faceting is used to generate subplots of the above-mentioned types for all combinations of discrete parameters.

Usage

```

## S3 method for class 'smooof_function'
autoplot(
  object,
  ...,
  show.optimum = FALSE,
  main = getName(x),
  render.levels = FALSE,
  render.contours = TRUE,
  log.scale = FALSE,
  length.out = 50L
)

```

Arguments

object	[smoof_function] Objective function.
...	[any] Not used.
show.optimum	[logical(1)] If the function has a known global optimum, should its location be plotted by a point or multiple points in case of multiple global optima? Default is FALSE.
main	[character(1L)] Plot title. Default is the name of the smoof function.
render.levels	[logical(1)] For 2D numeric functions only: Should an image map be plotted? Default is FALSE.
render.contours	[logical(1)] For 2D numeric functions only: Should contour lines be plotted? Default is TRUE.
log.scale	[logical(1)] Should the z-axis be plotted on log-scale? Default is FALSE.
length.out	[integer(1)] Desired length of the sequence of equidistant values generated for numeric parameters. Higher values lead to more smooth resolution in particular if render.levels is TRUE. Avoid using a very high value here especially if the function at hand has many parameters. Default is 50.

Value

[ggplot]

Note

Keep in mind, that the plots for mixed parameter spaces may be very large and computationally expensive if the number of possible discrete parameter values is large. I.e., if we have d discrete parameter with each n_1, n_2, \dots, n_d possible values we end up with $n_1 \times n_2 \times \dots \times n_d$ subplots.

Examples

```
library(ggplot2)

# Simple 2D contour plot with activated heatmap for the Himmelblau function
fn = makeHimmelblauFunction()
print(autoplotsmoof(fn))
print(autoplotsmoof(fn, render.levels = TRUE, render.contours = FALSE))
print(autoplotsmoof(fn, show.optimum = TRUE))

# Now we create 4D function with a mixed decision space (two numeric, one discrete,
# and one logical parameter)
fn.mixed = makeSingleObjectiveFunction(
```

```

name = "4d S00 function",
fn = function(x) {
  if (x$disc1 == "a") {
    (x$x1^2 + x$x2^2) + 10 * as.numeric(x$logic)
  } else {
    x$x1 + x$x2 - 10 * as.numeric(x$logic)
  }
},
has.simple.signature = FALSE,
par.set = makeParamSet(
  makeNumericParam("x1", lower = -5, upper = 5),
  makeNumericParam("x2", lower = -3, upper = 3),
  makeDiscreteParam("disc1", values = c("a", "b")),
  makeLogicalParam("logic")
)
)
pl = autoplot(fn.mixed)
print(pl)

# Since autoplot returns a ggplot object we can modify it, e.g., add a title
# or hide the legend
pl + ggtitle("My fancy function") + theme(legend.position = "none")

```

```
computeExpectedRunningTime
```

Compute the Expected Running Time (ERT) performance measure

Description

The functions can be called in two different ways

- 1. Pass a vector of function evaluations and a logical vector which indicates which runs were successful (see details).
- 2. Pass a vector of function evaluation, a vector of reached target values and a single target value. In this case the logical vector of option 1. is computed internally.

Usage

```

computeExpectedRunningTime(
  fun.evals,
  fun.success.runs = NULL,
  fun.reached.target.values = NULL,
  fun.target.value = NULL,
  penalty.value = Inf
)

```

Arguments

<code>fun. evals</code>	[numeric] Vector containing the number of function evaluations.
<code>fun. success. runs</code>	[logical] Boolean vector indicating which algorithm runs were successful, i.e., which runs reached the desired target value. Default is NULL.
<code>fun. reached. target. values</code>	[numeric NULL] Numeric vector with the objective values reached in the runs. Default is NULL.
<code>fun. target. value</code>	[numeric(1) NULL] Target value which shall be reached. Default is NULL.
<code>penalty. value</code>	[numeric(1)] Penalty value which should be returned if none of the algorithm runs was successful. Default is Inf.

Details

The Expected Running Time (ERT) is one of the most popular performance measures in optimization. It is defined as the expected number of function evaluations needed to reach a given precision level, i.e., to reach a certain objective value for the first time.

Value

[numeric(1)] Estimated Expected Running Time.

References

A. Auger and N. Hansen. Performance evaluation of an advanced local search evolutionary algorithm. In Proceedings of the IEEE Congress on Evolutionary Computation (CEC 2005), pages 1777-1784, 2005.

conversion

Conversion between minimization and maximization problems

Description

We can minimize f by maximizing $-f$. The majority of predefined objective functions in **smoof** should be minimized by default. However, there are a handful of functions, e.g., Keane or Alpine02, which shall be maximized by default. For benchmarking studies it might be beneficial to inverse the direction. The functions `convertToMaximization` and `convertToMinimization` do exactly that, keeping the attributes.

Usage

```
convertToMaximization(fn)
```

```
convertToMinimization(fn)
```

Arguments

```
fn          [smoof_function]  
            Smoof function.
```

Value

```
[smoof_function] Converted smoof function
```

Note

Both functions will quit with an error if multi-objective functions are passed.

Examples

```
# create a function which should be minimized by default  
fn = makeSphereFunction(1L)  
print(shouldBeMinimized(fn))  
# Now invert the objective direction ...  
fn2 = convertToMaximization(fn)  
# and invert it again  
fn3 = convertToMinimization(fn2)  
# Now to convince ourselves we render some plots  
opar = par(mfrow = c(1, 3))  
plot(fn)  
plot(fn2)  
plot(fn3)  
par(opar)
```

doesCountEvaluations *Check whether the function is counting its function evaluations*

Description

In this case, the function is of type `smoof_counting_function` or it is further wrapped by another wrapper. This function then checks recursively, if there is a counting wrapper.

Usage

```
doesCountEvaluations(object)
```

Arguments

object [any]
 Arbitrary R object.

Value

logical(1) TRUE if the function counts its evaluations, FALSE otherwise.

See Also

[addCountingWrapper](#)

exportNKFunction *Export/import (rM)NK-landscapes*

Description

NK-landscapes and rMNK-landscapes are randomly generated combinatorial structures. In contrast to continuous benchmark function it thus makes perfect sense to store the landscape definitions in a text-based format.

Usage

```
exportNKFunction(x, path)
```

```
importNKFunction(path)
```

Arguments

x [smoof_function]
 NK-landscape of rMNK-landscape.

path [character(1)]
 Path to file.

Details

The format uses two comment lines with basic information like the package version, the date of storage etc. The third line contains ρ , M and N separated by a single-whitespace. Following that follow epistatic links from which the number of epistatic links can be attracted. There are $M * N$ lines for a MNK-landscape with M objectives and input dimension N . The first N lines contain the links for the first objective and so on. Following that the tabular values follow in the same manner. For every position $i = 1, \dots, N$ there is a line with 2^{K_i+1} values.

Note: exportNKFunction overwrites existing files without asking.

Value

Silently returns TRUE on success.

See Also

importNKFunction

Other nk_landscapes: [makeMNKFunction\(\)](#), [makeNKFunction\(\)](#)

filterFunctionsByTags *Get a list of implemented test functions with specific tags*

Description

Single objective functions can be tagged, e.g., as unimodal. Searching for all functions with a specific tag by hand is tedious. The `filterFunctionsByTags` function helps to filter all single objective smooth functions.

Usage

```
filterFunctionsByTags(tags, or = FALSE)
```

Arguments

tags	[character] Character vector of tags. All available tags can be determined with a call to getAvailableTags .
or	[logical(1)] Should all tags be assigned to the function or are single tags allowed as well? Default is FALSE.

Value

[character] Named vector of function names with the given tags.

Examples

```
# list all functions which are unimodal
filterFunctionsByTags("unimodal")
# list all functions which are both unimodal and separable
filterFunctionsByTags(c("unimodal", "separable"))
# list all functions which are unimodal or separable
filterFunctionsByTags(c("multimodal", "separable"), or = TRUE)
```

getAvailableTags	<i>Returns a character vector of possible function tags</i>
------------------	---

Description

Test function are frequently distinguished by characteristic high-level properties, e.g., uni-modal or multi-modal, continuous or discontinuous, separable or non-separable. The **smoof** package offers the possibility to associate a set of properties, termed “tags” to a `smoof_function`. This helper function returns a character vector of all possible tags.

Usage

```
getAvailableTags()
```

Value

[character] Character vector of all the possible tags

getDescription	<i>Returns the description of the function</i>
----------------	--

Description

Returns the description of the function

Usage

```
getDescription(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[character(1)] A character string representing the description of the function.

getGlobalOptimum *Returns the global optimum and its value*

Description

Returns the global optimum and its value

Usage

```
getGlobalOptimum(fn)
```

Arguments

fn [smoof_function]
Objective function.

Value

[list] List containing the following entries:

param [list] Named list of parameter value(s).

value [numeric(1)] Optimal value.

is.minimum [logical(1)] Is the global optimum a minimum or maximum?

Note

Keep in mind, that this method makes sense only for single-objective target function.

getID *Returns the ID / short name of the function*

Description

Returns the ID / short name of the function or NA if no ID is set.

Usage

```
getID(fn)
```

Arguments

fn [smoof_function]
Objective function.

Value

[character(1)] ID / short name or NA

getLocalOptimum	<i>Returns the local optima of a single objective smooof function</i>
-----------------	---

Description

This function returns the parameters and objective values of all local optima (including the global one).

Usage

```
getLocalOptimum(fn)
```

Arguments

fn	[smooof_function] Objective function.
----	--

Value

[list] List containing the following entries:

param [list] List of parameter values per local optima.

value [list] List of objective values per local optima.

is.minimum [logical(1)] Are the local optima minima or maxima?

Note

Keep in mind, that this method makes sense only for single-objective target functions.

getLoggedValues	<i>Extracts the logged values of a function wrapped by a logging wrapper</i>
-----------------	--

Description

Extracts the logged values of a function wrapped by a logging wrapper

Usage

```
getLoggedValues(fn, compact = FALSE)
```

Arguments

fn	[wrapped_smooof_function] Wrapped smooof function.
compact	[logical(1)] Wrap all logged values in a single data frame? Default is FALSE.

Value

[list || data.frame] If compact is TRUE, a single data frame. Otherwise the function returns a list containing the following values:

pars Data frame of parameter values, i.e., x-values or the empty data frame if x-values were not logged.

obj.vals Numeric vector of objective values in the single-objective case respectively a matrix of objective values for multi-objective functions.

See Also

[addLoggingWrapper](#)

getLowerBoxConstraints

Returns lower box constraints for a Smoof function

Description

Returns lower box constraints for a Smoof function

Usage

```
getLowerBoxConstraints(fn)
```

Arguments

fn [smoof_function]
Objective function.

Value

[numeric] Numeric vector representing the lower box constraints

getMeanFunction

Returns the true mean function in the noisy case

Description

Returns the true mean function in the noisy case

Usage

```
getMeanFunction(fn)
```

Arguments

fn [smoof_function]
Objective function.

Value

[function] True mean function in the noisy case.

getName *Returns the name of the function*

Description

Returns the name of the function

Usage

getName(fn)

Arguments

fn [smoof_function]
Objective function.

Value

[character(1)] The name of the function.

getNumberOfEvaluations
*Returns the number of function evaluations performed by the wrapped
smoof_function*

Description

Returns the number of function evaluations performed by the wrapped smoof_function

Usage

getNumberOfEvaluations(fn)

Arguments

fn [smoof_counting_function]
Wrapped smoof_function.

Value

[integer(1)] The number of function evaluations.

getNumberOfObjectives *Determines the number of objectives*

Description

Determines the number of objectives

Usage

```
getNumberOfObjectives(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[integer(1)] The number of objectives.

getNumberOfParameters *Determines the number of parameters*

Description

Determines the number of parameters

Usage

```
getNumberOfParameters(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[integer(1)] The number of parameters.

getOptimaDf	<i>Get Data Frame of optima</i>
-------------	---------------------------------

Description

This function returns data frame of global / local optima for visualization using ggplot.

Usage

```
getOptimaDf(fn)
```

Arguments

fn	[smoof_function] Smoof function.
----	-------------------------------------

Value

[data.frame] A data frame containing information about the optima.

getParamSet	<i>Get parameter set</i>
-------------	--------------------------

Description

Each smoof function contains a parameter set of type [ParamSet](#) assigned to it, which describes types and bounds of the function parameters. This function returns the parameter set.

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[[ParamSet](#)]

Examples

```
fn = makeSphereFunction(3L)
ps = getParamSet(fn)
print(ps)
```

getRefPoint	<i>Returns the reference point of a multi-objective function</i>
-------------	--

Description

Returns the reference point of a multi-objective function

Usage

```
getRefPoint(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[numeric] The reference point.

Note

Keep in mind, that this method makes sense only for multi-objective target functions.

getTags	<i>Returns the vector of associated tags</i>
---------	--

Description

Returns the vector of associated tags

Usage

```
getTags(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[character] Vector of associated tags.

getUpperBoxConstraints *Return upper box constraints*

Description

Return upper box constraints

Usage

```
getUpperBoxConstraints(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[numeric]

getWrappedFunction *Extract wrapped function*

Description

The **smoof** package offers means to let a function log its evaluations or even store to points and function values it has been evaluated on. This is done by wrapping the function with other functions. This helper function extract the wrapped function.

Usage

```
getWrappedFunction(fn, deepest = FALSE)
```

Arguments

fn	[smoof_wrapped_function] Wrapping function.
deepest	[logical(1)] Function may be wrapped with multiple wrappers. If deepest is set to TRUE the function unwraps recursively until the “deepest” wrapped smoof_function is reached. Default is FALSE.

Value

[function] The extracted wrapped function.

Note

If this function is applied to a simple `smoof_function`, the `smoof_function` itself is returned.

See Also

[addCountingWrapper](#), [addLoggingWrapper](#)

`hasBoxConstraints` *Checks whether the objective function has box constraints*

Description

Checks whether the objective function has box constraints

Usage

```
hasBoxConstraints(fn)
```

Arguments

<code>fn</code>	[<code>smoof_function</code>] Objective function.
-----------------	--

Value

[`logical(1)`]

`hasConstraints` *Checks whether the objective function has constraints*

Description

Checks whether the objective function has constraints

Usage

```
hasConstraints(fn)
```

Arguments

<code>fn</code>	[<code>smoof_function</code>] Objective function.
-----------------	--

Value

[`logical(1)`] TRUE if the function has constraints, FALSE otherwise.

hasGlobalOptimum *Checks whether the global optimum is known*

Description

Checks whether the global optimum is known

Usage

hasGlobalOptimum(fn)

Arguments

fn [smoof_function]
 Objective function.

Value

[logical(1)] TRUE if the global optimum is known, FALSE otherwise.

hasLocalOptimum *Checks whether local optima are known*

Description

Checks whether local optima are known

Usage

hasLocalOptimum(fn)

Arguments

fn [smoof_function]
 Objective function.

Value

[logical(1)]

hasOtherConstraints *Checks whether the objective function has other constraints*

Description

Checks whether the objective function has other constraints

Usage

```
hasOtherConstraints(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[logical(1)]

hasTags *Checks if the function has assigned special tags*

Description

Each single-objective smoof function has tags assigned to it (see [getAvailableTags](#)). This little helper returns a vector of assigned tags from a smoof function.

Usage

```
hasTags(fn, tags)
```

Arguments

fn	[smoof_function] Function of smoof_function, a smoof_generator or a string.
tags	[character] Vector of tags/properties to check fn for.

Value

[logical(1)] Logical vector indicating the presence of specified tags.

isMultiobjective	<i>Checks whether the given function is multi-objective</i>
------------------	---

Description

Checks whether the given function is multi-objective

Usage

```
isMultiobjective(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[logical(1)] TRUE if function is multi-objective, FALSE otherwise.

isNoisy	<i>Checks whether the given function is noisy</i>
---------	---

Description

Checks whether the given function is noisy

Usage

```
isNoisy(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[logical(1)] TRUE if the function is noisy, FALSE otherwise.

isSingleobjective	<i>Checks whether the given function is single-objective</i>
-------------------	--

Description

Checks whether the given function is single-objective

Usage

```
isSingleobjective(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[logical(1)] TRUE if function is single-objective, FALSE otherwise.

isSmoofFunction	<i>Checks whether the given object is a smoof_function or a smoof_wrapped_function</i>
-----------------	--

Description

Checks whether the given object is a smoof_function or a smoof_wrapped_function

Usage

```
isSmoofFunction(object)
```

Arguments

object	[any] Arbitrary R object.
--------	------------------------------

Value

[logical(1)] TRUE if the object is a SMOOF function or wrapped function, FALSE otherwise.

See Also

[addCountingWrapper](#), [addLoggingWrapper](#)

isVectorized	<i>Checks whether the given function accepts “vectorized” input</i>
--------------	---

Description

Checks whether the given function accepts “vectorized” input

Usage

```
isVectorized(fn)
```

Arguments

fn	[smoof_function] Objective function.
----	---

Value

[logical(1)] TRUE if the function accepts vectorized input, FALSE otherwise.

isWrappedSmoofFunction	<i>Checks whether the function is of type smoof_wrapped_function</i>
------------------------	--

Description

Checks whether the function is of type smoof_wrapped_function

Usage

```
isWrappedSmoofFunction(object)
```

Arguments

object	[any] Arbitrary R object.
--------	------------------------------

Value

[logical(1)] TRUE if the object is a SMOOF wrapped function, FALSE otherwise.

makeAckleyFunction *Ackley Function*

Description

Also known as “Ackley’s Path Function”. Multi-modal test function with its global optimum in the center of the definition space. The implementation is based on the formula

$$f(\mathbf{x}) = -a \cdot \exp \left(-b \cdot \sqrt{\left(\frac{1}{n} \sum_{i=1}^n x_i \right)} \right) - \exp \left(\frac{1}{n} \sum_{i=1}^n \cos(c \cdot \mathbf{x}_i) \right),$$

with $a = 20$, $b = 0.2$ and $c = 2\pi$. The feasible region is given by the box constraints $\mathbf{x}_i \in [-32.768, 32.768]$.

Usage

makeAckleyFunction(dimensions)

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Ackley Function.

[smoof_single_objective_function]

References

Ackley, D. H.: A connectionist machine for genetic hillclimbing. Boston: Kluwer Academic Publishers, 1987.

makeAdjimanFunction *Adjiman function*

Description

This two-dimensional multi-modal test function follows the formula

$$f(\mathbf{x}) = \cos(\mathbf{x}_1) \sin(\mathbf{x}_2) - \frac{\mathbf{x}_1}{(\mathbf{x}_2^2 + 1)}$$

with $\mathbf{x}_1 \in [-1, 2]$, $\mathbf{x}_2 \in [2, 1]$.

Usage

```
makeAdjimanFunction()
```

Value

An object of class `SingleObjectiveFunction`, representing the Adjiman Function.

[smoof_single_objective_function]

References

C. S. Adjiman, S. Sallwig, C. A. Flouda, A. Neumaier, A Global Optimization Method, aBB for General Twice-Differentiable NLPs-1, Theoretical Advances, Computers Chemical Engineering, vol. 22, no. 9, pp. 1137-1158, 1998.

makeAlpine01Function *Alpine01 function*

Description

Highly multi-modal single-objective optimization test function. It is defined as

$$f(\mathbf{x}) = \sum_{i=1}^n |\mathbf{x}_i \sin(\mathbf{x}_i) + 0.1\mathbf{x}_i|$$

with box constraints $\mathbf{x}_i \in [-10, 10]$ for $i = 1, \dots, n$.

Usage

```
makeAlpine01Function(dimensions)
```

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class `SingleObjectiveFunction`, representing the Alpine01 Function.

[smoof_single_objective_function]

References

S. Rahnamyan, H. R. Tizhoosh, N. M. M. Salama, A Novel Population Initialization Method for Accelerating Evolutionary Algorithms, Computers and Mathematics with Applications, vol. 53, no. 10, pp. 1605-1614, 2007.

makeAlpine02Function *Alpine02 function*

Description

Another multi-modal optimization test function. The implementation is based on the formula

$$f(\mathbf{x}) = \prod_{i=1}^n \sqrt{x_i} \sin(x_i)$$

with $x_i \in [0, 10]$ for $i = 1, \dots, n$.

Usage

makeAlpine02Function(dimensions)

Arguments

dimensions [integer(1)]
 Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Alpine02 Function.

[smoof_single_objective_function]

References

M. Clerc, The Swarm and the Queen, Towards a Deterministic and Adaptive Particle Swarm Optimization, IEEE Congress on Evolutionary Computation, Washington DC, USA, pp. 1951-1957, 1999.

makeAluffiPentiniFunction
Aluffi-Pentini function

Description

Two-dimensional test function based on the formula

$$f(\mathbf{x}) = 0.25x_1^4 - 0.5x_1^2 + 0.1x_1 + 0.5x_2^2$$

with $x_1, x_2 \in [-10, 10]$.

Usage

makeAluffiPentiniFunction()

Value

[smoof_single_objective_function]

Note

This functions is also know as the Zirilli function.

References

See <https://al-roomi.org/benchmarks/unconstrained/2-dimensions/26-aluffi-pentini-s-or-zirilli-s-fun>

makeBartelsConnFunction

Bartels Conn Function

Description

The Bartels Conn Function is defined as

$$f(\mathbf{x}) = |\mathbf{x}_1^2 + \mathbf{x}_2^2 + \mathbf{x}_1\mathbf{x}_2| + |\sin(\mathbf{x}_1)| + |\cos(\mathbf{x})|$$

subject to $\mathbf{x}_i \in [-500, 500]$ for $i = 1, 2$.

Usage

makeBartelsConnFunction()

Value

An object of class SingleObjectiveFunction, representing the Bartels Conn Function.

[smoof_single_objective_function]

makeBBOBFunction

Generator for noiseless function set of the real-parameter BBOB

Description

Generator for the noiseless function set of the real-parameter Black-Box Optimization Benchmarking (BBOB).

Usage

makeBBOBFunction(dimensions, fid, iid)

Arguments

dimensions	[integer(1)] Problem dimension. Integer value between 2 and 40.
fid	[integer(1)] Function identifier. Integer value between 1 and 24.
iid	[integer(1)] Instance identifier. Integer value greater than or equal 1.

Value

[smoof_single_objective_function] Noiseless function from the BBOB benchmark.

Note

It is possible to pass a matrix of parameters to the functions, where each column consists of one parameter setting.

References

See the [BBOB website](#) for a detailed description of the BBOB functions.

Examples

```
# get the first instance of the 2D Sphere function
fn = makeBBOBFunction(dimensions = 2L, fid = 1L, iid = 1L)
if (require(plot3D)) {
  plot3D(fn, contour = TRUE)
}
```

makeBealeFunction *Beale Function*

Description

Multi-modal single-objective test function for optimization. It is based on the mathematic formula

$$f(\mathbf{x}) = (1.5 - \mathbf{x}_1 + \mathbf{x}_1\mathbf{x}_2)^2 + (2.25 - \mathbf{x}_1 + \mathbf{x}_1\mathbf{x}_2^2)^2 + (2.625 - \mathbf{x}_1 + \mathbf{x}_1\mathbf{x}_2^3)^2$$

usually evaluated within the bounds $\mathbf{x}_i \in [-4.5, 4.5], i = 1, 2$. The function has a flat but multi-modal region around the single global optimum and large peaks in the edges of its definition space.

Usage

```
makeBealeFunction()
```

Value

An object of class SingleObjectiveFunction, representing the Beale Function.

[smoof_single_objective_function]

makeBentCigarFunction *Bent-Cigar Function*

Description

Scalable test function f with

$$f(\mathbf{x}) = x_1^2 + 10^6 \sum_{i=2}^n x_i^2$$

subject to $-100 \leq x_i \leq 100$ for $i = 1, \dots, n$.

Usage

makeBentCigarFunction(dimensions)

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Bent-Cigar Function.

[smoof_single_objective_function]

References

See <https://al-roomi.org/benchmarks/unconstrained/n-dimensions/164-bent-cigar-function>.

makeBiObjBBOBFunction *Generate Bi-Objective Function from the Real-Parameter Bi-Objective Black-Box Optimization Benchmarking (BBOB)*

Description

Generator for the function set of the real-parameter Bi-Objective Black-Box Optimization Benchmarking (BBOB) with Function IDs 1-55, as well as its extended version (bbob-biobj-ext) with Function IDs 1-92.

Usage

makeBiObjBBOBFunction(dimensions, fid, iid)

Arguments

dimensions	[integer(1)] Problem dimensions. Integer value between 2 and 40.
fid	[integer(1)] Function identifier. Integer value between 1 and 92.
iid	[integer(1)] Instance identifier. Integer value greater than or equal 1.

Value

[smoof_multi_objective_function] Bi-objective function from the BBOB benchmark.

Note

Concatenation of single-objective BBOB functions into a bi-objective problem.

References

See the [COCO website](#) for a detailed description of the bi-objective BBOB functions. An overview of which pair of single-objective BBOB functions creates which of the 55 bi-objective BBOB functions can be found in the [official documentation of the bi-objective BBOB test suite](#). And a full description of the extended suite with 92 functions can be found in the [official documentation of the extended bi-objective BBOB test suite](#).

Examples

```
# get the fifth instance of the concatenation of the
# 3D versions of sphere and Rosenbrock
fn = makeBiObjBBOBFunction(dimensions = 3L, fid = 4L, iid = 5L)
fn(c(3, -1, 0))
# compare to the output of its single-objective pendants
f1 = makeBBOBFunction(dimensions = 3L, fid = 1L, iid = 2L * 5L + 1L)
f2 = makeBBOBFunction(dimensions = 3L, fid = 8L, iid = 2L * 5L + 2L)
identical(fn(c(3, -1, 0)), c(f1(c(3, -1, 0)), f2(c(3, -1, 0))))
```

makeBirdFunction *Bird Function*

Description

Multi-modal single-objective test function. The implementation is based on the mathematical formulation

$$f(\mathbf{x}) = (\mathbf{x}_1 - \mathbf{x}_2)^2 + \exp((1 - \sin(\mathbf{x}_1))^2) \cos(\mathbf{x}_2) + \exp((1 - \cos(\mathbf{x}_2))^2) \sin(\mathbf{x}_1).$$

The function is restricted to two dimensions with $\mathbf{x}_i \in [-2\pi, 2\pi], i = 1, 2$.

Usage

```
makeBirdFunction()
```

Value

An object of class `SingleObjectiveFunction`, representing the Bird Function.

[smoof_single_objective_function]

References

S. K. Mishra, Global Optimization By Differential Evolution and Particle Swarm Methods: Evaluation On Some Benchmark Functions, Munich Research Papers in Economics.

makeBiSphereFunction *Bi-objective Sphere function*

Description

Builds and returns the bi-objective Sphere test problem:

$$f(\mathbf{x}) = \left(\sum_{i=1}^n x_i^2, \sum_{i=1}^n (x_i - \mathbf{a})^2 \right)$$

where

$$\mathbf{a} \in R^n$$

Usage

```
makeBiSphereFunction(dimensions, a = rep(0, dimensions))
```

Arguments

dimensions	[integer(1)] Number of decision variables.
a	[numeric(1)] Shift parameter for the second objective. Default is (0,...,0).

Value

[smoof_multi_objective_function] Returns an instance of the sphere function as a `smoof_multi_objective_function` object.

makeBK1Function	<i>BK1 function generator</i>
-----------------	-------------------------------

Description

Generates the BK1 function, a multi-objective optimization test function. The BK1 function is commonly used in benchmarking studies for evaluating the performance of optimization algorithms.

Usage

```
makeBK1Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the BK1 function as a smoof_multi_objective_function object.

References

...

makeBohachevskyN1Function	<i>Bohachevsky function N. 1</i>
---------------------------	----------------------------------

Description

Highly multi-modal single-objective test function. The mathematical formula is given by

$$f(\mathbf{x}) = \sum_{i=1}^{n-1} (\mathbf{x}_i^2 + 2\mathbf{x}_{i+1}^2 - 0.3 \cos(3\pi\mathbf{x}_i) - 0.4 \cos(4\pi\mathbf{x}_{i+1}) + 0.7)$$

with box-constraints $\mathbf{x}_i \in [-100, 100]$ for $i = 1, \dots, n$. The multi-modality will be visible by “zooming in” in the plot.

Usage

```
makeBohachevskyN1Function(dimensions)
```

Arguments

dimensions	[integer(1)] Size of corresponding parameter space.
------------	--

Value

An object of class SingleObjectiveFunction, representing the Bohachevsky Function.

[smoof_single_objective_function]

References

I. O. Bohachevsky, M. E. Johnson, M. L. Stein, General Simulated Annealing for Function Optimization, Technometrics, vol. 28, no. 3, pp. 209-217, 1986.

makeBoothFunction *Booth Function*

Description

This function is based on the formula

$$f(\mathbf{x}) = (\mathbf{x}_1 + 2\mathbf{x}_2 - 7)^2 + (2\mathbf{x}_1 + \mathbf{x}_2 - 5)^2$$

subject to $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

makeBoothFunction()

Value

An object of class SingleObjectiveFunction, representing the Booth Function.

[smoof_single_objective_function]

makeBraninFunction *Branin RCOS function*

Description

Popular 2-dimensional single-objective test function based on the formula:

$$f(\mathbf{x}) = a (\mathbf{x}_2 - b\mathbf{x}_1^2 + c\mathbf{x}_1 - d)^2 + e(1 - f) \cos(\mathbf{x}_1) + e,$$

where $a = 1, b = \frac{5.1}{4\pi^2}, c = \frac{5}{\pi}, d = 6, e = 10$ and $f = \frac{1}{8\pi}$. The box constraints are given by $\mathbf{x}_1 \in [-5, 10]$ and $\mathbf{x}_2 \in [0, 15]$. The function has three global minima.

Usage

makeBraninFunction()

Value

An object of class `SingleObjectiveFunction`, representing the Branin RCOS Function.

[smoof_single_objective_function]

References

F. H. Branin. Widely convergent method for finding multiple solutions of simultaneous nonlinear equations. IBM J. Res. Dev. 16, 504-522, 1972.

Examples

```
library(ggplot2)
fn = makeBraninFunction()
print(fn)
print(autoplot(fn, show.optimum = TRUE))
```

makeBrentFunction *Brent Function*

Description

Single-objective two-dimensional test function. The formula is given as

$$f(\mathbf{x}) = (\mathbf{x}_1 + 10)^2 + (\mathbf{x}_2 + 10)^2 + \exp(-\mathbf{x}_1^2 - \mathbf{x}_2^2)$$

subject to the constraints $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

```
makeBrentFunction()
```

Value

An object of class `SingleObjectiveFunction`, representing the Brent Function.

[smoof_single_objective_function]

References

F. H. Branin Jr., Widely Convergent Method of Finding Multiple Solutions of Simultaneous Nonlinear Equations, IBM Journal of Research and Development, vol. 16, no. 5, pp. 504-522, 1972.

makeBrownFunction *Brown Function*

Description

This function belongs to the uni-modal single-objective test functions. The function is formulated as

$$f(\mathbf{x}) = \sum_{i=1}^n (\mathbf{x}_i^2)^{(\mathbf{x}_{i+1}+1)} + (\mathbf{x}_{i+1})^{(\mathbf{x}_i+1)}$$

subject to $\mathbf{x}_i \in [-1, 4]$ for $i = 1, \dots, n$.

Usage

makeBrownFunction(dimensions)

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Brown Function.

[smoof_single_objective_function]

References

O. Begambre, J. E. Laier, A hybrid Particle Swarm Optimization - Simplex Algorithm (PSOS) for Structural Damage Identification, Journal of Advances in Engineering Software, vol. 40, no. 9, pp. 883-891, 2009.

makeBukinN2Function *Bukin function N. 2*

Description

Multi-modal, non-scalable, continuous optimization test function given by:

$$f(\mathbf{x}) = 100(\mathbf{x}_2 - 0.01 * \mathbf{x}_1^2 + 1) + 0.01(\mathbf{x}_1 + 10)^2$$

subject to $\mathbf{x}_1 \in [-15, -5]$ and $\mathbf{x}_2 \in [-3, 3]$.

Usage

makeBukinN2Function()

Value

An object of class `SingleObjectiveFunction`, representing the Bukin N.2 Function.

[smoof_single_objective_function]

References

Z. K. Silagadze, Finding Two-Dimensional Peaks, Physics of Particles and Nuclei Letters, vol. 4, no. 1, pp. 73-80, 2007.

See Also

[makeBukinN4Function](#), [makeBukinN6Function](#)

makeBukinN4Function *Bukin function N. 4*

Description

Second continuous Bukin function test function. The formula is given by

$$f(\mathbf{x}) = 100\mathbf{x}_2^2 + 0.01 * ||\mathbf{x}_1 + 10||$$

and the box constraints $\mathbf{x}_1 \in [-15, 5]$, $\mathbf{x}_2 \in [-3, 3]$.

Usage

`makeBukinN4Function()`

Value

An object of class `SingleObjectiveFunction`, representing the Bukin N.4 Function.

[smoof_single_objective_function]

References

Z. K. Silagadze, Finding Two-Dimensional Peaks, Physics of Particles and Nuclei Letters, vol. 4, no. 1, pp. 73-80, 2007.

See Also

[makeBukinN2Function](#), [makeBukinN6Function](#)

makeBukinN6Function *Bukin function N. 6*

Description

Beside Bukin N. 2 and N. 4 this is the last “Bukin family” function. It is given by the formula

$$f(\mathbf{x}) = 100\sqrt{||\mathbf{x}_2 - 0.01\mathbf{x}_1^2||} + 0.01||\mathbf{x}_1 + 10||$$

and the box constraints $\mathbf{x}_1 \in [-15, 5], \mathbf{x}_2 \in [-3, 3]$.

Usage

makeBukinN6Function()

Value

An object of class SingleObjectiveFunction, representing the Bukin N.6 Function.

[smoof_single_objective_function]

References

Z. K. Silagadze, Finding Two-Dimensional Peaks, Physics of Particles and Nuclei Letters, vol. 4, no. 1, pp. 73-80, 2007.

See Also

[makeBukinN2Function](#), [makeBukinN4Function](#)

makeCarromTableFunction
Carrom Table Function

Description

This function is defined as follows:

$$f(\mathbf{x}) = -\frac{1}{30} ((\cos(\mathbf{x}_1) \exp(|1 - ((\mathbf{x}_1^2 + \mathbf{x}_2^2)^{0.5}/\pi)^2)|)) .$$

The box-constraints are given by $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

makeCarromTableFunction()

Value

An object of class SingleObjectiveFunction, representing the Carrom Table Function.
[smoof_single_objective_function]

References

S. K. Mishra, Global Optimization By Differential Evolution and Particle Swarm Methods: Evaluation On Some Benchmark Functions, Munich Research Papers in Economics.

makeChichinadzeFunction

Chichinadze Function

Description

Continuous single-objective test function f with

$$f(\mathbf{x}) = \mathbf{x}_1^2 - 12\mathbf{x}_1 + 11 + 10 \cos(0.5\pi\mathbf{x}_1) + 8 \sin(2.5\pi\mathbf{x}_1) - (0.25)^{0.5} \exp(-0.5(\mathbf{x}_2 - 0.5)^2)$$

with $-30 \leq \mathbf{x}_i \leq 30, i = 1, 2$.

Usage

makeChichinadzeFunction()

Value

An object of class SingleObjectiveFunction, representing the Chichinadze Function.
[smoof_single_objective_function]

makeChungReynoldsFunction

Chung Reynolds Function

Description

The definition is given by

$$f(\mathbf{x}) = \left(\sum_{i=1}^n \mathbf{x}_i^2 \right)^2$$

with box-constraints $\mathbf{x}_i \in [-100, 100], i = 1, \dots, n$.

Usage

makeChungReynoldsFunction(dimensions)

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Chung Reynolds Function.
[smoof_single_objective_function]

References

C. J. Chung, R. G. Reynolds, CAEP: An Evolution-Based Tool for Real-Valued Function Optimization Using Cultural Algorithms, International Journal on Artificial Intelligence Tool, vol. 7, no. 3, pp. 239-291, 1998.

makeComplexFunction *Complex function*

Description

Two-dimensional test function based on the formula

$$f(\mathbf{x}) = (x_1^3 - 3x_1x_2^2 - 1)^2 + (3x_2x_1^2 - x_2^3)^2$$

with $\mathbf{x}_1, \mathbf{x}_2 \in [-2, 2]$.

Usage

makeComplexFunction()

Value

An object of class SingleObjectiveFunction, representing the Complex Function.
[smoof_single_objective_function]

References

See <https://al-roomi.org/benchmarks/unconstrained/2-dimensions/43-complex-function>.

 makeCosineMixtureFunction

Cosine Mixture Function

Description

Single-objective test function based on the formula

$$f(\mathbf{x}) = -0.1 \sum_{i=1}^n \cos(5\pi \mathbf{x}_i) - \sum_{i=1}^n \mathbf{x}_i^2$$

subject to $\mathbf{x}_i \in [-1, 1]$ for $i = 1, \dots, n$.

Usage

makeCosineMixtureFunction(dimensions)

Arguments

dimensions [integer(1)]
 Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Cosine Mixture Function.

[smoof_single_objective_function]

References

M. M. Ali, C. Khompatraporn, Z. B. Zabinsky, A Numerical Evaluation of Several Stochastic Algorithms on Selected Continuous Global Optimization Test Problems, Journal of Global Optimization, vol. 31, pp. 635-672, 2005.

 makeCrossInTrayFunction

Cross-In-Tray Function

Description

Non-scalable, two-dimensional test function for numerical optimization with

$$f(\mathbf{x}) = -0.0001 \left(|\sin(\mathbf{x}_1 \mathbf{x}_2 \exp(|100 - [(\mathbf{x}_1^2 + \mathbf{x}_2^2)]^{0.5} / \pi|))| + 1 \right)^{0.1}$$

subject to $\mathbf{x}_i \in [-15, 15]$ for $i = 1, 2$.

Usage

```
makeCrossInTrayFunction()
```

Value

An object of class `SingleObjectiveFunction`, representing the Cross-In-Tray Function.

[smoof_single_objective_function]

References

S. K. Mishra, Global Optimization By Differential Evolution and Particle Swarm Methods: Evaluation On Some Benchmark Functions, Munich Research Papers in Economics.

makeCubeFunction	<i>Cube Function</i>
------------------	----------------------

Description

The Cube Function is defined as follows:

$$f(\mathbf{x}) = 100(\mathbf{x}_2 - \mathbf{x}_1^3)^2 + (1 - \mathbf{x}_1)^2.$$

The box-constraints are given by $\mathbf{x}_i \in [-10, 10]$, $i = 1, 2$.

Usage

```
makeCubeFunction()
```

Value

An object of class `SingleObjectiveFunction`, representing the Cube Function.

[smoof_single_objective_function]

References

A. Lavi, T. P. Vogel (eds), Recent Advances in Optimization Techniques, John Wiley & Sons, 1966.

 makeDeckkersAartsFunction

Deckkers-Aarts Function

Description

This continuous single-objective test function is defined by the formula

$$f(\mathbf{x}) = 10^5 \mathbf{x}_1^2 + \mathbf{x}_2^2 - (\mathbf{x}_1^2 + \mathbf{x}_2^2)^2 + 10^{-5} (\mathbf{x}_1^2 + \mathbf{x}_2^2)^4$$

with the bounding box $-20 \leq \mathbf{x}_i \leq 20$ for $i = 1, 2$.

Usage

makeDeckkersAartsFunction()

Value

An object of class SingleObjectiveFunction, representing the Deckkers-Aarts Function.

[smoof_single_objective_function]

References

M. M. Ali, C. Khompatporn, Z. B. Zabinsky, A Numerical Evaluation of Several Stochastic Algorithms on Selected Continuous Global Optimization Test Problems, Journal of Global Optimization, vol. 31, pp. 635-672, 2005.

 makeDeflectedCorrugatedSpringFunction

Deflected Corrugated Spring function

Description

Scalable single-objective test function based on the formula

$$f(\mathbf{x}) = 0.1 \sum_{i=1}^n (x_i - \alpha)^2 - \cos \left(K \sqrt{\sum_{i=1}^n (x_i - \alpha)^2} \right)$$

with $\mathbf{x}_i \in [0, 2\alpha]$, $i = 1, \dots, n$ and $\alpha = K = 5$ by default.

Usage

makeDeflectedCorrugatedSpringFunction(dimensions, K = 5, alpha = 5)

Arguments

dimensions	[integer(1)] Size of corresponding parameter space.
K	[numeric(1)] Parameter. Default is 5.
alpha	[numeric(1)] Parameter. Default is 5.

Value

An object of class `SingleObjectiveFunction`, representing the Deflected Corrugated Spring Function.

[smoof_single_objective_function]

References

See <https://al-roomi.org/benchmarks/unconstrained/n-dimensions/238-deflected-corrugated-spring-func>

makeDentFunction	<i>Dent Function Generator</i>
------------------	--------------------------------

Description

Builds and returns the bi-objective Dent test problem, which is defined as follows:

$$f(\mathbf{x}) = (f_1(\mathbf{x}_1), f_2(\mathbf{x}))$$

with

$$f_1(\mathbf{x}_1) = 0.5 \left(\sqrt{1 + (x_1 + x_2)^2} + \sqrt{1 + (x_1 - x_2)^2} + x_1 - x_2 \right) + d$$

and

$$f_2(\mathbf{x}_1) = 0.5 \left(\sqrt{1 + (x_1 + x_2)^2} + \sqrt{1 + (x_1 - x_2)^2} - x_1 + x_2 \right) + d$$

where $d = \lambda * \exp(-(x_1 - x_2)^2)$ and $\mathbf{x}_i \in [-1.5, 1.5], i = 1, 2$.

Usage

makeDentFunction()

Value

[smoof_multi_objective_function] Returns an instance of the Dent function as a `smoof_multi_objective_function` object.

 makeDixonPriceFunction

Dixon-Price Function

Description

Dixon and Price defined the function

$$f(\mathbf{x}) = (\mathbf{x}_1 - 1)^2 + \sum_{i=1}^n i(2\mathbf{x}_i^2 - \mathbf{x}_{i-1})$$

subject to $\mathbf{x}_i \in [-10, 10]$ for $i = 1, \dots, n$.

Usage

makeDixonPriceFunction(dimensions)

Arguments

dimensions [integer(1)]
 Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Dixon-Price Function.

[smoof_single_objective_function]

References

L. C. W. Dixon, R. C. Price, The Truncated Newton Method for Sparse Unconstrained Optimisation Using Automatic Differentiation, Journal of Optimization Theory and Applications, vol. 60, no. 2, pp. 261-275, 1989.

 makeDoubleSumFunction *Double-Sum Function*

Description

Also known as the rotated hyper-ellipsoid function. The formula is given by

$$f(\mathbf{x}) = \sum_{i=1}^n \left(\sum_{j=1}^i \mathbf{x}_j \right)^2$$

with $\mathbf{x}_i \in [-65.536, 65.536]$, $i = 1, \dots, n$.

Usage

```
makeDoubleSumFunction(dimensions)
```

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Double-Sum Function.
[smoof_single_objective_function]

References

H.-P. Schwefel. Evolution and Optimum Seeking. John Wiley & Sons, New York, 1995.

makeDTLZ1Function	<i>DTLZ1 Function (family)</i>
-------------------	--------------------------------

Description

Builds and returns the multi-objective DTLZ1 test problem.

The DTLZ1 test problem is defined as follows:

$$\text{Minimize } f_1(\mathbf{x}) = \frac{1}{2}x_1x_2 \cdots x_{M-1}(1 + g(\mathbf{x}_M)),$$

$$\text{Minimize } f_2(\mathbf{x}) = \frac{1}{2}x_1x_2 \cdots (1 - x_{M-1})(1 + g(\mathbf{x}_M)),$$

⋮

$$\text{Minimize } f_{M-1}(\mathbf{x}) = \frac{1}{2}x_1(1 - x_2)(1 + g(\mathbf{x}_M)),$$

$$\text{Minimize } f_M(\mathbf{x}) = \frac{1}{2}(1 - x_1)(1 + g(\mathbf{x}_M)),$$

with $0 \leq x_i \leq 1$, for $i = 1, 2, \dots, n$,

$$\text{where } g(\mathbf{x}_M) = 100 \left[|\mathbf{x}_M| + \sum_{x_i \in \mathbf{x}_M} (x_i - 0.5)^2 - \cos(20\pi(x_i - 0.5)) \right]$$

Usage

```
makeDTLZ1Function(dimensions, n.objectives)
```

Arguments

dimensions [integer(1)]
Number of decision variables.

n.objectives [integer(1)]
Number of objectives.

Value

[smoof_multi_objective_function] Returns an instance of the DTLZ1 family as a smoof_multi_objective_function object.

References

K. Deb and L. Thiele and M. Laumanns and E. Zitzler. Scalable Multi-Objective Optimization Test Problems. Computer Engineering and Networks Laboratory (TIK), Swiss Federal Institute of Technology (ETH) Zurich, 112, 2001

makeDTLZ2Function	<i>DTLZ2 Function (family)</i>
-------------------	--------------------------------

Description

Builds and returns the multi-objective DTLZ2 test problem.

The DTLZ2 test problem is defined as follows:

Minimize $f_1(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1\pi/2) \cos(x_2\pi/2) \cdots \cos(x_{M-2}\pi/2) \cos(x_{M-1}\pi/2)$,

Minimize $f_2(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1\pi/2) \cos(x_2\pi/2) \cdots \cos(x_{M-2}\pi/2) \sin(x_{M-1}\pi/2)$,

Minimize $f_3(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1\pi/2) \cos(x_2\pi/2) \cdots \sin(x_{M-2}\pi/2)$,

⋮

Minimize $f_{M-1}(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1\pi/2) \sin(x_2\pi/2)$,

Minimize $f_M(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \sin(x_1\pi/2)$,

with $0 \leq x_i \leq 1$, for $i = 1, 2, \dots, n$,

where $g(\mathbf{x}_M) = \sum_{x_i \in \mathbf{x}_M} (x_i - 0.5)^2$

Usage

```
makeDTLZ2Function(dimensions, n.objectives)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.

Value

[smoof_multi_objective_function] Returns an instance of the DTLZ2 family as a smoof_multi_objective_function object.

Note

Note that in case of a bi-objective scenario (n. objectives = 2L) DTLZ2 and DTLZ5 are identical.

References

K. Deb and L. Thiele and M. Laumanns and E. Zitzler. Scalable Multi-Objective Optimization Test Problems. Computer Engineering and Networks Laboratory (TIK), Swiss Federal Institute of Technology (ETH) Zurich, 112, 2001

makeDTLZ3Function	<i>DTLZ3 Function (family)</i>
-------------------	--------------------------------

Description

Builds and returns the multi-objective DTLZ3 test problem. The formula is very similar to the formula of DTLZ2, but it uses the g function of DTLZ1, which introduces a lot of local Pareto-optimal fronts. Thus, this problems is well suited to check the ability of an optimizer to converge to the global Pareto-optimal front.

The DTLZ3 test problem is defined as follows:

$$\text{Minimize } f_1(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1\pi/2) \cos(x_2\pi/2) \cdots \cos(x_{M-2}\pi/2) \cos(x_{M-1}\pi/2),$$

$$\text{Minimize } f_2(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1\pi/2) \cos(x_2\pi/2) \cdots \cos(x_{M-2}\pi/2) \sin(x_{M-1}\pi/2),$$

$$\text{Minimize } f_3(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1\pi/2) \cos(x_2\pi/2) \cdots \sin(x_{M-2}\pi/2),$$

⋮

$$\text{Minimize } f_{M-1}(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1\pi/2) \sin(x_2\pi/2),$$

$$\text{Minimize } f_M(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \sin(x_1\pi/2),$$

with $0 \leq x_i \leq 1$, for $i = 1, 2, \dots, n$,

$$\text{where } g(\mathbf{x}_M) = 100 \left[|\mathbf{x}_M| + \sum_{x_i \in \mathbf{x}_M} (x_i - 0.5)^2 - \cos(20\pi(x_i - 0.5)) \right]$$

Usage

makeDTLZ3Function(dimensions, n.objectives)

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.

Value

[smoof_multi_objective_function] Returns an instance of the DTLZ3 family as a smoof_multi_objective_function object.

References

K. Deb and L. Thiele and M. Laumanns and E. Zitzler. Scalable Multi-Objective Optimization Test Problems. Computer Engineering and Networks Laboratory (TIK), Swiss Federal Institute of Technology (ETH) Zurich, 112, 2001

makeDTLZ4Function *DTLZ4 Function (family)*

Description

Builds and returns the multi-objective DTLZ4 test problem. It is a slight modification of the DTLZ2 problems by introducing the parameter α . The parameter is used to map $\mathbf{x}_i \rightarrow \mathbf{x}_i^\alpha$.

The DTLZ4 test problem is defined as follows:

$$\text{Minimize } f_1(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1^\alpha \pi/2) \cos(x_2^\alpha \pi/2) \cdots \cos(x_{M-2}^\alpha \pi/2) \cos(x_{M-1}^\alpha \pi/2),$$

$$\text{Minimize } f_2(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1^\alpha \pi/2) \cos(x_2^\alpha \pi/2) \cdots \cos(x_{M-2}^\alpha \pi/2) \sin(x_{M-1}^\alpha \pi/2),$$

$$\text{Minimize } f_3(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1^\alpha \pi/2) \cos(x_2^\alpha \pi/2) \cdots \sin(x_{M-2}^\alpha \pi/2),$$

⋮

$$\text{Minimize } f_{M-1}(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(x_1^\alpha \pi/2) \sin(x_2^\alpha \pi/2),$$

$$\text{Minimize } f_M(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \sin(x_1^\alpha \pi/2),$$

with $0 \leq x_i \leq 1$, for $i = 1, 2, \dots, n$,

$$\text{where } g(\mathbf{x}_M) = \sum_{x_i \in \mathbf{x}_M} (x_i - 0.5)^2$$

Usage

```
makeDTLZ4Function(dimensions, n.objectives, alpha = 100)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.
alpha	[numeric(1)] Optional parameter. Default is 100, which is recommended by Deb et al.

Value

[smoof_multi_objective_function] Returns an instance of the DTLZ4 family as a smoof_multi_objective_function object.

References

K. Deb and L. Thiele and M. Laumanns and E. Zitzler. Scalable Multi-Objective Optimization Test Problems. Computer Engineering and Networks Laboratory (TIK), Swiss Federal Institute of Technology (ETH) Zurich, 112, 2001

makeDTLZ5Function	<i>DTLZ5 Function (family)</i>
-------------------	--------------------------------

Description

Builds and returns the multi-objective DTLZ5 test problem. This problem can be characterized by a disconnected Pareto-optimal front in the search space. This introduces a new challenge to evolutionary multi-objective optimizers, i.e., to maintain different sub-populations within the search space to cover the entire Pareto-optimal front.

The DTLZ5 test problem is defined as follows:

$$\text{Minimize } f_1(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(\theta_1\pi/2) \cos(\theta_2\pi/2) \cdots \cos(\theta_{M-2}\pi/2) \cos(\theta_{M-1}\pi/2),$$

$$\text{Minimize } f_2(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(\theta_1\pi/2) \cos(\theta_2\pi/2) \cdots \cos(\theta_{M-2}\pi/2) \sin(\theta_{M-1}\pi/2),$$

$$\text{Minimize } f_3(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(\theta_1\pi/2) \cos(\theta_2\pi/2) \cdots \sin(\theta_{M-2}\pi/2),$$

⋮

$$\text{Minimize } f_{M-1}(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(\theta_1\pi/2) \sin(\theta_2\pi/2),$$

$$\text{Minimize } f_M((1 + g(\mathbf{x}_M)) \sin(\theta_1\pi/2),$$

with $0 \leq x_i \leq 1$, for $i = 1, 2, \dots, n$,

where $\theta_i = \frac{\pi}{4(1+g(\mathbf{x}_M))} (1 + 2g(\mathbf{x}_M)x_i)$, for $i = 2, 3, \dots, (M - 1)$

$$\text{and } g(\mathbf{x}_M) = \sum_{x_i \in \mathbf{x}_M} (x_i - 0.5)^2$$

Usage

makeDTLZ5Function(dimensions, n.objectives)

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.

Value

[smoof_multi_objective_function] Returns an instance of the DTLZ5 family as a smoof_multi_objective_function object.

Note

This problem definition does not exist in the succeeding work of Deb et al. (K. Deb and L. Thiele and M. Laumanns and E. Zitzler (2002). Scalable multi-objective optimization test problems, Proceedings of the IEEE Congress on Evolutionary Computation, pp. 825-830).

Also, note that in case of a bi-objective scenario ($n.\text{objectives} = 2$) DTLZ2 and DTLZ5 are identical.

References

K. Deb and L. Thiele and M. Laumanns and E. Zitzler. Scalable Multi-Objective Optimization Test Problems. Computer Engineering and Networks Laboratory (TIK), Swiss Federal Institute of Technology (ETH) Zurich, 112, 2001

makeDTLZ6Function	<i>DTLZ6 Function (family)</i>
-------------------	--------------------------------

Description

Builds and returns the multi-objective DTLZ6 test problem. This problem can be characterized by a disconnected Pareto-optimal front in the search space. This introduces a new challenge to evolutionary multi-objective optimizers, i.e., to maintain different subpopulations within the search space to cover the entire Pareto-optimal front.

The DTLZ6 test problem is defined as follows:

$$\text{Minimize } f_1(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(\theta_1\pi/2) \cos(\theta_2\pi/2) \cdots \cos(\theta_{M-2}\pi/2) \cos(\theta_{M-1}\pi/2),$$

$$\text{Minimize } f_2(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(\theta_1\pi/2) \cos(\theta_2\pi/2) \cdots \cos(\theta_{M-2}\pi/2) \sin(\theta_{M-1}\pi/2),$$

$$\text{Minimize } f_3(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(\theta_1\pi/2) \cos(\theta_2\pi/2) \cdots \sin(\theta_{M-2}\pi/2),$$

⋮

$$\text{Minimize } f_{M-1}(\mathbf{x}) = (1 + g(\mathbf{x}_M)) \cos(\theta_1\pi/2) \sin(\theta_2\pi/2),$$

$$\text{Minimize } f_M((1 + g(\mathbf{x}_M)) \sin(\theta_1\pi/2),$$

with $0 \leq x_i \leq 1$, for $i = 1, 2, \dots, n$,

where $\theta_i = \frac{\pi}{4(1+g(\mathbf{x}_M))} (1 + 2g(\mathbf{x}_M)x_i)$, for $i = 2, 3, \dots, (M - 1)$

$$\text{and } g(\mathbf{x}_M) = \sum_{x_i \in \mathbf{x}_M} x_i^{0.1}$$

Usage

makeDTLZ6Function(dimensions, n.objectives)

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.

Value

[smoof_multi_objective_function] Returns an instance of the DTLZ6 family as a smoof_multi_objective_function object.

Note

Attention: Within the succeeding work of Deb et al. (K. Deb and L. Thiele and M. Laumanns and E. Zitzler (2002). Scalable multi-objective optimization test problems, Proceedings of the IEEE Congress on Evolutionary Computation, pp. 825-830) this problem was called DTLZ5.

References

K. Deb and L. Thiele and M. Laumanns and E. Zitzler. Scalable Multi-Objective Optimization Test Problems. Computer Engineering and Networks Laboratory (TIK), Swiss Federal Institute of Technology (ETH) Zurich, 112, 2001

makeDTLZ7Function	<i>DTLZ7 Function (family)</i>
-------------------	--------------------------------

Description

Builds and returns the multi-objective DTLZ7 test problem. This problem can be characterized by a disconnected Pareto-optimal front in the search space. This introduces a new challenge to evolutionary multi-objective optimizers, i.e., to maintain different sub-populations within the search space to cover the entire Pareto-optimal front.

The DTLZ7 test problem is defined as follows:

$$\text{Minimize } f_1(\mathbf{x}) = x_1,$$

$$\text{Minimize } f_2(\mathbf{x}) = x_2,$$

⋮

$$\text{Minimize } f_{M-1}(\mathbf{x}) = x_{M-1},$$

$$\text{Minimize } f_M(\mathbf{x}) = (1 + g(\mathbf{x}_M))h(f_1, f_2, \dots, f_{M-1}, g),$$

with $0 \leq x_i \leq 1$, for $i = 1, 2, \dots, n$,

where $g(\mathbf{x}_M) = 1 + \frac{9}{|\mathbf{x}_M|} \sum_{x_i \in \mathbf{x}_M} x_i$

$$\text{and } h(f_1, f_2, \dots, f_{M-1}, g) = M - \sum_{i=1}^{M-1} \left[\frac{f_i}{1+g} (1 + \sin(3\pi f_i)) \right]$$

Usage

```
makeDTLZ7Function(dimensions, n.objectives)
```

Arguments

```
dimensions    [integer(1)]
               Number of decision variables.
n.objectives  [integer(1)]
               Number of objectives.
```

Value

[smoof_multi_objective_function] Returns an instance of the DTLZ7 family as a smoof_multi_objective_function object.

Note

Attention: Within the succeeding work of Deb et al. (K. Deb and L. Thiele and M. Laumanns and E. Zitzler (2002). Scalable multi-objective optimization test problems, Proceedings of the IEEE Congress on Evolutionary Computation, pp. 825-830) this problem was called DTLZ6.

References

K. Deb and L. Thiele and M. Laumanns and E. Zitzler. Scalable Multi-Objective Optimization Test Problems. Computer Engineering and Networks Laboratory (TIK), Swiss Federal Institute of Technology (ETH) Zurich, 112, 2001

makeEasomFunction *Easom Function*

Description

Uni-modal function with its global optimum in the center of the search space. The attraction area of the global optimum is very small in relation to the search space:

$$f(\mathbf{x}) = -\cos(\mathbf{x}_1) \cos(\mathbf{x}_2) \exp\left(-\left((\mathbf{x}_1 - \pi)^2 + (\mathbf{x}_2 - \pi)^2\right)\right)$$

with $\mathbf{x}_i \in [-100, 100], i = 1, 2$.

Usage

```
makeEasomFunction()
```

Value

An object of class SingleObjectiveFunction, representing the Easom Function.

[smoof_single_objective_function]

References

Easom, E. E.: A survey of global optimization techniques. M. Eng. thesis, University of Louisville, Louisville, KY, 1990.

makeED1Function	<i>ED1 Function</i>
-----------------	---------------------

Description

Builds and returns the multi-objective ED1 test problem.

The ED1 test problem is defined as follows:

Minimize $f_j(\mathbf{x}) = \frac{1}{r(\mathbf{x})+1} \cdot \tilde{p}_j(\Theta(\mathbf{X}))$, for $j = 1, \dots, m$,

with $\mathbf{x} = (x_1, \dots, x_n)^T$, where $0 \leq x_i \leq 1$, and $\Theta = (\theta_1, \dots, \theta_{m-1})$, where $0 \leq \theta_j \leq \frac{\pi}{2}$, for $i = 1, \dots, n$, and $j = 1, \dots, m-1$.

Moreover $r(\mathbf{X}) = \sqrt{x_m^2 + \dots + x_n^2}$,

$\tilde{p}_1(\Theta) = \cos(\theta_1)^{2/\gamma}$,

$\tilde{p}_j(\Theta) = (\sin(\theta_1) \cdot \dots \cdot \sin(\theta_{j-1}) \cdot \cos(\theta_j))^{2/\gamma}$, for $2 \leq j \leq m-1$,

and $\tilde{p}_m(\Theta) = (\sin(\theta_1) \cdot \dots \cdot \sin(\theta_{m-1}))^{2/\gamma}$.

Usage

```
makeED1Function(dimensions, n.objectives, gamma = 2, theta)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.
gamma	[numeric(1)] Optional parameter. Default is 2, which is recommended by Emmerich and Deutz.
theta	[numeric(dimensions)] Parameter vector, whose components have to be between 0 and 0.5*pi. The default is theta = (pi/2) * x (with x being the point from the decision space) as recommended by Emmerich and Deutz.

Value

[smoof_multi_objective_function] Returns an instance of the ED1 function as a smoof_multi_objective_function object.

References

M. T. M. Emmerich and A. H. Deutz. Test Problems based on Lamé Superspheres. Proceedings of the International Conference on Evolutionary Multi-Criterion Optimization (EMO 2007), pp. 922-936, Springer, 2007.

makeED2Function	<i>ED2 Function</i>
-----------------	---------------------

Description

Builds and returns the multi-objective ED2 test problem.

The ED2 test problem is defined as follows:

Minimize $f_j(\mathbf{x}) = \frac{1}{F_{natmin}(\mathbf{x})+1} \cdot \tilde{p}_j(\Theta(\mathbf{X}))$, for $j = 1, \dots, m$,

with $\mathbf{x} = (x_1, \dots, x_n)^T$, where $0 \leq x_i \leq 1$, and $\Theta = (\theta_1, \dots, \theta_{m-1})$, where $0 \leq \theta_j \leq \frac{\pi}{2}$, for $i = 1, \dots, n$, and $j = 1, \dots, m - 1$.

Moreover $F_{natmin}(\mathbf{x}) = b + (r(\mathbf{x}) - a) + 0.5 + 0.5 \cdot (2\pi \cdot (r(\mathbf{x}) - a) + \pi)$

with $a \approx 0.051373$, $b \approx 0.0253235$, and $r(\mathbf{X}) = \sqrt{x_m^2 + \dots + x_n^2}$, as well as

$\tilde{p}_1(\Theta) = \cos(\theta_1)^{2/\gamma}$,

$\tilde{p}_j(\Theta) = (\sin(\theta_1) \cdot \dots \cdot \sin(\theta_{j-1}) \cdot \cos(\theta_j))^{2/\gamma}$, for $2 \leq j \leq m - 1$,

and $\tilde{p}_m(\Theta) = (\sin(\theta_1) \cdot \dots \cdot \sin(\theta_{m-1}))^{2/\gamma}$.

Usage

```
makeED2Function(dimensions, n.objectives, gamma = 2, theta)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.
gamma	[numeric(1)] Optional parameter. Default is 2, which is recommended by Emmerich and Deutz.
theta	[numeric(dimensions)] Parameter vector, whose components have to be between 0 and 0.5*pi. The default is theta = (pi/2) * x (with x being the point from the decision space) as recommended by Emmerich and Deutz.

Value

[smoof_multi_objective_function] Returns an instance of the ED2 function as a smoof_multi_objective_function object.

References

M. T. M. Emmerich and A. H. Deutz. Test Problems based on Lamé Superspheres. Proceedings of the International Conference on Evolutionary Multi-Criterion Optimization (EMO 2007), pp. 922-936, Springer, 2007.

makeEggCrateFunction *Egg Crate Function*

Description

This single-objective function follows the definition

$$f(\mathbf{x}) = \mathbf{x}_1^2 + \mathbf{x}_2^2 + 25(\sin^2(\mathbf{x}_1) + \sin^2(\mathbf{x}_2))$$

with $\mathbf{x}_i \in [-5, 5]$ for $i = 1, 2$.

Usage

makeEggCrateFunction()

Value

An object of class SingleObjectiveFunction, representing the Egg Crate Function.

[smoof_single_objective_function]

makeEggholderFunction *Egg Holder function*

Description

The Egg Holder function is a difficult to optimize function based on the definition

$$f(\mathbf{x}) = \sum_{i=1}^{n-1} \left[-(\mathbf{x}_{i+1} + 47) \sin \sqrt{|\mathbf{x}_{i+1} + 0.5\mathbf{x}_i + 47|} - \mathbf{x}_i \sin(\sqrt{|\mathbf{x}_i - (\mathbf{x}_{i+1} - 47)|}) \right]$$

subject to $-512 \leq \mathbf{x}_i \leq 512$ for $i = 1, \dots, n$.

Usage

makeEggholderFunction()

Value

An object of class SingleObjectiveFunction, representing the Egg Holder Function.

[smoof_single_objective_function]

makeElAttarVidyasagarDuttaFunction

El-Attar-Vidyasagar-Dutta Function

Description

This function is based on the formula

$$f(\mathbf{x}) = (\mathbf{x}_1^2 + \mathbf{x}_2 - 10)^2 + (\mathbf{x}_1 + \mathbf{x}_2^2 - 7)^2 + (\mathbf{x}_1^2 + \mathbf{x}_2^3 - 1)^2$$

subject to $\mathbf{x}_i \in [-500, 500], i = 1, 2$.

Usage

makeElAttarVidyasagarDuttaFunction()

Value

An object of class SingleObjectiveFunction, representing the El-Attar-Vidyasagar-Dutta Function.

[smoof_single_objective_function]

References

R. A. El-Attar, M. Vidyasagar, S. R. K. Dutta, An Algorithm for II-norm Minimization With Application to Nonlinear II-approximation, SIAM Journal on Numerical Analysis, vol. 16, no. 1, pp. 70-86, 1979.

makeEngvallFunction *Complex function*

Description

Two-dimensional test function based on the formula

$$f(\mathbf{x}) = (x_1^4 + x_2^4 + 2x_1^2x_2^2 - 4x_1 + 3$$

with $\mathbf{x}_1, \mathbf{x}_2 \in [-2000, 2000]$.

Usage

makeEngvallFunction()

Value

An object of class SingleObjectiveFunction, representing the Complex Function.

[smoof_single_objective_function]

References

See <https://al-roomi.org/benchmarks/unconstrained/2-dimensions/116-engvall-s-function>.

makeExponentialFunction
Exponential Function

Description

This scalable test function is based on the definition

$$f(\mathbf{x}) = -\exp\left(-0.5 \sum_{i=1}^n \mathbf{x}_i^2\right)$$

with the box-constraints $\mathbf{x}_i \in [-1, 1], i = 1, \dots, n$.

Usage

makeExponentialFunction(dimensions)

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Exponential Function.

[smoof_single_objective_function]

References

S. Rahnamyan, H. R. Tizhoosh, N. M. M. Salama, Opposition-Based Differential Evolution (ODE) with Variable Jumping Rate, IEEE Symposium Foundations Com- putation Intelligence, Honolulu, HI, pp. 81-88, 2007.

makeFreudensteinRothFunction
Freudenstein Roth Function

Description

This test function is based on the formula

$$f(\mathbf{x}) = (\mathbf{x}_1 - 13 + ((5 - \mathbf{x}_2)\mathbf{x}_2 - 2)\mathbf{x}_2)^2 + (\mathbf{x}_1 - 29 + ((\mathbf{x}_2 + 1)\mathbf{x}_2 - 14)\mathbf{x}_2)^2$$

subject to $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

makeFreudensteinRothFunction()

Value

An object of class `SingleObjectiveFunction`, representing the Freundstein-Roth Function.

[smoof_single_objective_function]

References

S. S. Rao, *Engineering Optimization: Theory and Practice*, John Wiley & Sons, 2009.

makeFunctionsByName *Generate smoof function by passing a character vector of generator names*

Description

This function is especially useful in combination with [filterFunctionsByTags](#) to generate a test set of functions with certain properties, e.g., multimodality.

Usage

makeFunctionsByName(fun.names, ...)

Arguments

fun.names	[character] Non empty character vector of generator function names.
...	[any] Further arguments passed to generator.

Value

[smoof_function] Smoof function generated based on the specified names and arguments.

See Also

[filterFunctionsByTags](#)

Examples

```
# generate a testset of multimodal 2D functions
## Not run:
test.set = makeFunctionsByName(filterFunctionsByTags("multimodal"), dimensions = 2L, m = 5L)

## End(Not run)
```

```
makeGeneralizedDropWaveFunction
      Generalized Drop-Wave Function
```

Description

Multi-modal single-objective function following the formula:

$$\mathbf{x} = -\frac{1 + \cos(\sqrt{\sum_{i=1}^n \mathbf{x}_i^2})}{2 + 0.5 \sum_{i=1}^n \mathbf{x}_i^2}$$

with $\mathbf{x}_i \in [-5.12, 5.12], i = 1, \dots, n$.

Usage

```
makeGeneralizedDropWaveFunction(dimensions = 2L)
```

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class `SingleObjectiveFunction`, representing the Generalized Drop-Wave Function.

[smoof_single_objective_function]

makeGiuntaFunction *Giunta Function*

Description

Multi-modal test function based on the definition

$$f(\mathbf{x}) = 0.6 + \sum_{i=1}^n \left[\sin\left(\frac{16}{15}\mathbf{x}_i - 1\right) + \sin^2\left(\frac{16}{15}\mathbf{x}_i - 1\right) + \frac{1}{50} \sin\left(4\left(\frac{16}{15}\mathbf{x}_i - 1\right)\right) \right]$$

with box-constraints $\mathbf{x}_i \in [-1, 1]$ for $i = 1, \dots, n$.

Usage

makeGiuntaFunction()

Value

An object of class SingleObjectiveFunction, representing the Giunta Function.

[smoof_single_objective_function]

References

S. K. Mishra, Global Optimization By Differential Evolution and Particle Swarm Methods: Evaluation On Some Benchmark Functions, Munich Research Papers in Economics.

makeGoldsteinPriceFunction
Goldstein-Price Function

Description

Two-dimensional test function for global optimization. The implementation follows the formula:

$$f(\mathbf{x}) = (1 + (\mathbf{x}_1 + \mathbf{x}_2 + 1)^2 \cdot (19 - 14\mathbf{x}_1 + 3\mathbf{x}_1^2 - 14\mathbf{x}_2 + 6\mathbf{x}_1\mathbf{x}_2 + 3\mathbf{x}_2^2)) \cdot (30 + (2\mathbf{x}_1 - 3\mathbf{x}_2)^2 \cdot (18 - 32\mathbf{x}_1 + 12\mathbf{x}_2))$$

with $\mathbf{x}_i \in [-2, 2], i = 1, 2$.

Usage

makeGoldsteinPriceFunction()

Value

An object of class SingleObjectiveFunction, representing the Goldstein-Price Function.

[smoof_single_objective_function]

References

Goldstein, A. A. and Price, I. F.: On descent from local minima. Math. Comput., Vol. 25, No. 115, 1971.

makeGOMOPFunction *GOMOP function generator*

Description

Construct a multi-objective function by putting together multiple single-objective smooth functions.

Usage

```
makeGOMOPFunction(dimensions = 2L, funs = list())
```

Arguments

dimensions	[integer(1)] Size of corresponding parameter space.
funs	[list] List of single-objective smooth functions.

Details

The decision space of the resulting function is restricted to $[0, 1]^d$. Each parameter x is stretched for each objective function. I.e., if f_1, \dots, f_n are the single objective smooth functions with box constraints $[l_i, u_i], i = 1, \dots, n$, then

$$f(x) = (f_1(l_1 + x * (u_1 - l_1)), \dots, f_n(l_n + x * (u_n - l_n)))$$

for $x \in [0, 1]^d$ where the additions and multiplication are performed component-wise.

Value

[smooth_multi_objective_function] Returns an instance of the GOMOP function as a smooth_multi_objective_function object.

makeGriewankFunction *Griewank Function*

Description

Highly multi-modal function with a lot of regularly distributed local minima. The corresponding formula is:

$$f(\mathbf{x}) = \sum_{i=1}^n \frac{\mathbf{x}_i^2}{4000} - \prod_{i=1}^n \cos\left(\frac{\mathbf{x}_i}{\sqrt{i}}\right) + 1$$

subject to $\mathbf{x}_i \in [-100, 100], i = 1, \dots, n$.

Usage

makeGriewankFunction(dimensions)

Arguments

dimensions [integer(1)]
 Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Griewank Function.

[smoof_single_objective_function]

References

A. O. Griewank, Generalized Descent for Global Optimization, Journal of Optimization Theory and Applications, vol. 34, no. 1, pp. 11-39, 1981.

makeHansenFunction *Hansen Function*

Description

Test function with multiple global optima based on the definition

$$f(\mathbf{x}) = \sum_{i=1}^4 (i+1) \cos(i\mathbf{x}_1 + i-1) \sum_{j=1}^4 (j+1) \cos((j+2)\mathbf{x}_2 + j+1)$$

subject to $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

makeHansenFunction()

Value

An object of class `SingleObjectiveFunction`, representing the Hansen Function.
`[smoof_single_objective_function]`

References

C. Fraley, Software Performances on Nonlinear lems, Technical Report no. STAN-CS-89-1244, Computer Science, Stanford University, 1989.

makeHartmannFunction *Hartmann Function*

Description

Uni-modal single-objective test function with six local minima. The implementation is based on the mathematical formulation

$$f(x) = - \sum_{i=1}^4 \alpha_i \exp \left(- \sum_{j=1}^6 A_{ij} (x_j - P_{ij})^2 \right)$$

, where

$$\alpha = (1.0, 1.2, 3.0, 3.2)^T, A = \begin{pmatrix} 10 & 3 & 17 & 3.50 & 1.7 & 8 \\ 0.05 & 10 & 17 & 0.1 & 8 & 14 \\ 3 & 3.5 & 1.7 & 10 & 17 & 8 \\ 17 & 8 & 0.05 & 10 & 0.1 & 14 \end{pmatrix}, P = 10^{-4} \cdot \begin{pmatrix} 1312 & 1696 & 5569 & 124 & 8283 \\ 2329 & 4135 & 8307 & 3736 & 1004 \\ 2348 & 1451 & 3522 & 2883 & 3047 \\ 4047 & 8828 & 8732 & 5743 & 1091 \end{pmatrix}$$

The function is restricted to six dimensions with $x_i \in [0, 1], i = 1, \dots, 6$. The function is not normalized in contrast to some benchmark applications in the literature.

Usage

`makeHartmannFunction(dimensions)`

Arguments

`dimensions` `[integer(1)]`
 Size of corresponding parameter space.

Value

An object of class `SingleObjectiveFunction`, representing the Hartmann Function.
`[smoof_single_objective_function]`

References

Picheny, V., Wagner, T., & Ginsbourger, D. (2012). A benchmark of kriging-based infill criteria for noisy optimization.

 makeHimmelblauFunction

Himmelblau Function

Description

Two-dimensional test function based on the function definition

$$f(\mathbf{x}) = (\mathbf{x}_1^2 + \mathbf{x}_2 - 11)^2 + (\mathbf{x}_1 + \mathbf{x}_2^2 - 7)^2$$

with box-constraints $\mathbf{x}_i \in [-5, 5], i = 1, 2$.

Usage

makeHimmelblauFunction()

Value

An object of class SingleObjectiveFunction, representing the Himmelblau Function.

[smoof_single_objective_function]

References

D. M. Himmelblau, Applied Nonlinear Programming, McGraw-Hill, 1972.

 makeHolderTableN1Function

Holder Table function N. 1

Description

This multi-modal function is defined as

$$f(\mathbf{x}) = -|\cos(\mathbf{x}_1) \cos(\mathbf{x}_2) \exp(|1 - \sqrt{\mathbf{x}_1 + \mathbf{x}_2}/\pi|)|$$

with box-constraints $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

makeHolderTableN1Function()

Value

An object of class SingleObjectiveFunction, representing the Holder Table function N. 1 Function.

[smoof_single_objective_function]

References

S. K. Mishra, Global Optimization By Differential Evolution and Particle Swarm Methods: Evaluation On Some Benchmark Functions, Munich Research Papers in Economics.

See Also

[makeHolderTableN2Function](#)

makeHolderTableN2Function

Holder Table function N. 2

Description

This multi-modal function is defined as

$$f(\mathbf{x}) = - |\sin(\mathbf{x}_1) \cos(\mathbf{x}_2) \exp(|1 - \sqrt{\mathbf{x}_1 + \mathbf{x}_2}/\pi|)|$$

with box-constraints $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

```
makeHolderTableN2Function()
```

Value

An object of class `SingleObjectiveFunction`, representing the Holder Table function N. 2 Function.

```
[smoof_single_objective_function]
```

References

S. K. Mishra, Global Optimization By Differential Evolution and Particle Swarm Methods: Evaluation On Some Benchmark Functions, Munich Research Papers in Economics.

See Also

[makeHolderTableN1Function](#)

makeHosakiFunction *Hosaki Function*

Description

Two-dimensional test function f with

$$f(\mathbf{x}) = (1 - 8\mathbf{x}_1 + 7\mathbf{x}_1^2 - 7/3\mathbf{x}_1^3 + 1/4\mathbf{x}_1^4)\mathbf{x}_2^2 e^{-\mathbf{x}_2}$$

subject to $0 \leq \mathbf{x}_1 \leq 5$ and $0 \leq \mathbf{x}_2 \leq 6$.

Usage

makeHosakiFunction()

Value

An object of class SingleObjectiveFunction, representing the Hosaki Function.

[smoof_single_objective_function]

References

G. A. Bekey, M. T. Ung, A Comparative Evaluation of Two Global Search Algorithms, IEEE Transaction on Systems, Man and Cybernetics, vol. 4, no. 1, pp. 112- 116, 1974.

makeHyperEllipsoidFunction
Hyper-Ellipsoid function

Description

Uni-modal, convex test function similar to the Sphere function (see [makeSphereFunction](#)). Calculated via the formula:

$$f(\mathbf{x}) = \sum_{i=1}^n i \cdot \mathbf{x}_i.$$

Usage

makeHyperEllipsoidFunction(dimensions)

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Hyper-Ellipsoid Function.

[smoof_single_objective_function]

makeInvertedVincentFunction
Inverted Vincent Function

Description

Single-objective test function based on the formula

$$f(\mathbf{x}) = \frac{1}{n} \sum_{i=1}^n \sin(10 \log(\mathbf{x}_i))$$

subject to $\mathbf{x}_i \in [0.25, 10]$ for $i = 1, \dots, n$.

Usage

makeInvertedVincentFunction(dimensions)

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Inverted Vincent Function.

[smoof_single_objective_function]

References

Xiadong Li, Andries Engelbrecht, and Michael G. Epitropakis. Benchmark functions for CEC2013 special session and competition on niching methods for multi-modal function optimization. Technical report, RMIT University, Evolutionary Computation and Machine Learning Group, Australia, 2013.

makeJennrichSampsonFunction
Jennrich-Sampson function

Description

Two-dimensional test function based on the formula

$$f(\mathbf{x}) = \sum_{i=1}^{10} [2 + 2i - (e^{ix_1} + e^{ix_2})]^2$$

with $\mathbf{x}_1, \mathbf{x}_2 \in [-1, 1]$.

Usage

makeJennrichSampsonFunction()

Value

An object of class SingleObjectiveFunction, representing the Jennrich-Sampson Function.

[smoof_single_objective_function]

References

See <https://al-roomi.org/benchmarks/unconstrained/2-dimensions/134-jennrich-sampson-s-function>.

makeJudgeFunction *Judge function*

Description

Two-dimensional test function based on the formula

$$f(\mathbf{x}) = \sum_{i=1}^{20} [(x_1 + B_i x_2 + C_i x_2^2) - A_i]^2$$

with $\mathbf{x}_1, \mathbf{x}_2 \in [-10, 10]$. For details on A, B, C see the referenced website.

Usage

makeJudgeFunction()

Value

An object of class SingleObjectiveFunction, representing the Judge Function.

[smoof_single_objective_function]

References

See <https://al-roomi.org/benchmarks/unconstrained/2-dimensions/133-judge-s-function>.

makeKeaneFunction *Keane Function*

Description

Two-dimensional test function based on the definition

$$f(\mathbf{x}) = \frac{\sin^2(\mathbf{x}_1 - \mathbf{x}_2) \sin^2(\mathbf{x}_1 + \mathbf{x}_2)}{\sqrt{\mathbf{x}_1^2 + \mathbf{x}_2^2}}.$$

The domain of definition is bounded by the box constraints $\mathbf{x}_i \in [0, 10], i = 1, 2$.

Usage

makeKeaneFunction()

Value

An object of class SingleObjectiveFunction, representing the Keane Function.

[smoof_single_objective_function]

makeKearfottFunction *Kearfott function*

Description

Two-dimensional test function based on the formula

$$f(\mathbf{x}) = (x_1^2 + x_2^2 - 2)^2 + (x_1^2 - x_2^2 - 1)^2$$

with $\mathbf{x}_1, \mathbf{x}_2 \in [-3, 4]$.

Usage

makeKearfottFunction()

Value

An object of class SingleObjectiveFunction, representing the Kearfott Function.

[smoof_single_objective_function]

References

See <https://al-roomi.org/benchmarks/unconstrained/2-dimensions/59-kearfott-s-function>.

makeKursaweFunction *Kursawe Function*

Description

Builds and returns the bi-objective Kursawe test problem.

The Kursawe test problem is defined as follows:

$$\text{Minimize } f_1(\mathbf{x}) = \sum_{i=1}^{n-1} (-10 \cdot \exp(-0.2 \cdot \sqrt{x_i^2 + x_{i+1}^2})),$$

$$\text{Minimize } f_2(\mathbf{x}) = \sum_{i=1}^n (|x_i|^{0.8} + 5 \cdot \sin^3(x_i)),$$

with $-5 \leq x_i \leq 5$, for $i = 1, 2, \dots, n$.

Usage

makeKursaweFunction(dimensions)

Arguments

dimensions [integer(1)]
 Number of decision variables.

Value

[smoof_multi_objective_function] Returns an instance of the Kursawe function as a smoof_multi_objective_function object.

References

F. Kursawe. A Variant of Evolution Strategies for Vector Optimization. Proceedings of the International Conference on Parallel Problem Solving from Nature, pp. 193-197, Springer, 1990.

makeLeonFunction *Leon Function*

Description

The function is based on the definition

$$f(\mathbf{x}) = 100(\mathbf{x}_2 - \mathbf{x}_1^2)^2 + (1 - \mathbf{x}_1)^2$$

. Box-constraints: $\mathbf{x}_i \in [-1.2, 1.2]$ for $i = 1, 2$.

Usage

makeLeonFunction()

Value

An object of class `SingleObjectiveFunction`, representing the Leon Function.
`[smoof_single_objective_function]`

References

A. Lavi, T. P. Vogel (eds), *Recent Advances in Optimization Techniques*, John Wiley & Sons, 1966.

makeMatyasFunction *Matyas Function*

Description

Two-dimensional, uni-modal test function

$$f(\mathbf{x}) = 0.26(\mathbf{x}_1^2 + \mathbf{x}_2^2) - 0.48\mathbf{x}_1\mathbf{x}_2$$

subject to $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

`makeMatyasFunction()`

Value

An object of class `SingleObjectiveFunction`, representing the Matyas Function.
`[smoof_single_objective_function]`

References

A.-R. Hedar, *Global Optimization Test Problems*.

makeMcCormickFunction *McCormick Function*

Description

Two-dimensional, multi-modal test function. The definition is given by

$$f(\mathbf{x}) = \sin(\mathbf{x}_1 + \mathbf{x}_2) + (\mathbf{x}_1 - \mathbf{x}_2)^2 - 1.5\mathbf{x}_1 + 2.5\mathbf{x}_2 + 1$$

subject to $\mathbf{x}_1 \in [-1.5, 4], \mathbf{x}_2 \in [-3, 3]$.

Usage

`makeMcCormickFunction()`

Value

An object of class SingleObjectiveFunction, representing the McCormick Function.
[smoof_single_objective_function]

References

F. A. Lootsma (ed.), Numerical Methods for Non-Linear Optimization, Academic Press, 1972.

makeMichalewiczFunction

Michalewicz Function

Description

Highly multi-modal single-objective test function with $n!$ local minima with the formula:

$$f(\mathbf{x}) = - \sum_{i=1}^n \sin(\mathbf{x}_i) \cdot \left(\sin\left(\frac{i \cdot \mathbf{x}_i}{\pi}\right) \right)^{2m}.$$

The recommended value $m = 10$, which is used as a default in the implementation.

Usage

makeMichalewiczFunction(dimensions, m = 10)

Arguments

dimensions	[integer(1)] Size of corresponding parameter space.
m	[integer(1)] “Steepness” parameter.

Value

An object of class SingleObjectiveFunction, representing the Michalewicz Function.
[smoof_single_objective_function]

Note

The location of the global optimum s varying based on both the dimension and m parameter and is thus not provided in the implementation.

References

Michalewicz, Z.: Genetic Algorithms + Data Structures = Evolution Programs. Berlin, Heidelberg, New York: Springer-Verlag, 1992.

makeMMF10Function	<i>MMF10 Function</i>
-------------------	-----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF10Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MMF10 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF11Function	<i>MMF11 Function</i>
-------------------	-----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF11Function(np = 2L)
```

Arguments

np	[integer(1)] Number of global Pareto sets. In the CEC2019 competition, the organizers used np = 2L.
----	--

Value

[smoof_multi_objective_function] Returns an instance of the MMF11 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF12Function	<i>MMF12 Function</i>
-------------------	-----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF12Function(np = 2L, q = 4L)
```

Arguments

np	[integer(1)] Number of global Pareto sets. In the CEC2019 competition, the organizers used np = 2L.
q	[integer(1)] Number of discontinuous pieces in each Pareto front. In the CEC2019 competition, the organizers used q = 4L.

Value

[smoof_multi_objective_function] Returns an instance of the MMF12 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF13Function	<i>MMF13 Function</i>
-------------------	-----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF13Function(np = 2L)
```

Arguments

np	[integer(1)] Number of global Pareto sets. In the CEC2019 competition, the organizers used np = 2L.
----	--

Value

[smoof_multi_objective_function] Returns an instance of the MMF13 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF14aFunction	<i>MMF14a Function</i>
--------------------	------------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF14aFunction(dimensions, n.objectives, np = 2L)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.
np	[integer(1)] Number of global Pareto sets. In the CEC2019 competition, the organizers used np = 2L.

Value

[smoof_multi_objective_function] Returns an instance of the MMF14a function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF14Function	<i>MMF14 Function</i>
-------------------	-----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF14Function(dimensions, n.objectives, np = 2L)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.
np	[integer(1)] Number of global Pareto sets. In the CEC2019 competition, the organizers used np = 2L.

Value

[smoof_multi_objective_function] Returns an instance of the MMF14 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF15aFunction	<i>MMF15a Function</i>
--------------------	------------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF15aFunction(dimensions, n.objectives, np = 2L)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.
np	[integer(1)] Number of global Pareto sets. In the CEC2019 competition, the organizers used np = 2L.

Value

[smoof_multi_objective_function] Returns an instance of the MMF15a function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF15Function *MMF15 Function*

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF15Function(dimensions, n.objectives, np = 2L)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
n.objectives	[integer(1)] Number of objectives.
np	[integer(1)] Number of global Pareto sets. In the CEC2019 competition, the organizers used np = 2L.

Value

[smoof_multi_objective_function] Returns an instance of the MMF15 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF1eFunction *MMF1e Function*

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF1eFunction(a = exp(1L))
```

Arguments

a [double(1)]
Parametrizable factor. In the CEC2019 competition, the organizers used a = exp(1L).

Value

[smoof_multi_objective_function] Returns an instance of the MMF1e function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multimodal multiobjective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF1Function *MMF1 Function*

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

makeMMF1Function()

Value

[smoof_multi_objective_function] Returns an instance of the MMF1 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multimodal multiobjective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF1zFunction	<i>MMF1z Function</i>
-------------------	-----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF1zFunction(k = 3)
```

Arguments

k	[double(1)]
---	-------------

Parametrizable factor. In the CEC2019 competition, the organizers used k = 3.

Value

[smoof_multi_objective_function] Returns an instance of the MMF1z function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF2Function	<i>MMF2 Function</i>
------------------	----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF2Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MMF2 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF3Function	<i>MMF3 Function</i>
------------------	----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF3Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MMF3 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF4Function	<i>MMF4 Function</i>
------------------	----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF4Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MMF4 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF5Function	<i>MMF5 Function</i>
------------------	----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF5Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MMF5 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF6Function	<i>MMF6 Function</i>
------------------	----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF6Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MMF6 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF7Function	<i>MMF7 Function</i>
------------------	----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF7Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MMF7 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF8Function	<i>MMF8 Function</i>
------------------	----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF8Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MMF8 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMMF9Function	<i>MMF9 Function</i>
------------------	----------------------

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeMMF9Function(np = 2L)
```

Arguments

np	[integer(1)] Number of global Pareto sets. In the CEC2019 competition, the organizers used np = 2L.
----	--

Value

[smoof_multi_objective_function] Returns an instance of the MMF9 function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeMnkFunction	<i>Generators for (r)Mnk-landscapes</i>
-----------------	---

Description

Generators for multi-objective NK-landscapes, i.e., with at least two objectives. Function makeMnkLandscape(M, N, K) create NK-landscapes with M (≥ 2) objectives, input dimension N, and epistatic links specified via parameter K. K can be a single integer value, a vector of M integers or a list of length-N integer vectors (see parameter description for details) which allow for maximum flexibility. It is also possible to compose a Mnk-landscape by passing a list of single-objective NK-landscapes via argument funs.

Usage

```
makeMNKFunction(M, N, K, funs = NULL)
```

```
makeRMNKFunction(M, N, K, rho = 0)
```

Arguments

M	[integer(1)] Number of objectives (at least two).
N	[integer(1)] Length of the bit-string (decision space dimension).
K	[integer] Epistatic links. Possible values are a) a single integer which is used for all bits and positions, b) an integer vector of N integers that are used across the objectives, c) a list of M length-N integers to define specific epistatic links for every bit position of every objective.
funs	[list NULL] Allows for an alternative way to build a MNK-landscape by passing a list of at least two single-objective NK-landscapes. In this case all other parameters M, N, K and rho are ignored. Note that the passed functions must be compatible, i.e., a) the input dimension N needs to match and b) all passed functions need to be multi-objective. Default is NULL.
rho	[numeric(1)] Correlation between objectives (value between -1 and 1).

Details

Function `makeRMNKLandscape(M, N, K, rho)` generates a MNK-landscape with correlated objective function values. The correlation can be adjusted by setting the `rho` parameter to a value between minus one and one.

Value

```
[smoof_multi_objective_function]
```

References

H. E. Aguirre and K. Tanaka, Insights on properties of multiobjective MNK-landscapes, Proceedings of the 2004 Congress on Evolutionary Computation, Portland, OR, USA, 2004, pp. 196-203 Vol.1, doi: 10.1109/CEC.2004.1330857.

See Also

[makeNKFunction](#)

Other `nk_landscapes`: [exportNKFunction\(\)](#), [makeNKFunction\(\)](#)

Examples

```

# generate homogeneous uncorrelated bi-objective MNK-landscape with each
# three epistatic links
M = 2L
N = 20L
K = 3L
fn = makeMNKFunction(M, N, K)

# generate MNK-landscape where the first function has 3 epistatic links
# per bit while the second function has 2
fn = makeMNKFunction(M, N, K = c(3L, 2L))

# sample the number of epistatic links individually from {1, ..., 5} for
# every bit position and every objective
K = lapply(seq_len(M), function(m) sample(1:(N-1), size = N, replace = TRUE))
fn = makeMNKFunction(M, N, K = K)

#' # generate strongly positively correlated objectives
fn = makeRMNKFunction(M, N, K, rho = 0.9)

# alternative constructor: generate two single-objective NK-landscapes
# and combine into bi-objective problem
soofn1 = makeNKFunction(N, K = 2L) # homogeneous in K
K = sample(2:3, size = N, replace = TRUE)
soofn2 = makeNKFunction(N, K = K) # heterogeneous in K
moofn = makeMNKFunction(funs = list(soofn1, soofn2))
getNumberOfObjectives(moofn)

```

makeModifiedRastriginFunction

Rastrigin Function

Description

A modified version of the Rastrigin function following the formula:

$$f(\mathbf{x}) = \sum_{i=1}^n 10(1 + \cos(2\pi k_i x_i)) + 2k_i x_i^2.$$

The box-constraints are given by $x_i \in [0, 1]$ for $i = 1, \dots, n$ and k is a numerical vector. Deb et al. (see references) use, e.g., $k = (2, 2, 3, 4)$ for $n = 4$. See the reference for details.

Usage

```
makeModifiedRastriginFunction(dimensions, k = rep(1, dimensions))
```

Arguments

dimensions	[integer(1)] Size of corresponding parameter space.
k	[numeric] Vector of numerical values of length dimensions. Default is rep(1, dimensions)

Value

An object of class SingleObjectiveFunction, representing the Rastrigin Function.

[smoof_single_objective_function]

References

Kalyanmoy Deb and Amit Saha. Multi-modal optimization using a bi- objective evolutionary algorithm. Evolutionary Computation, 20(1):27-62, 2012.

makeMOP1Function	<i>MOP1 function generator</i>
------------------	--------------------------------

Description

MOP1 function from Van Valedhuizen's test suite.

Usage

```
makeMOP1Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MOP1 function as a smoof_multi_objective_function object.

References

J. D. Schaffer, "Multiple objective optimization with vector evaluated genetic algorithms," in Proc. 1st Int. Conf. Genetic Algorithms and Their Applications, J. J. Grenfenstett, Ed., 1985, pp. 93-100.

makeMOP2Function *MOP2 function generator*

Description

MOP2 function from Van Valedhuizen's test suite due to Fonseca and Fleming.

Usage

```
makeMOP2Function(dimensions = 2L)
```

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

[smoof_multi_objective_function] Returns an instance of the MOP2 function as a smoof_multi_objective_function object.

References

C. M. Fonseca and P. J. Fleming, "Multi-objective genetic algorithms made easy: Selection, sharing and mating restriction," Genetic Algorithms in Engineering Systems: Innovations and Applications, pp. 45-52, Sep. 1995. IEE.

makeMOP3Function *MOP3 function generator*

Description

MOP3 function from Van Valedhuizen's test suite.

Usage

```
makeMOP3Function(dimensions = 2L)
```

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

[smoof_multi_objective_function] Returns an instance of the MOP3 function as a smoof_multi_objective_function object.

References

C. Poloni, G. Mosetti, and S. Contessi, "Multi-objective optimization by GAs: Application to system and component design," in Proc. Comput. Methods in Applied Sciences'96: Invited Lectures and Special Technological Sessions of the 3rd ECCOMAS Comput. Fluid Dynamics Conf. and the 2nd ECCOMAS Conf. Numerical Methods in Engineering, Sep. 1996, pp. 258-264

makeMOP4Function	<i>MOP4 function generator</i>
------------------	--------------------------------

Description

MOP4 function from Van Valedhuizen's test suite based on Kursawe.

Usage

```
makeMOP4Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MOP4 function as a smoof_multi_objective_function object.

References

F. Kursawe, "A variant of evolution strategies for vector optimization," in Lecture Notes in Computer Science, H.-P. Schwefel and R. Maenner, Eds. Berlin, Germany: Springer-Verlag, 1991, vol. 496, Proc. Parallel Problem Solving From Nature. 1st Workshop, PPSN I, pp. 193-197.

makeMOP5Function	<i>MOP5 function generator</i>
------------------	--------------------------------

Description

MOP5 function from Van Valedhuizen's test suite.

Usage

```
makeMOP5Function()
```

Value

[smoof_multi_objective_function] Returns an instance of the MOP5 function as a smoof_multi_objective_function object.

Note

Original box constraints where $[-3, 3]$.

References

R. Viennet, C. Fonteix, and I. Marc, "Multi criteria optimization using a genetic algorithm for determining a Pareto set," *Int. J. Syst. Sci.*, vol. 27, no. 2, pp. 255-260, 1996

makeMOP6Function	<i>MOP6 function generator</i>
------------------	--------------------------------

Description

MOP6 function from Van Valedhuizen's test suite.

Usage

makeMOP6Function()

Value

[smoof_multi_objective_function] Returns an instance of the MOP6 function as a smoof_multi_objective_function object.

makeMOP7Function	<i>MOP7 function generator</i>
------------------	--------------------------------

Description

MOP7 function from Van Valedhuizen's test suite.

Usage

makeMOP7Function()

Value

[smoof_multi_objective_function] Returns an instance of the MOP7 function as a smoof_multi_objective_function object.

References

R. Viennet, C. Fonteix, and I. Marc, "Multi-criteria optimization using a genetic algorithm for determining a Pareto set," *Int. J. Syst. Sci.*, vol. 27, no. 2, pp. 255-260, 1996

makeMPM2Function	<i>Generator for function with multiple peaks following the multiple peaks model 2</i>
------------------	--

Description

Generator for function with multiple peaks following the multiple peaks model 2

Usage

```
makeMPM2Function(
  n.peaks,
  dimensions,
  topology,
  seed,
  rotated = TRUE,
  peak.shape = "ellipse",
  evaluation.env = "R"
)
```

Arguments

n.peaks	[integer(1)] Desired number of peaks, i. e., number of (local) optima.
dimensions	[integer(1)] Size of corresponding parameter space.
topology	[character(1)] Type of topology. Possible values are “random” and “funnel”.
seed	[integer(1)] Seed for the random numbers generator.
rotated	[logical(1)] Should the peak shapes be rotated? This parameter is only relevant in case of elliptically shaped peaks.
peak.shape	[character(1)] Shape of peak(s). Possible values are “ellipse” and “sphere”.
evaluation.env	[character(1)] Evaluation environment after the function was created. Possible (case-insensitive) values are “R” (default) and “Python”. The original generation of the problem is always done in the original Python environment. However, evaluation in R is faster, especially if multiple MPM2 functions are used in a multi-objective setting.

Value

[smoof_single_objective_function] An object of class SingleObjectiveFunction, representing the Multiple peaks model 2 Function.

Author(s)

R interface by Jakob Bossek. Original python code provided by the Simon Wessing.

References

See the technical report of multiple peaks model 2 for an in-depth description of the underlying algorithm.

Examples

```
## Not run:
fn = makeMPM2Function(n.peaks = 10L, dimensions = 2L,
  topology = "funnel", seed = 123, rotated = TRUE, peak.shape = "ellipse")
if (require(plot3D)) {
  plot3D(fn)
}

## End(Not run)
## Not run:
fn = makeMPM2Function(n.peaks = 5L, dimensions = 2L,
  topology = "random", seed = 134, rotated = FALSE)
plot(fn, render.levels = TRUE)

## End(Not run)
```

makeMultiObjectiveFunction

Generator for multi-objective target functions

Description

Generator for multi-objective target functions

Usage

```
makeMultiObjectiveFunction(
  name = NULL,
  id = NULL,
  description = NULL,
  fn,
  has.simple.signature = TRUE,
  par.set,
  n.objectives = NULL,
  noisy = FALSE,
  fn.mean = NULL,
  minimize = NULL,
  vectorized = FALSE,
```

```

    constraint.fn = NULL,
    ref.point = NULL
)

```

Arguments

name	[character(1)] Function name. Used for the title of plots for example.
id	[character(1) NULL] Optional short function identifier. If provided, this should be a short name without whitespaces and now special characters beside the underscore. Default is NULL, which means no ID at all.
description	[character(1) NULL] Optional function description.
fn	[function] Objective function.
has.simple.signature	[logical(1)] Set this to TRUE if the objective function expects a vector as input and FALSE if it expects a named list of values. The latter is needed if the function depends on mixed parameters. Default is TRUE.
par.set	[ParamSet] Parameter set describing different aspects of the objective function parameters, i.e., names, lower and/or upper bounds, types and so on. See makeParamSet for further information.
n.objectives	[integer(1)] Number of objectives of the multi-objective function.
noisy	[logical(1)] Is the function noisy? Defaults to FALSE.
fn.mean	[function] Optional true mean function in case of a noisy objective function. This functions should have the same mean as fn.
minimize	[logical] Logical vector of length n.objectives indicating if the corresponding objectives shall be minimized or maximized. Default is the vector with all components set to TRUE.
vectorized	[logical(1)] Can the objective function handle “vector” input, i.e., does it accept matrix of parameters? Default is FALSE.
constraint.fn	[function NULL] Function which returns a logical vector indicating whether certain conditions are met or not. Default is NULL, which means, that there are no constraints beside possible box constraints defined via the par.set argument.
ref.point	[numeric] Optional reference point in the objective space, e.g., for hyper-volume computation.

Value

[function] Target function with additional stuff attached as attributes.

Examples

```
fn = makeMultiObjectiveFunction(
  name = "My test function",
  fn = function(x) c(sum(x^2), exp(x)),
  n.objectives = 2L,
  par.set = makeNumericParamSet("x", len = 1L, lower = -5L, upper = 5L)
)
print(fn)
```

makeNKFunction	<i>Generator for NK-landscapes</i>
----------------	------------------------------------

Description

Generate a single-objective NK-landscape. NK-landscapes are combinatorial problems with input space $\{0, 1\}^N$ (in their basic definition). The value of each bit position $i \in \{1, \dots, N\}$ depends on K other bits, the so-called (*epistatic*) *links / interactions*.

Usage

```
makeNKFunction(N, K)
```

Arguments

N	[integer(1)]	Length of the bit-string (decision space dimension).
K	[integer]	Integer vector of the number of epistatic interactions. If a single value is passed a homogeneous NK-landscape is generated, i.e. $k_i = k \forall i = 1, \dots, N$.

Value

[smoof_single_objective_function] NK-landscape function.

References

Kauffman SA, Weinberger ED. The NK model of rugged fitness landscapes and its application to maturation of the immune response. *Journal of Theoretical Biology* 1989 Nov 21;141(2):211-45. doi: 10.1016/s0022-5193(89)80019-0.

See Also

Other nk_landscapes: [exportNKFunction\(\)](#), [makeMNKFunction\(\)](#)

Examples

```
# generate homogeneous NK-landscape with each K=3 epistatic links
N = 20
fn = makeNKFunction(N, 3)

# evaluate function on some random bitstrings
bitstrings = matrix(sample(c(0, 1), size = 10 * N, replace = TRUE), ncol = N)
apply(bitstrings, 1, fn)

# generate heterogeneous NK-landscape where K is sampled from {2,3,4}
# uniformly at random
fn = makeNKFunction(N, K = sample(2:4, size = N, replace = TRUE))
```

makeObjectiveFunction *Internal generator for function of smooof type*

Description

Internal generator for function of smooof type

Usage

```
makeObjectiveFunction(
  name = NULL,
  id = NULL,
  description = NULL,
  fn,
  has.simple.signature = TRUE,
  par.set,
  n.objectives = NULL,
  noisy = FALSE,
  fn.mean = NULL,
  minimize = NULL,
  vectorized = FALSE,
  constraint.fn = NULL
)
```

Arguments

name	[character(1)] Optional function name used e.g. in plots.
id	[character(1)] Optional identifier for the function
description	[character(1) NULL] Optional function description.

fn	[function] Target function.
has.simple.signature	[logical(1)] Set this to TRUE if the target function expects a vector as input and FALSE if it expects a named list of values. The latter is needed if the function depends on mixed parameters. Default is TRUE.
par.set	[ParamSet] Parameter set describing different aspects of the target function parameters, i. e., names, lower and/or upper bounds, types and so on. See makeParamSet for further information.
n.objectives	[integer(1)] Number of objectives of the multi-objective function.
noisy	[logical(1)] Is the function noisy? Defaults to FALSE.
fn.mean	[function] Optional true mean function in case of a noisy objective function. This functions should have the same mean as fn.
minimize	[logical] Logical vector of length n.objectives indicating which objectives shall be minimized/maximized. The default is TRUE n.objectives times.
vectorized	[logical(1)] Can the handle "vector" input, i. e., does it accept matrix of parameters? Default is FALSE.
constraint.fn	[function NULL] Function which returns a logical vector indicating which indicates whether certain conditions are met or not. Default is NULL, which means, that there are no constraints (beside possible) box constraints defined via the par.set argument.

Value

[function] Target function with additional stuff attached as attributes.

makeOmniTestFunction *MMF13 Function*

Description

Test problem from the set of "multimodal multiobjective functions" as for instance used in the CEC2019 competition.

Usage

makeOmniTestFunction()

Value

[smoof_multi_objective_function] Returns an instance of the Omni function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multimodal multiobjective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makePeriodicFunction *Periodic Function*

Description

Single-objective two-dimensional test function. The formula is given as

$$f(\mathbf{x}) = 1 + \sin^2(\mathbf{x}_1) + \sin^2(\mathbf{x}_2) - 0.1e^{-(\mathbf{x}_1^2 + \mathbf{x}_2^2)}$$

subject to the constraints $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

```
makePeriodicFunction()
```

Value

An object of class SingleObjectiveFunction, representing the Periodic Function.

[smoof_single_objective_function]

References

M. M. Ali, C. Khompatraporn, Z. B. Zabinsky, A Numerical Evaluation of Several Stochastic Algorithms on Selected Continuous Global Optimization Test Problems, Journal of Global Optimization, vol. 31, pp. 635-672, 2005.

makePowellSumFunction *Powell-Sum Function*

Description

The formula that underlies the implementation is given by

$$f(\mathbf{x}) = \sum_{i=1}^n |\mathbf{x}_i|^{i+1}$$

with $\mathbf{x}_i \in [-1, 1], i = 1, \dots, n$.

Usage

makePowellSumFunction(dimensions)

Arguments

dimensions [integer(1)]
 Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Powell-Sum Function.

[smoof_single_objective_function]

References

S. Rahnamyan, H. R. Tizhoosh, N. M. M. Salama, A Novel Population Initialization Method for Accelerating Evolutionary Algorithms, Computers and Mathematics with Applications, vol. 53, no. 10, pp. 1605-1614, 2007.

makePriceN1Function *Price Function N. 1*

Description

Second function by Price. The implementation is based on the definition

$$f(\mathbf{x}) = (|\mathbf{x}_1| - 5)^2 + (|\mathbf{x}_2 - 5|)^2$$

subject to $\mathbf{x}_i \in [-500, 500], i = 1, 2$.

Usage

makePriceN1Function()

Value

An object of class `SingleObjectiveFunction`, representing the Price N. 1 Function.

[smoof_single_objective_function]

References

W. L. Price, A Controlled Random Search Procedure for Global Optimization, *Computer journal*, vol. 20, no. 4, pp. 367-370, 1977.

See Also

[makePriceN2Function](#), [makePriceN4Function](#)

makePriceN2Function *Price Function N. 2*

Description

Second function by Price. The implementation is based on the definition

$$f(\mathbf{x}) = 1 + \sin^2(\mathbf{x}_1) + \sin^2(\mathbf{x}_2) - 0.1 \exp(-\mathbf{x}^2 - \mathbf{x}_2^2)$$

subject to $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

```
makePriceN2Function()
```

Value

An object of class `SingleObjectiveFunction`, representing the Price N. 2 Function.

[smoof_single_objective_function]

References

W. L. Price, A Controlled Random Search Procedure for Global Optimisation, *Computer journal*, vol. 20, no. 4, pp. 367-370, 1977.

See Also

[makePriceN1Function](#), [makePriceN4Function](#)

makePriceN4Function *Price Function N. 4*

Description

Fourth function by Price. The implementation is based on the definition

$$f(\mathbf{x}) = (2\mathbf{x}_1^3\mathbf{x}_2 - \mathbf{x}_2^3)^2 + (6\mathbf{x}_1 - \mathbf{x}_2^2 + \mathbf{x}_2)^2$$

subject to $\mathbf{x}_i \in [-500, 500]$.

Usage

makePriceN4Function()

Value

An object of class `SingleObjectiveFunction`, representing the Price N. 4 Function.

[smoof_single_objective_function]

References

W. L. Price, A Controlled Random Search Procedure for Global Optimisation, *Computer journal*, vol. 20, no. 4, pp. 367-370, 1977.

See Also

[makePriceN1Function](#), [makePriceN2Function](#)

makeRastriginFunction *Rastrigin Function*

Description

One of the most popular single-objective test functions consists of many local optima and is thus highly multi-modal with a global structure. The implementation follows the formula

$$f(\mathbf{x}) = 10n + \sum_{i=1}^n (\mathbf{x}_i^2 - 10 \cos(2\pi\mathbf{x}_i)) .$$

The box-constraints are given by $\mathbf{x}_i \in [-5.12, 5.12]$ for $i = 1, \dots, n$.

Usage

makeRastriginFunction(dimensions)

Arguments

dimensions [integer(1)]
 Size of corresponding parameter space.

Value

An object of class `SingleObjectiveFunction`, representing the Rastrigin Function.
 [smoof_single_objective_function]

References

L. A. Rastrigin. Extremal control systems. Theoretical Foundations of Engineering Cybernetics Series. Nauka, Moscow, 1974.

makeRosenbrockFunction

Rosenbrock Function

Description

Also known as the “De Jong’s function 2” or the “(Rosenbrock) banana/valley function” due to its shape. The global optimum is located within a large flat valley and thus it is hard for optimization algorithms to find it. The following formula underlies the implementation:

$$f(\mathbf{x}) = \sum_{i=1}^{n-1} 100 \cdot (\mathbf{x}_{i+1} - \mathbf{x}_i^2)^2 + (1 - \mathbf{x}_i)^2.$$

The domain is given by the constraints $\mathbf{x}_i \in [-30, 30], i = 1, \dots, n$.

Usage

`makeRosenbrockFunction(dimensions)`

Arguments

dimensions [integer(1)]
 Size of corresponding parameter space.

Value

An object of class `SingleObjectiveFunction`, representing the Rosenbrock Function.
 [smoof_single_objective_function]

References

H. H. Rosenbrock, An Automatic Method for Finding the Greatest or least Value of a Function, Computer Journal, vol. 3, no. 3, pp. 175-184, 1960.

 makeSchafferN2Function

Modified Schaffer Function N. 2

Description

Second function by Schaffer. The definition is given by the formula

$$f(\mathbf{x}) = 0.5 + \frac{\sin^2(\mathbf{x}_1^2 - \mathbf{x}_2^2) - 0.5}{(1 + 0.001(\mathbf{x}_1^2 + \mathbf{x}_2^2))^2}$$

subject to $\mathbf{x}_i \in [-100, 100], i = 1, 2$.

Usage

makeSchafferN2Function()

Value

An object of class SingleObjectiveFunction, representing the Modified Schaffer N. 2 Function.

[smoof_single_objective_function]

References

S. K. Mishra, Some New Test Functions For Global Optimization And Performance of Repulsive Particle Swarm Method.

 makeSchafferN4Function

Schaffer Function N. 4

Description

Second function by Schaffer. The definition is given by the formula

$$f(\mathbf{x}) = 0.5 + \frac{\cos^2(\sin(|\mathbf{x}_1^2 - \mathbf{x}_2^2|)) - 0.5}{(1 + 0.001(\mathbf{x}_1^2 + \mathbf{x}_2^2))^2}$$

subject to $\mathbf{x}_i \in [-100, 100], i = 1, 2$.

Usage

makeSchafferN4Function()

Value

An object of class SingleObjectiveFunction, representing the Schaffer N. 4 Function.

[smoof_single_objective_function]

References

S. K. Mishra, Some New Test Functions For Global Optimization And Performance of Repulsive Particle Swarm Method.

makeSchwefelFunction *Schwefel function*

Description

Highly multi-modal test function. The crucial thing about this function is, that the global optimum is far away from the next best local optimum. The function is computed via:

$$f(\mathbf{x}) = \sum_{i=1}^n -x_i \sin\left(\sqrt{(|x_i|)}\right)$$

with $x_i \in [-500, 500], i = 1, \dots, n$.

Usage

makeSchwefelFunction(dimensions)

Arguments

dimensions [integer(1)]
Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Schwefel Function.

[smoof_single_objective_function]

References

Schwefel, H.-P.: Numerical optimization of computer models. Chichester: Wiley & Sons, 1981.

makeShekelFunction *Shekel functions*

Description

Single-objective test function based on the formula

$$f(\mathbf{x}) = - \sum_{i=1}^m \left(\sum_{j=1}^4 (x_j - C_{ji})^2 + \beta_i \right)^{-1}$$

. Here, $m \in \{5, 7, 10\}$ defines the number of local optima, C is a 4×10 matrix and $\beta = \frac{1}{10}(1, 1, 2, 2, 4, 4, 6, 3, 7, 5, 5)$ is a vector. See <https://www.sfu.ca/~ssurjano/shekel.html> for a definition of C .

Usage

makeShekelFunction(m)

Arguments

m [numeric(1)]
Integer parameter (defines the number of local optima). Possible values are 5, 7 or 10.

Value

An object of class SingleObjectiveFunction, representing the Shekel Functions.

[smoof_single_objective_function]

makeShubertFunction *Shubert Function*

Description

The definition of this two-dimensional function is given by

$$f(\mathbf{x}) = \prod_{i=1}^2 \left(\sum_{j=1}^5 \cos((j+1)\mathbf{x}_i + j) \right)$$

subject to $\mathbf{x}_i \in [-10, 10], i = 1, 2$.

Usage

makeShubertFunction()

Value

An object of class SingleObjectiveFunction, representing the Shubert Function.

[smoof_single_objective_function]

References

J. P. Hennart (ed.), Numerical Analysis, Proc. 3rd AS Workshop, Lecture Notes in Mathematics, vol. 90, Springer, 1982.

makeSingleObjectiveFunction

Generator for single-objective target functions

Description

Generator for single-objective target functions

Usage

```
makeSingleObjectiveFunction(
  name = NULL,
  id = NULL,
  description = NULL,
  fn,
  has.simple.signature = TRUE,
  vectorized = FALSE,
  par.set,
  noisy = FALSE,
  fn.mean = NULL,
  minimize = TRUE,
  constraint.fn = NULL,
  tags = character(0),
  global.opt.params = NULL,
  global.opt.value = NULL,
  local.opt.params = NULL,
  local.opt.values = NULL
)
```

Arguments

name	[character(1)] Function name. Used for the title of plots for example.
id	[character(1) NULL] Optional short function identifier. If provided, this should be a short name without whitespaces and now special characters beside the underscore. Default is NULL, which means no ID at all.

description	[character(1) NULL] Optional function description.
fn	[function] Objective function.
has.simple.signature	[logical(1)] Set this to TRUE if the objective function expects a vector as input and FALSE if it expects a named list of values. The latter is needed if the function depends on mixed parameters. Default is TRUE.
vectorized	[logical(1)] Can the objective function handle “vector” input, i.-e., does it accept matrix of parameters? Default is FALSE.
par.set	[ParamSet] Parameter set describing different aspects of the objective function parameters, i.-e., names, lower and/or upper bounds, types and so on. See makeParamSet for further information.
noisy	[logical(1)] Is the function noisy? Defaults to FALSE.
fn.mean	[function] Optional true mean function in case of a noisy objective function. This functions should have the same mean as fn.
minimize	[logical(1)] Set this to TRUE if the function should be minimized and to FALSE otherwise. The default is TRUE.
constraint.fn	[function NULL] Function which returns a logical vector indicating whether certain conditions are met or not. Default is NULL, which means, that there are no constraints beside possible box constraints defined via the par.set argument.
tags	[character] Optional character vector of tags or keywords which characterize the function, e.-g. “unimodal”, “separable”. See getAvailableTags for a character vector of allowed tags.
global.opt.params	[list numeric data.frame matrix NULL] Default is NULL which means unknown. Passing a numeric vector will be the most frequent case (numeric only functions). In this case there is only a single global optimum. If there are multiple global optima, passing a numeric matrix is the best choice. Passing a list or a data.frame is necessary if your function is mixed, e.g., it expects both numeric and discrete parameters. Internally, however, each representation is casted to a data.frame for reasons of consistency.
global.opt.value	[numeric(1) NULL] Global optimum value if known. Default is NULL, which means unknown. If only the global.opt.params are passed, the value is computed automatically.

`local.opt.params`
 [list | numeric | data.frame | matrix | NULL]
 Default is NULL, which means the function has no local optima or they are unknown. For details see the description of `global.opt.params`.

`local.opt.values`
 [numeric | NULL]
 Value(s) of local optima. Default is NULL, which means unknown. If only the `local.opt.params` are passed, the values are computed automatically.

Value

[function] Objective function with additional stuff attached as attributes.

Examples

```
library(ggplot2)

fn = makeSingleObjectiveFunction(
  name = "Sphere Function",
  fn = function(x) sum(x^2),
  par.set = makeNumericParamSet("x", len = 1L, lower = -5L, upper = 5L),
  global.opt.params = list(x = 0)
)
print(fn)
print(autoplot(fn))

fn.num2 = makeSingleObjectiveFunction(
  name = "Numeric 2D",
  fn = function(x) sum(x^2),
  par.set = makeParamSet(
    makeNumericParam("x1", lower = -5, upper = 5),
    makeNumericParam("x2", lower = -10, upper = 20)
  )
)
print(fn.num2)
print(autoplot(fn.num2))

fn.mixed = makeSingleObjectiveFunction(
  name = "Mixed 2D",
  fn = function(x) x$num1^2 + as.integer(as.character(x$disc1) == "a"),
  has.simple.signature = FALSE,
  par.set = makeParamSet(
    makeNumericParam("num1", lower = -5, upper = 5),
    makeDiscreteParam("disc1", values = c("a", "b"))
  ),
  global.opt.params = list(num1 = 0, disc1 = "b")
)
print(fn.mixed)
print(autoplot(fn.mixed))
```

 makeSixHumpCamelFunction

Three-Hump Camel Function

Description

Two dimensional single-objective test function with six local minima oh which two are global. The surface is similar to the back of a camel. That is why it is called Camel function. The implementation is based on the formula:

$$f(\mathbf{x}) = (4 - 2.1\mathbf{x}_1^2 + \mathbf{x}_1^{0.75}) \mathbf{x}_1^2 + \mathbf{x}_1\mathbf{x}_2 + (-4 + 4\mathbf{x}_2^2) \mathbf{x}_2^2$$

with box constraints $\mathbf{x}_1 \in [-3, 3]$ and $\mathbf{x}_2 \in [-2, 2]$.

Usage

```
makeSixHumpCamelFunction()
```

Value

An object of class `SingleObjectiveFunction`, representing the Three-Hump Camel Function.

[smoof_single_objective_function]

References

Dixon, L. C. W. and Szego, G. P.: The optimization problem: An introduction. In: Towards Global Optimization II, New York: North Holland, 1978.

 makeSphereFunction

Sphere Function

Description

Also known as the the “De Jong function 1”. Convex, continous function calculated via the formula

$$f(\mathbf{x}) = \sum_{i=1}^n \mathbf{x}_i^2$$

with box-constraints $\mathbf{x}_i \in [-5.12, 5.12], i = 1, \dots, n$.

Usage

```
makeSphereFunction(dimensions)
```

Arguments

dimensions [integer(1)]
 Size of corresponding parameter space.

Value

An object of class SingleObjectiveFunction, representing the Sphere Function.

[smoof_single_objective_function]

References

M. A. Schumer, K. Steiglitz, Adaptive Step Size Random Search, IEEE Transactions on Automatic Control. vol. 13, no. 3, pp. 270-276, 1968.

makeStyblinskiTangFunction
Styblinski-Tang function

Description

This function is based on the definition

$$f(\mathbf{x}) = \frac{1}{2} \sum_{i=1}^2 (\mathbf{x}_i^4 - 16\mathbf{x}_i^2 + 5\mathbf{x}_i)$$

with box-constraints given by $\mathbf{x}_i \in [-5, 5], i = 1, 2$.

Usage

makeStyblinskiTangFunction()

Value

An object of class SingleObjectiveFunction, representing the Styblinski-Tang Function.

[smoof_single_objective_function]

References

Z. K. Silagadze, Finding Two-Dimensional Peaks, Physics of Particles and Nuclei Letters, vol. 4, no. 1, pp. 73-80, 2007.

makeSumOfDifferentSquaresFunction
Sum of Different Squares Function

Description

Simple uni-modal test function similar to the Sphere and Hyper-Ellipsoidal functions. Formula:

$$f(\mathbf{x}) = \sum_{i=1}^n |\mathbf{x}_i|^{i+1}.$$

Usage

makeSumOfDifferentSquaresFunction(dimensions)

Arguments

dimensions [integer(1)]
 Size of corresponding parameter space.

Value

[smoof_single_objective_function]

makeSwiler2014Function
Swiler2014 function

Description

Mixed parameter space with one discrete parameter $x_1 \in \{1, 2, 3, 4, 5\}$ and two numerical parameters $x_2, x_3 \in [0, 1]$. The function is defined as follows:

$$f(\mathbf{x}) = \sin(2\pi x_3 - \pi) + 7 \sin^2(2\pi x_2 - \pi) \text{ if } x_1 = 1 \quad \sin(2\pi x_3 - \pi) + 7 \sin^2(2\pi x_2 - \pi) + 12 \sin(2\pi x_3 - \pi) \text{ if } x_1 = 2 \quad \sin(2\pi x_3 - \pi) + 7 \sin^2(2\pi x_2 - \pi) + 12 \sin(2\pi x_3 - \pi) + 12 \sin(2\pi x_2 - \pi) \text{ if } x_1 = 3$$

Usage

makeSwiler2014Function()

Value

[smoof_single_objective_function]

makeSYMPARTrotatedFunction
SYM-PART Rotated Function

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeSYMPARTrotatedFunction(w = pi/4, a = 1, b = 10, c = 8)
```

Arguments

w	[double(1)] Parametrizable factor. In the CEC2019 competition, the organizers used $w = \pi / 4$.
a	[double(1)] Parametrizable factor. In the CEC2019 competition, the organizers used $a = 1$.
b	[double(1)] Parametrizable factor. In the CEC2019 competition, the organizers used $b = 10$.
c	[double(1)] Parametrizable factor. In the CEC2019 competition, the organizers used $c = 8$.

Value

[smoof_multi_objective_function] Returns an instance of the SYM-PART Rotated function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeSYMPARTsimpleFunction
SYM-PART Simple Function

Description

Test problem from the set of "multi-modal multi-objective functions" as for instance used in the CEC2019 competition.

Usage

```
makeSYMPARTsimpleFunction(a = 1, b = 10, c = 8)
```

Arguments

a	[double(1)] Parametrizable factor. In the CEC2019 competition, the organizers used a = 1.
b	[double(1)] Parametrizable factor. In the CEC2019 competition, the organizers used b = 10.
c	[double(1)] Parametrizable factor. In the CEC2019 competition, the organizers used c = 8.

Value

[smoof_multi_objective_function] Returns an instance of the SYM-PART Simple function as a smoof_multi_objective_function object.

References

Caitong Yue, Boyang Qu, Kunjie Yu, Jing Liang, and Xiaodong Li, "A novel scalable test problem suite for multi-modal multi-objective optimization," in Swarm and Evolutionary Computation, Volume 48, August 2019, pp. 62–71, Elsevier.

makeThreeHumpCamelFunction

Three-Hump Camel Function

Description

This two-dimensional function is based on the definition

$$f(\mathbf{x}) = 2\mathbf{x}_1^2 - 1.05\mathbf{x}_1^4 + \frac{\mathbf{x}_1^6}{6} + \mathbf{x}_1\mathbf{x}_2 + \mathbf{x}_2^2$$

subject to $-5 \leq \mathbf{x}_i \leq 5$.

Usage

```
makeThreeHumpCamelFunction()
```

Value

An object of class SingleObjectiveFunction, representing the Three-Hump Camel Function.

[smoof_single_objective_function]

References

F. H. Branin Jr., Widely Convergent Method of Finding Multiple Solutions of Simultaneous Non-linear Equations, IBM Journal of Research and Development, vol. 16, no. 5, pp. 504-522, 1972.

makeTrecanniFunction *Trecanni Function*

Description

The Trecanni function belongs to the uni-modal test functions. It is based on the formula

$$f((x)) = (x)_1^4 - 4(x)_1^3 + 4(x)_1 + (x)_2^2.$$

The box-constraints $\mathbf{x}_i \in [-5, 5], i = 1, 2$ define the domain of definition.

Usage

makeTrecanniFunction()

Value

An object of class `SingleObjectiveFunction`, representing the Trecanni Function.

[smoof_single_objective_function]

References

L. C. W. Dixon, G. P. Szego (eds.), *Towards Global Optimization 2*, Elsevier, 1978.

makeUFFunction *Generator for the functions UF1, ..., UF10 of the CEC 2009*

Description

Generator for the functions UF1, ..., UF10 of the CEC 2009

Usage

makeUFFunction(dimensions, id)

Arguments

dimensions	[integer(1)] Size of corresponding parameter space.
id	[integer(1)] Instance identifier. Integer value between 1 and 10.

Value

[smoof_single_objective_function]

Note

The implementation is based on the original CPP implementation by Qingfu Zhang, Aimin Zhou, Shizheng Zhaoy, Ponnuthurai Nagaratnam Suganthany, Wudong Liu and Santosh Tiwar.

Author(s)

Jakob Bossek <j.bossek@gmail.com>

makeViennetFunction *Viennet function generator*

Description

The Viennet test problem VNT is designed for three objectives only. It has a discrete set of Pareto fronts. It is defined by the following formulae.

$$f(\mathbf{x}) = (f_1(\mathbf{x}), f_2(\mathbf{x}), f_3(\mathbf{x}))$$

with

$$f_1(\mathbf{x}) = 0.5(\mathbf{x}_1^2 + \mathbf{x}_2^2) + \sin(\mathbf{x}_1^2 + \mathbf{x}_2^2)$$

$$f_2(\mathbf{x}) = \frac{(3\mathbf{x}_1 + 2\mathbf{x}_2 + 4)^2}{8} + \frac{(\mathbf{x}_1 - \mathbf{x}_2 + 1)^2}{27} + 15$$

$$f_3(\mathbf{x}) = \frac{1}{\mathbf{x}_1^2 + \mathbf{x}_2^2 + 1} - 1.1 \exp(-(\mathbf{x}_1^1 + \mathbf{x}_2^2))$$

with box constraints $-3 \leq \mathbf{x}_1, \mathbf{x}_2 \leq 3$.

Usage

makeViennetFunction()

Value

[smoof_multi_objective_function] Returns an instance of the Viennet function as a smoof_multi_objective_function object.

References

Viennet, R. (1996). Multi-criteria optimization using a genetic algorithm for determining the Pareto set. *International Journal of Systems Science* 27 (2), 255-260.

makeWFG1Function	<i>WFG1 Function</i>
------------------	----------------------

Description

First test problem from the "Walking Fish Group" problem generator toolkit.

Usage

```
makeWFG1Function(n.objectives, k, l)
```

Arguments

n.objectives	[integer(1)] Number of objectives.
k	[integer(1)] Number of position-related parameters. These will automatically be the first k elements from the input vector. This value has to be a multiple of n.objectives - 1.
l	[integer(1)] Number of distance-related parameters. These will automatically be the last l elements from the input vector.

Details

Huband et al. recommend a value of $k = 4L$ position-related parameters for bi-objective problems and $k = 2L * (n.objectives - 1L)$ for many-objective problems. Furthermore the authors recommend a value of $l = 20$ distance-related parameters. Therefore, if k and/or l are not explicitly defined by the user, their values will be set to the recommended values per default.

Value

[smoof_multi_objective_function] Returns an instance of the WFG1 function as a smoof_multi_objective_function object.

References

S. Huband, P. Hingston, L. Barone, and L. While, "A Review of Multi-objective Test Problems and a Scalable Test Problem Toolkit," in IEEE Transactions on Evolutionary Computation, Volume 10, No 5, October 2006, pp. 477-506. IEEE.

makeWFG2Function	<i>WFG2 Function</i>
------------------	----------------------

Description

Second test problem from the "Walking Fish Group" problem generator toolkit.

Usage

```
makeWFG2Function(n.objectives, k, l)
```

Arguments

n.objectives	[integer(1)] Number of objectives.
k	[integer(1)] Number of position-related parameters. These will automatically be the first k elements from the input vector. This value has to be a multiple of n.objectives - 1.
l	[integer(1)] Number of distance-related parameters. These will automatically be the last l elements from the input vector. This value has to be a multiple of 2.

Details

Huband et al. recommend a value of $k = 4L$ position-related parameters for bi-objective problems and $k = 2L * (n.objectives - 1)$ for many-objective problems. Furthermore the authors recommend a value of $l = 20$ distance-related parameters. Therefore, if k and/or l are not explicitly defined by the user, their values will be set to the recommended values per default.

Value

[smoof_multi_objective_function] Returns an instance of the WFG2 function as a smoof_multi_objective_function object.

References

S. Huband, P. Hingston, L. Barone, and L. While, "A Review of Multi-objective Test Problems and a Scalable Test Problem Toolkit," in IEEE Transactions on Evolutionary Computation, Volume 10, No 5, October 2006, pp. 477-506. IEEE.

makeWFG3Function	<i>WFG3 Function</i>
------------------	----------------------

Description

Third test problem from the "Walking Fish Group" problem generator toolkit.

Usage

```
makeWFG3Function(n.objectives, k, l)
```

Arguments

n.objectives	[integer(1)] Number of objectives.
k	[integer(1)] Number of position-related parameters. These will automatically be the first k elements from the input vector. This value has to be a multiple of n.objectives - 1.
l	[integer(1)] Number of distance-related parameters. These will automatically be the last l elements from the input vector. This value has to be a multiple of 2.

Details

Huband et al. recommend a value of $k = 4L$ position-related parameters for bi-objective problems and $k = 2L * (n.objectives - 1L)$ for many-objective problems. Furthermore the authors recommend a value of $l = 20$ distance-related parameters. Therefore, if k and/or l are not explicitly defined by the user, their values will be set to the recommended values per default.

Value

[smoof_multi_objective_function] Returns an instance of the WFG3 function as a smoof_multi_objective_function object.

References

S. Huband, P. Hingston, L. Barone, and L. While, "A Review of Multi-objective Test Problems and a Scalable Test Problem Toolkit," in IEEE Transactions on Evolutionary Computation, Volume 10, No 5, October 2006, pp. 477-506. IEEE.

makeWFG4Function	<i>WFG4 Function</i>
------------------	----------------------

Description

Fourth test problem from the "Walking Fish Group" problem generator toolkit.

Usage

```
makeWFG4Function(n.objectives, k, l)
```

Arguments

n.objectives	[integer(1)] Number of objectives.
k	[integer(1)] Number of position-related parameters. These will automatically be the first k elements from the input vector. This value has to be a multiple of n.objectives - 1.
l	[integer(1)] Number of distance-related parameters. These will automatically be the last l elements from the input vector.

Details

Huband et al. recommend a value of $k = 4L$ position-related parameters for bi-objective problems and $k = 2L * (n.objectives - 1L)$ for many-objective problems. Furthermore the authors recommend a value of $l = 20$ distance-related parameters. Therefore, if k and/or l are not explicitly defined by the user, their values will be set to the recommended values per default.

Value

[smoof_multi_objective_function] Returns an instance of the WFG4 function as a smoof_multi_objective_function object.

References

S. Huband, P. Hingston, L. Barone, and L. While, "A Review of Multi-objective Test Problems and a Scalable Test Problem Toolkit," in IEEE Transactions on Evolutionary Computation, Volume 10, No 5, October 2006, pp. 477-506. IEEE.

makeWFG5Function	<i>WFG5 Function</i>
------------------	----------------------

Description

Fifth test problem from the "Walking Fish Group" problem generator toolkit.

Usage

```
makeWFG5Function(n.objectives, k, l)
```

Arguments

n.objectives	[integer(1)] Number of objectives.
k	[integer(1)] Number of position-related parameters. These will automatically be the first k elements from the input vector. This value has to be a multiple of n.objectives - 1.
l	[integer(1)] Number of distance-related parameters. These will automatically be the last l elements from the input vector.

Details

Huband et al. recommend a value of $k = 4L$ position-related parameters for bi-objective problems and $k = 2L * (n.objectives - 1L)$ for many-objective problems. Furthermore the authors recommend a value of $l = 20$ distance-related parameters. Therefore, if k and/or l are not explicitly defined by the user, their values will be set to the recommended values per default.

Value

[smoof_multi_objective_function] Returns an instance of the WFG5 function as a smoof_multi_objective_function object.

References

S. Huband, P. Hingston, L. Barone, and L. While, "A Review of Multi-objective Test Problems and a Scalable Test Problem Toolkit," in IEEE Transactions on Evolutionary Computation, Volume 10, No 5, October 2006, pp. 477-506. IEEE.

makeWFG6Function	<i>WFG6 Function</i>
------------------	----------------------

Description

Sixth test problem from the "Walking Fish Group" problem generator toolkit.

Usage

```
makeWFG6Function(n.objectives, k, l)
```

Arguments

n.objectives	[integer(1)] Number of objectives.
k	[integer(1)] Number of position-related parameters. These will automatically be the first k elements from the input vector. This value has to be a multiple of n.objectives - 1.
l	[integer(1)] Number of distance-related parameters. These will automatically be the last l elements from the input vector.

Details

Huband et al. recommend a value of $k = 4L$ position-related parameters for bi-objective problems and $k = 2L * (n.objectives - 1L)$ for many-objective problems. Furthermore the authors recommend a value of $l = 20$ distance-related parameters. Therefore, if k and/or l are not explicitly defined by the user, their values will be set to the recommended values per default.

Value

[smoof_multi_objective_function] Returns an instance of the WFG6 function as a smoof_multi_objective_function object.

References

S. Huband, P. Hingston, L. Barone, and L. While, "A Review of Multi-objective Test Problems and a Scalable Test Problem Toolkit," in IEEE Transactions on Evolutionary Computation, Volume 10, No 5, October 2006, pp. 477-506. IEEE.

makeWFG7Function	<i>WFG7 Function</i>
------------------	----------------------

Description

Seventh test problem from the "Walking Fish Group" problem generator toolkit.

Usage

```
makeWFG7Function(n.objectives, k, l)
```

Arguments

n.objectives	[integer(1)] Number of objectives.
k	[integer(1)] Number of position-related parameters. These will automatically be the first k elements from the input vector. This value has to be a multiple of n.objectives - 1.
l	[integer(1)] Number of distance-related parameters. These will automatically be the last l elements from the input vector.

Details

Huband et al. recommend a value of $k = 4L$ position-related parameters for bi-objective problems and $k = 2L * (n.objectives - 1L)$ for many-objective problems. Furthermore the authors recommend a value of $l = 20$ distance-related parameters. Therefore, if k and/or l are not explicitly defined by the user, their values will be set to the recommended values per default.

Value

[smoof_multi_objective_function] Returns an instance of the WFG7 function as a smoof_multi_objective_function object.

References

S. Huband, P. Hingston, L. Barone, and L. While, "A Review of Multi-objective Test Problems and a Scalable Test Problem Toolkit," in IEEE Transactions on Evolutionary Computation, Volume 10, No 5, October 2006, pp. 477-506. IEEE.

makeWFG8Function	<i>WFG8 Function</i>
------------------	----------------------

Description

Eighth test problem from the "Walking Fish Group" problem generator toolkit.

Usage

```
makeWFG8Function(n.objectives, k, l)
```

Arguments

n.objectives	[integer(1)] Number of objectives.
k	[integer(1)] Number of position-related parameters. These will automatically be the first k elements from the input vector. This value has to be a multiple of n.objectives - 1.
l	[integer(1)] Number of distance-related parameters. These will automatically be the last l elements from the input vector.

Details

Huband et al. recommend a value of $k = 4L$ position-related parameters for bi-objective problems and $k = 2L * (n.objectives - 1L)$ for many-objective problems. Furthermore the authors recommend a value of $l = 20$ distance-related parameters. Therefore, if k and/or l are not explicitly defined by the user, their values will be set to the recommended values per default.

Value

[smoof_multi_objective_function] Returns an instance of the WFG8 function as a smoof_multi_objective_function object.

References

S. Huband, P. Hingston, L. Barone, and L. While, "A Review of Multi-objective Test Problems and a Scalable Test Problem Toolkit," in IEEE Transactions on Evolutionary Computation, Volume 10, No 5, October 2006, pp. 477-506. IEEE.

makeWFG9Function	<i>WFG9 Function</i>
------------------	----------------------

Description

Ninth test problem from the "Walking Fish Group" problem generator toolkit.

Usage

```
makeWFG9Function(n.objectives, k, l)
```

Arguments

n.objectives	[integer(1)] Number of objectives.
k	[integer(1)] Number of position-related parameters. These will automatically be the first k elements from the input vector. This value has to be a multiple of n.objectives - 1.
l	[integer(1)] Number of distance-related parameters. These will automatically be the last l elements from the input vector.

Details

Huband et al. recommend a value of $k = 4L$ position-related parameters for bi-objective problems and $k = 2L * (n.objectives - 1L)$ for many-objective problems. Furthermore the authors recommend a value of $l = 20$ distance-related parameters. Therefore, if k and/or l are not explicitly defined by the user, their values will be set to the recommended values per default.

Value

[smoof_multi_objective_function] Returns an instance of the WFG9 function as a smoof_multi_objective_function object.

References

S. Huband, P. Hingston, L. Barone, and L. While, "A Review of Multi-objective Test Problems and a Scalable Test Problem Toolkit," in IEEE Transactions on Evolutionary Computation, Volume 10, No 5, October 2006, pp. 477-506. IEEE.

makeZDT1Function	<i>ZDT1 Function</i>
------------------	----------------------

Description

Builds and returns the two-objective ZDT1 test problem. For m objective it is defined as follows:

$$f(\mathbf{x}) = (f_1(\mathbf{x}_1), f_2(\mathbf{x}))$$

with

$$f_1(\mathbf{x}_1) = \mathbf{x}_1, f_2(\mathbf{x}) = g(\mathbf{x})h(f_1(\mathbf{x}_1), g(\mathbf{x}))$$

where

$$g(\mathbf{x}) = 1 + \frac{9}{m-1} \sum_{i=2}^m x_i, h(f_1, g) = 1 - \sqrt{\frac{f_1}{g}}$$

and $x_i \in [0, 1], i = 1, \dots, m$

Usage

```
makeZDT1Function(dimensions)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
------------	---

Value

[smoof_multi_objective_function] Returns an instance of the ZDT1 function as a smoof_multi_objective_function object.

References

E. Zitzler, K. Deb, and L. Thiele. Comparison of Multi-objective Evolutionary Algorithms: Empirical Results. *Evolutionary Computation*, 8(2):173-195, 2000

makeZDT2Function	<i>ZDT2 Function</i>
------------------	----------------------

Description

Builds and returns the two-objective ZDT2 test problem. The function is non-convex and resembles the ZDT1 function. For m objective it is defined as follows

$$f(\mathbf{x}) = (f_1(\mathbf{x}_1), f_2(\mathbf{x}))$$

with

$$f_1(\mathbf{x}_1) = \mathbf{x}_1, f_2(\mathbf{x}) = g(\mathbf{x})h(f_1(\mathbf{x}_1), g(\mathbf{x}))$$

where

$$g(\mathbf{x}) = 1 + \frac{9}{m-1} \sum_{i=2}^m \mathbf{x}_i, h(f_1, g) = 1 - \left(\frac{f_1}{g}\right)^2$$

and $\mathbf{x}_i \in [0, 1], i = 1, \dots, m$

Usage

```
makeZDT2Function(dimensions)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
------------	---

Value

[smoof_multi_objective_function] Returns an instance of the ZDT2 function as a smoof_multi_objective_function object.

References

E. Zitzler, K. Deb, and L. Thiele. Comparison of Multi-objective Evolutionary Algorithms: Empirical Results. *Evolutionary Computation*, 8(2):173-195, 2000

makeZDT3Function	ZDT3 Function
------------------	---------------

Description

Builds and returns the two-objective ZDT3 test problem. For m objective it is defined as follows

$$f(\mathbf{x}) = (f_1(\mathbf{x}_1), f_2(\mathbf{x}))$$

with

$$f_1(\mathbf{x}_1) = \mathbf{x}_1, f_2(\mathbf{x}) = g(\mathbf{x})h(f_1(\mathbf{x}_1), g(\mathbf{x}))$$

where

$$g(\mathbf{x}) = 1 + \frac{9}{m-1} \sum_{i=2}^m \mathbf{x}_i, h(f_1, g) = 1 - \sqrt{\frac{f_1(\mathbf{x})}{g(\mathbf{x})}} - \left(\frac{f_1(\mathbf{x})}{g(\mathbf{x})}\right) \sin(10\pi f_1(\mathbf{x}))$$

and $\mathbf{x}_i \in [0, 1], i = 1, \dots, m$. This function has some discontinuities in the Pareto-optimal front introduced by the sine term in the h function (see above). The front consists of multiple convex parts.

Usage

```
makeZDT3Function(dimensions)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
------------	---

Value

[smoof_multi_objective_function] Returns an instance of the ZDT3 function as a smoof_multi_objective_function object.

References

E. Zitzler, K. Deb, and L. Thiele. Comparison of Multi-objective Evolutionary Algorithms: Empirical Results. *Evolutionary Computation*, 8(2):173-195, 2000

makeZDT4Function	ZDT4 Function
------------------	---------------

Description

Builds and returns the two-objective ZDT4 test problem. For m objective it is defined as follows

$$f(\mathbf{x}) = (f_1(\mathbf{x}_1), f_2(\mathbf{x}))$$

with

$$f_1(\mathbf{x}_1) = \mathbf{x}_1, f_2(\mathbf{x}) = g(\mathbf{x})h(f_1(\mathbf{x}_1), g(\mathbf{x}))$$

where

$$g(\mathbf{x}) = 1 + 10(m - 1) + \sum_{i=2}^m (\mathbf{x}_i^2 - 10 \cos(4\pi\mathbf{x}_i)), h(f_1, g) = 1 - \sqrt{\frac{f_1(\mathbf{x})}{g(\mathbf{x})}}$$

and $\mathbf{x}_i \in [0, 1], i = 1, \dots, m$. This function has many Pareto-optimal fronts and is thus suited to test the algorithms ability to tackle multi-modal problems.

Usage

```
makeZDT4Function(dimensions)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
------------	---

Value

[smoof_multi_objective_function] Returns an instance of the ZDT4 function as a smoof_multi_objective_function object.

References

E. Zitzler, K. Deb, and L. Thiele. Comparison of Multi-objective Evolutionary Algorithms: Empirical Results. *Evolutionary Computation*, 8(2):173-195, 2000

makeZDT6Function	ZDT6 Function
------------------	---------------

Description

Builds and returns the two-objective ZDT6 test problem. For m objective it is defined as follows

$$f(\mathbf{x}) = (f_1(\mathbf{x}), f_2(\mathbf{x}))$$

with

$$f_1(\mathbf{x}) = 1 - \exp(-4\mathbf{x}_1) \sin^6(6\pi\mathbf{x}_1), f_2(\mathbf{x}) = g(\mathbf{x})h(f_1(\mathbf{x}_1), g(\mathbf{x}))$$

where

$$g(\mathbf{x}) = 1 + 9 \left(\frac{\sum_{i=2}^m \mathbf{x}_i}{m-1} \right)^{0.25}, h(f_1, g) = 1 - \left(\frac{f_1(\mathbf{x})}{g(\mathbf{x})} \right)^2$$

and $\mathbf{x}_i \in [0, 1], i = 1, \dots, m$. This function introduced two difficulties (see reference): 1. the density of solutions decreases with the closeness to the Pareto-optimal front and 2. the Pareto-optimal solutions are non-uniformly distributed along the front.

Usage

```
makeZDT6Function(dimensions)
```

Arguments

dimensions	[integer(1)] Number of decision variables.
------------	---

Value

[smoof_multi_objective_function] Returns an instance of the ZDT6 function as a smoof_multi_objective_function object.

References

E. Zitzler, K. Deb, and L. Thiele. Comparison of Multi-objective Evolutionary Algorithms: Empirical Results. *Evolutionary Computation*, 8(2):173-195, 2000

makeZettlFunction	<i>Zettl Function</i>
-------------------	-----------------------

Description

The uni-modal Zettl Function is based on the definition

$$f(\mathbf{x}) = (\mathbf{x}_1^2 + \mathbf{x}_2^2 - 2\mathbf{x}_1)^2 + 0.25\mathbf{x}_1$$

with box-constraints $\mathbf{x}_i \in [-5, 10], i = 1, 2$.

Usage

```
makeZettlFunction()
```

Value

An object of class `SingleObjectiveFunction`, representing the Zettl Function.

[smoof_single_objective_function]

References

H. P. Schwefel, *Evolution and Optimum Seeking*, John Wiley Sons, 1995.

mnof	<i>Helper function to create a numeric multi-objective optimization test function</i>
------	---

Description

This is a simplifying wrapper around `makeMultiObjectiveFunction`. It can be used if the function to generate is purely numeric to save some lines of code.

Usage

```
mnof(
  name = NULL,
  id = NULL,
  par.len = NULL,
  par.id = "x",
  par.lower = NULL,
  par.upper = NULL,
  n.objectives,
  description = NULL,
  fn,
  vectorized = FALSE,
```

```

noisy = FALSE,
fn.mean = NULL,
minimize = rep(TRUE, n.objectives),
constraint.fn = NULL,
ref.point = NULL
)

```

Arguments

name	[character(1)] Function name. Used for the title of plots for example.
id	[character(1) NULL] Optional short function identifier. If provided, this should be a short name without whitespaces and now special characters beside the underscore. Default is NULL, which means no ID at all.
par.len	[integer(1)] Length of parameter vector.
par.id	[character(1)] Optional name of parameter vector. Default is "x".
par.lower	[numeric] Vector of lower bounds. A single value of length 1 is automatically replicated to n.pars. Default is -Inf.
par.upper	[numeric] Vector of upper bounds. A single value of length 1 is automatically replicated to n.pars. Default is Inf.
n.objectives	[integer(1)] Number of objectives of the multi-objective function.
description	[character(1) NULL] Optional function description.
fn	[function] Objective function.
vectorized	[logical(1)] Can the objective function handle "vector" input, i.e., does it accept matrix of parameters? Default is FALSE.
noisy	[logical(1)] Is the function noisy? Defaults to FALSE.
fn.mean	[function] Optional true mean function in case of a noisy objective function. This functions should have the same mean as fn.
minimize	[logical] Logical vector of length n.objectives indicating if the corresponding objectives shall be minimized or maximized. Default is the vector with all components set to TRUE.

constraint.fn	[function NULL] Function which returns a logical vector indicating whether certain conditions are met or not. Default is NULL, which means, that there are no constraints beside possible box constraints defined via the par.set argument.
ref.point	[numeric] Optional reference point in the objective space, e.g., for hyper-volume computation.

Value

[smoof_multi_objective_function] Returns a numeric multi-objective optimization test function created using the provided parameters.

Examples

```
# first we generate the 10d sphere function the long way
fn = makeMultiObjectiveFunction(
  name = "Testfun",
  fn = function(x) c(sum(x^2), exp(sum(x^2))),
  par.set = makeNumericParamSet(
    len = 10L, id = "a",
    lower = rep(-1.5, 10L), upper = rep(1.5, 10L)
  ),
  n.objectives = 2L
)

# ... and now the short way
fn = mnof(
  name = "Testfun",
  fn = function(x) c(sum(x^2), exp(sum(x^2))),
  par.len = 10L, par.id = "a", par.lower = -1.5, par.upper = 1.5,
  n.objectives = 2L
)
```

plot.smoof_function *Generate ggplot2 object*

Description

This function generates a ggplot2 object for visualization.

Usage

```
## S3 method for class 'smoof_function'
plot(x, ...)
```

Arguments

x	[smoof_function] Function.
...	[any] Further parameters passed to the corresponding plot functions.

Value

Nothing

plot1DNumeric	<i>Plot an one-dimensional function</i>
---------------	---

Description

Plot an one-dimensional function

Usage

```
plot1DNumeric(
  x,
  show.optimum = FALSE,
  main = getName(x),
  n.samples = 500L,
  ...
)
```

Arguments

x	[smoof_function] Function.
show.optimum	[logical(1)] If the function has a known global optimum, should its location be plotted by a point or multiple points in case of multiple global optima? Default is FALSE.
main	[character(1L)] Plot title. Default is the name of the smoof function.
n.samples	[integer(1)] Number of locations to be sampled. Default is 500.
...	[any] Further paramerters passed to plot function.

Value

Nothing

plot2DNumeric *Plot a two-dimensional numeric function*

Description

Either a contour-plot or a level-plot.

Usage

```
plot2DNumeric(  
  x,  
  show.optimum = FALSE,  
  main = getName(x),  
  render.levels = FALSE,  
  render.contours = TRUE,  
  n.samples = 100L,  
  ...  
)
```

Arguments

x	[smoof_function] Function.
show.optimum	[logical(1)] If the function has a known global optimum, should its location be plotted by a point or multiple points in case of multiple global optima? Default is FALSE.
main	[character(1L)] Plot title. Default is the name of the smoof function.
render.levels	[logical(1)] Show a level-plot? Default is FALSE.
render.contours	[logical(1)] Render contours? Default is TRUE.
n.samples	[integer(1)] Number of locations per dimension to be sampled. Default is 100.
...	[any] Further paramerters passed to image respectively contour function.

Value

Nothing

plot3D

Surface plot of two-dimensional test function

Description

This function generates a surface plot of a two-dimensional smooth function.

Usage

```
plot3D(x, length.out = 100L, package = "plot3D", ...)
```

Arguments

x	[smoof_function] Two-dimensional smooth function.
length.out	[integer(1)] Determines the “smoothness” of the grid. The higher the value, the smoother the function landscape looks like. However, you should avoid setting this parameter to high, since with the contour option set to TRUE the drawing can take quite a lot of time. Default is 100.
package	[character(1)] String describing the package to use for 3D visualization. At the moment “plot3D” (package plot3D) and “plotly” (package plotly) are supported. The latter opens a highly interactive plot in a web browser and is thus suited well to explore a function by hand. Default is “plot3D”.
...	[any] Further parameters passed to method used for visualization (which is determined by the package argument).

Examples

```
library(plot3D)
fn = makeRastriginFunction(dimensions = 2L)
## Not run:
# use the plot3D::persp3D method (default behaviour)
plot3D(fn)
plot3D(fn, contour = TRUE)
plot3D(fn, image = TRUE, phi = 30)

# use plotly::plot_ly for interactive plot
plot3D(fn, package = "plotly")

## End(Not run)
```

resetEvaluationCounter
Reset evaluation counter

Description

Reset evaluation counter

Usage

resetEvaluationCounter(fn)

Arguments

fn [smoof_counting_function]
 Wrapped smoof_function.

shouldBeMinimized *Check if function should be minimized*

Description

Functions can have an associated global optimum. In this case one needs to know whether the optimum is a minimum or a maximum.

Usage

shouldBeMinimized(fn)

Arguments

fn [smoof_function]
 Objective function.

Value

[logical] Each component indicates whether the corresponding objective should be minimized.

smoof_function

*Smoof function***Description**

Regular R function with additional classes `smoof_function` and one of `smoof_single_objective_function` or `smoof_multi_objective_function`. Both single- and multi-objective functions share the following attributes.

name [character(1)] Optional function name.

id [character(1)] Short identifier.

description [character(1)] Optional function description.

has.simple.signature TRUE if the target function expects a vector as input and FALSE if it expects a named list of values.

par.set [`ParamSet`] Parameter set describing different aspects of the target function parameters, i. e., names, lower and/or upper bounds, types and so on.

n.objectives [integer(1)] Number of objectives.

noisy [logical(1)] Boolean indicating whether the function is noisy or not.

fn.mean [function] Optional true mean function in case of a noisy objective function.

minimize [logical(1)] Logical vector of length `n.objectives` indicating which objectives shall be minimized/maximized.

vectorized [logical(1)] Can the handle “vector” input, i. e., does it accept matrix of parameters?

constraint.fn [function] Optional function which returns a logical vector with each component indicating whether the corresponding constraint is violated.

Furthermore, single-objective function may contain additional parameters with information on local and/or global optima as well as characterizing tags.

tags [character] Optional character vector of tags or keywords.

global.opt.params [data.frame] Data frame of parameter values of global optima.

global.opt.value [numeric(1)] Function value of global optima.

local.opt.params [data.frame] Data frame of parameter values of local optima.

global.opt.value [numeric] Function values of local optima.

Currently tagging is not possible for multi-objective functions. The only additional attribute may be a reference point:

ref.point [numeric] Optional reference point of length `n.objectives`.

snof	<i>Helper function to create numeric single-objective optimization test function</i>
------	--

Description

This is a simplifying wrapper around [makeSingleObjectiveFunction](#). It can be used if the function to generate is purely numeric to save some lines of code.

Usage

```
snof(
  name = NULL,
  id = NULL,
  par.len = NULL,
  par.id = "x",
  par.lower = NULL,
  par.upper = NULL,
  description = NULL,
  fn,
  vectorized = FALSE,
  noisy = FALSE,
  fn.mean = NULL,
  minimize = TRUE,
  constraint.fn = NULL,
  tags = character(0),
  global.opt.params = NULL,
  global.opt.value = NULL,
  local.opt.params = NULL,
  local.opt.values = NULL
)
```

Arguments

name	[character(1)] Function name. Used for the title of plots for example.
id	[character(1) NULL] Optional short function identifier. If provided, this should be a short name without whitespaces and now special characters beside the underscore. Default is NULL, which means no ID at all.
par.len	[integer(1)] Length of parameter vector.
par.id	[character(1)] Optional name of parameter vector. Default is "x".

<code>par.lower</code>	[numeric] Vector of lower bounds. A single value of length 1 is automatically replicated to <code>n.pars</code> . Default is <code>-Inf</code> .
<code>par.upper</code>	[numeric] Vector of upper bounds. A single value of length 1 is automatically replicated to <code>n.pars</code> . Default is <code>Inf</code> .
<code>description</code>	[character(1) NULL] Optional function description.
<code>fn</code>	[function] Objective function.
<code>vectorized</code>	[logical(1)] Can the objective function handle “vector” input, i.e., does it accept matrix of parameters? Default is <code>FALSE</code> .
<code>noisy</code>	[logical(1)] Is the function noisy? Defaults to <code>FALSE</code> .
<code>fn.mean</code>	[function] Optional true mean function in case of a noisy objective function. This functions should have the same mean as <code>fn</code> .
<code>minimize</code>	[logical(1)] Set this to <code>TRUE</code> if the function should be minimized and to <code>FALSE</code> otherwise. The default is <code>TRUE</code> .
<code>constraint.fn</code>	[function NULL] Function which returns a logical vector indicating whether certain conditions are met or not. Default is <code>NULL</code> , which means, that there are no constraints beside possible box constraints defined via the <code>par.set</code> argument.
<code>tags</code>	[character] Optional character vector of tags or keywords which characterize the function, e.g. “unimodal”, “separable”. See getAvailableTags for a character vector of allowed tags.
<code>global.opt.params</code>	[list numeric data.frame matrix NULL] Default is <code>NULL</code> which means unknown. Passing a numeric vector will be the most frequent case (numeric only functions). In this case there is only a single global optimum. If there are multiple global optima, passing a numeric matrix is the best choice. Passing a <code>list</code> or a <code>data.frame</code> is necessary if your function is mixed, e.g., it expects both numeric and discrete parameters. Internally, however, each representation is casted to a <code>data.frame</code> for reasons of consistency.
<code>global.opt.value</code>	[numeric(1) NULL] Global optimum value if known. Default is <code>NULL</code> , which means unknown. If only the <code>global.opt.params</code> are passed, the value is computed automatically.
<code>local.opt.params</code>	[list numeric data.frame matrix NULL] Default is <code>NULL</code> , which means the function has no local optima or they are unknown. For details see the description of <code>global.opt.params</code> .

```
local.opt.values
      [numeric | NULL]
      Value(s) of local optima. Default is NULL, which means unknown. If only the
      local.opt.params are passed, the values are computed automatically.
```

Examples

```
# first we generate the 10d sphere function the long way
fn = makeSingleObjectiveFunction(
  name = "Testfun",
  fn = function(x) sum(x^2),
  par.set = makeNumericParamSet(
    len = 10L, id = "a",
    lower = rep(-1.5, 10L), upper = rep(1.5, 10L)
  )
)

# ... and now the short way
fn = snof(
  name = "Testfun",
  fn = function(x) sum(x^2),
  par.len = 10L, par.id = "a", par.lower = -1.5, par.upper = 1.5
)
```

violatesConstraints *Checks whether constraints are violated*

Description

Checks whether constraints are violated

Usage

```
violatesConstraints(fn, values)
```

Arguments

fn	[smoof_function] Objective function.
values	[numeric] List of values.

Value

```
[logical(1)]
```

```
visualizeParetoOptimalFront
```

Pareto-optimal front visualization

Description

Quickly visualize the Pareto-optimal front of a bi-criteria objective function by calling the EMOA [nsga2](#) and extracting the approximated Pareto-optimal front.

Usage

```
visualizeParetoOptimalFront(fn, ...)
```

Arguments

<code>fn</code>	[<code>smoof_multi_objective_function</code>] Multi-objective smooof function.
<code>...</code>	[any] Arguments passed to nsga2 .

Value

[[ggplot](#)] Returns a ggplot object representing the Pareto-optimal front visualization.

Examples

```
# Here we visualize the Pareto-optimal front of the bi-objective ZDT3 function
fn = makeZDT3Function(dimensions = 3L)
vis = visualizeParetoOptimalFront(fn)

# Alternatively we can pass some more algorithm parameters to the NSGA2 algorithm
vis = visualizeParetoOptimalFront(fn, popsize = 1000L)
```

Index

- * **nk_landscapes**
 - exportNKFunction, 13
 - makeMNKFunction, 90
 - makeNKFunction, 100
- addCountingWrapper, 6, 13, 24, 28
- addLoggingWrapper, 7, 18, 24, 28
- autoplot.smooof_function, 8
- computeExpectedRunningTime, 10
- conversion, 11
- convertToMaximization (conversion), 11
- convertToMinimization (conversion), 11
- doesCountEvaluations, 12
- exportNKFunction, 13, 91, 100
- filterFunctionsByTags, 14, 64, 65
- getAvailableTags, 14, 15, 26, 112, 144
- getDescription, 15
- getGlobalOptimum, 16
- getID, 16
- getLocalOptimum, 17
- getLoggedValues, 17
- getLowerBoxConstraints, 18
- getMeanFunction, 18
- getName, 19
- getNumberOfEvaluations, 6, 19
- getNumberOfObjectives, 20
- getNumberOfParameters, 20
- getOptimaDf, 21
- getParamSet, 21
- getRefPoint, 22
- getTags, 22
- getUpperBoxConstraints, 23
- getWrappedFunction, 23
- ggplot, 9, 146
- hasBoxConstraints, 24
- hasConstraints, 24
- hasGlobalOptimum, 25
- hasLocalOptimum, 25
- hasOtherConstraints, 26
- hasTags, 26
- importNKFunction (exportNKFunction), 13
- isMultiobjective, 27
- isNoisy, 27
- isSingleobjective, 28
- isSmooofFunction, 28
- isVectorized, 29
- isWrappedSmooofFunction, 29
- makeAckleyFunction, 30
- makeAdjimanFunction, 30
- makeAlpine01Function, 31
- makeAlpine02Function, 32
- makeAluffiPentiniFunction, 32
- makeBartelsConnFunction, 33
- makeBBOBFunction, 33
- makeBealeFunction, 34
- makeBentCigarFunction, 35
- makeBiObjBBOBFunction, 35
- makeBirdFunction, 36
- makeBiSphereFunction, 37
- makeBK1Function, 38
- makeBohachevskyN1Function, 38
- makeBoothFunction, 39
- makeBraninFunction, 39
- makeBrentFunction, 40
- makeBrownFunction, 41
- makeBukinN2Function, 41, 42, 43
- makeBukinN4Function, 42, 42, 43
- makeBukinN6Function, 42, 43
- makeCarromTableFunction, 43
- makeChichinadzeFunction, 44
- makeChungReynoldsFunction, 44
- makeComplexFunction, 45
- makeCosineMixtureFunction, 46

makeCrossInTrayFunction, 46
makeCubeFunction, 47
makeDeckkersAartsFunction, 48
makeDeflectedCorrugatedSpringFunction, 48
makeDentFunction, 49
makeDixonPriceFunction, 50
makeDoubleSumFunction, 50
makeDTLZ1Function, 51
makeDTLZ2Function, 52
makeDTLZ3Function, 53
makeDTLZ4Function, 54
makeDTLZ5Function, 55
makeDTLZ6Function, 56
makeDTLZ7Function, 57
makeEasomFunction, 58
makeED1Function, 59
makeED2Function, 60
makeEggCrateFunction, 61
makeEggholderFunction, 61
makeElAttarVidyasagarDuttaFunction, 62
makeEngvallFunction, 62
makeExponentialFunction, 63
makeFreudensteinRothFunction, 64
makeFunctionsByName, 64
makeGeneralizedDropWaveFunction, 65
makeGiuntaFunction, 66
makeGoldsteinPriceFunction, 66
makeGOMOPFunction, 67
makeGriewankFunction, 68
makeHansenFunction, 68
makeHartmannFunction, 69
makeHimmelblauFunction, 70
makeHolderTableN1Function, 70, 71
makeHolderTableN2Function, 71, 71
makeHosakiFunction, 72
makeHyperEllipsoidFunction, 72
makeInvertedVincentFunction, 73
makeJennrichSampsonFunction, 74
makeJudgeFunction, 74
makeKeaneFunction, 75
makeKearfottFunction, 75
makeKursaweFunction, 76
makeLeonFunction, 76
makeMatyasFunction, 77
makeMcCormickFunction, 77
makeMichalewiczFunction, 78
makeMMF10Function, 79
makeMMF11Function, 79
makeMMF12Function, 80
makeMMF13Function, 81
makeMMF14aFunction, 81
makeMMF14Function, 82
makeMMF15aFunction, 83
makeMMF15Function, 84
makeMMF1eFunction, 84
makeMMF1Function, 85
makeMMF1zFunction, 86
makeMMF2Function, 86
makeMMF3Function, 87
makeMMF4Function, 87
makeMMF5Function, 88
makeMMF6Function, 88
makeMMF7Function, 89
makeMMF8Function, 89
makeMMF9Function, 90
makeMNKFunction, 14, 90, 100
makeModifiedRastriginFunction, 92
makeMOP1Function, 93
makeMOP2Function, 94
makeMOP3Function, 94
makeMOP4Function, 95
makeMOP5Function, 95
makeMOP6Function, 96
makeMOP7Function, 96
makeMPM2Function, 97
makeMultiObjectiveFunction, 98, 135
makeNKFunction, 14, 91, 100
makeObjectiveFunction, 101
makeOmniTestFunction, 102
makeParamSet, 99, 102, 112
makePeriodicFunction, 103
makePowellSumFunction, 104
makePriceN1Function, 104, 105, 106
makePriceN2Function, 105, 105, 106
makePriceN4Function, 105, 106
makeRastriginFunction, 106
makeRMNKFunction (makeMNKFunction), 90
makeRosenbrockFunction, 107
makeSchafferN2Function, 108
makeSchafferN4Function, 108
makeSchwefelFunction, 109
makeShekelFunction, 110
makeShubertFunction, 110
makeSingleObjectiveFunction, 111, 143
makeSixHumpCamelFunction, 114

makeSphereFunction, [72](#), [114](#)
makeStyblinskiTangFunction, [115](#)
makeSumOfDifferentSquaresFunction, [116](#)
makeSwiler2014Function, [116](#)
makeSYMPARTrotatedFunction, [117](#)
makeSYMPARTsimpleFunction, [117](#)
makeThreeHumpCamelFunction, [118](#)
makeTrecanniFunction, [119](#)
makeUFFunction, [119](#)
makeViennetFunction, [120](#)
makeWFG1Function, [121](#)
makeWFG2Function, [122](#)
makeWFG3Function, [123](#)
makeWFG4Function, [124](#)
makeWFG5Function, [125](#)
makeWFG6Function, [126](#)
makeWFG7Function, [127](#)
makeWFG8Function, [128](#)
makeWFG9Function, [129](#)
makeZDT1Function, [130](#)
makeZDT2Function, [131](#)
makeZDT3Function, [132](#)
makeZDT4Function, [133](#)
makeZDT6Function, [134](#)
makeZettlFunction, [135](#)
mnof, [135](#)

nsga2, [146](#)

ParamSet, [8](#), [21](#), [99](#), [102](#), [112](#), [142](#)
plot.smooof_function, [137](#)
plot1DNumeric, [138](#)
plot2DNumeric, [139](#)
plot3D, [140](#)

resetEvaluationCounter, [6](#), [141](#)

shouldBeMinimized, [141](#)
smooof_function, [142](#)
smooof_multi_objective_function
 (smooof_function), [142](#)
smooof_single_objective_function
 (smooof_function), [142](#)
snof, [143](#)

violatesConstraints, [145](#)
visualizeParetoOptimalFront, [146](#)